



The Ontario Gazette

La Gazette de l'Ontario

Vol. 136-20
Saturday, 17th May 2003

Toronto

ISSN 0030-2937
Le samedi 17 mai 2003

Parliamentary Notice

Avis parlementaire

ROYAL ASSENT

THE PROVINCE OF ONTARIO
Toronto, Monday, May 5, 2003

4:35 p.m.

In the name of Her Majesty the Queen, His Honour the Lieutenant Governor, assented to the following bill, in his office:-

Bill 1 An Act to protect jobs, promote economic growth and to address the challenge of SARS in Ontario.
[S.O. 2003, Chapter 1]

CLAUDE L. DESROSIERS,
Clerk of the Legislative Assembly

SANCTION ROYALE

PROVINCE DE L'ONTARIO
Toronto, lundi 5 mars 2003

16h 35

Au nom de Sa Majesté la Reine, Son Honneur le lieutenant-gouverneur, a accordé la sanction royale au projet de loi suivant, dans son bureau :

de loi 1 Loi visant à protéger les emplois, à promouvoir la croissance économique et à relever le défi posé par le SRAS en Ontario.
Projet [L.O. 2003, Chapitre 1]

(6797) 03

CLAUDE L. DESROSIERS,
Le greffier de l'Assemblée législative.

Government Notices Respecting Corporations

Avis du gouvernement relatifs aux compagnies

Certificates of Dissolution

Certificats de dissolution

NOTICE IS HEREBY GIVEN that a certificate of dissolution under the *Business Corporations Act*, has been endorsed. The effective date of dissolution precedes the corporation listings.

AVIS EST DONNÉ PAR LA PRÉSENTE que, conformément à la *Loi sur les compagnies*, un certificat de dissolution a été inscrit pour les compagnies suivantes : la date d'entrée en vigueur précède la liste des compagnies visées.

Name of Corporation: Dénomination sociale de la compagnie :	Ontario Corporation Number Numéro de la compagnie en Ontario
---	--

2003-04-08	
CAPRICORN CARPET LIMITED	288184
NOMAD JEANS INC.	961307
894791 ONTARIO LIMITED	894791
2003-04-09	
DOLSAR REALTY LIMITED	598408
GERRY'S INDUSTRIAL MAINTENANCE LTD.....	1044905

Published by Ministry of Consumer and Business Services
Publié par Ministère des Services aux consommateurs
et aux entreprises

© Queen's Printer for Ontario, 2003
© Imprimeur de la Reine pour l'Ontario, 2003



1301



Name of Corporation: Ontario Corporation Number
 Dénomination sociale Numéro de la
 de la compagnie : compagnie en Ontario

IDEA DEVELOPMENT & TECHNOLOGY OF CANADA INC.	726791
JUMBO (INTERNATIONAL) TRADING INC.	1030494
STATEMENTS IN FLOWERS INC.	772883
2003-04-10	
ANTLER ASSOCIATES LIMITED	808284
BEYELER DESIGNS LTD.	682539
MINET'S POINT FOODS LTD.	948305
2003-04-11	
KAZEKIKOU TOURS & TRAVEL LTD.	1012344
1143829 ONTARIO LIMITED.	1143829
2003-04-12	
CARITO'S WAREHOUSING LIMITED	279720
1045861 ONTARIO LIMITED.	1045861
2003-04-14	
D&E FINE QUALITY INC.	1398509
OXFORD ELEVATORS LIMITED.	282815
1174533 ONTARIO INC.	1174533
1281335 ONTARIO LTD.	1281335
2003-04-17	
CARR AND BARNES CONTRACTORS LIMITED	43996
KAM C. CHAU & ASSOCIATES, INC.	988787
MARINA DEL REY COMMUNICATIONS INC.	1052027
STATHIS HAIR DESIGN INC.	815330
1195832 ONTARIO LIMITED.	1195832
746781 ONTARIO LTD.	746781
2003-04-22	
HODDENBAGH, HORTON & ASSOCIATES LIMITED ...	435153
SOLIS FOODS INCORPORATED	795372
TRATIM SHEET METAL INC.	969832
1457398 ONTARIO INC.	1457398
2003-04-23	
CHARITY TOURNAMENTS & PROMOTIONS INC.	740116
VICTORIA PETERBOROUGH INVESTMENTS INC.	207067
2003-04-25	
AIRBORNE MARKETING SERVICES INC.	860005
AUXILIARY POWER INC.	1312968
DAWN'N JUNE LTD.	1248106
DEAS INTERNATIONAL TRADING INC.	1017773
H. KIM INVESTMENTS LTD.	380866
HIGHBURY AUTOMOTIVE LIMITED.	509689
MAHARAJA JEWELLERS INC.	1231047
PASSAT Y. S. INC.	728382
R & H MCEWAN FARMS LIMITED	215950
RUEDEL CORPORATION	1047442
VPW HEALTH CARE LTD.	825781
1116511 ONTARIO LIMITED.	1116511
1164836 ONTARIO INC.	1164836
1346366 ONTARIO INC.	1346366
483523 ONTARIO LIMITED.	483523
637536 ONTARIO INC.	637536
2003-04-26	
KOWACZ PLUMBING AND HEATING INC.	877260
RICHARD NAPIOR HOLDINGS INC.	1355014
1380849 ONTARIO INC.	1380849
2003-04-28	
LHL COMPUTER CONSULTING INC.	1255946
MIN FASHION DISTRIBUTION LTD.	1415945
SHRIMPPIE ENTERPRISES LIMITED	219348
THE VOLCANO ROOM INC.	1365048
69 WELDING AND ORNAMENTAL IRON WORKS LTD. ..	306410
2003-04-29	
BERNARD LO & ASSOCIATES INC.	1016182
BMIA GROUP INC.	1380533
C-E-A GLOBAL INVESTMENT & DEVELOPMENT INC.	1020605
EDGWARE INVESTMENTS CO. LIMITED	208301
KING VIEW INTERNATIONAL INVESTMENT LTD.	1044501
MERCHANT COURT FINANCIAL GROUP INC.	1364441
ROWLAND'S APPLIANCE & T. V. SERVICE LIMITED	111354
SANBORN PERSONNEL & SERVICES INC.	538575
SUMIPA CORPORATION	1510156
T. WISEMAN HOLDINGS INC.	1285400

Name of Corporation: Ontario Corporation Number
 Dénomination sociale Numéro de la
 de la compagnie : compagnie en Ontario

TEMPO CONSTRUCTION INC.	1134007
TERCINKA MANAGEMENT INC.	742323
1253878 ONTARIO INC.	1253878
2003-04-30	
A. PIA & SONS SERVICES LTD.	554560
ABRAHAM SASLOVE LTD.	251487
BURNS INTERNATIONAL SECURITY SERVICES LIMITED	97979
C/P TALES PRODUCTIONS INC.	2007185
COFFEEBOOK INC.	1085371
MYRTLE PRODUCTS LTD.	831774
P.M. POSTAL SERVICES INC.	898146
VIKING EXPRESS HOLDINGS INC.	662083
WATERPOINT INVESTMENTS LIMITED	570712
YAT TING FAT INVESTMENTS & CONSULTANTS LTD.	1511479
1211423 ONTARIO INC.	1211423
1267931 ONTARIO LIMITED.	1267931
1278364 ONTARIO INC.	1278364
1285969 ONTARIO INC.	1285969
1561128 ONTARIO LIMITED.	1561128
643666 ONTARIO LIMITED.	643666
2003-05-01	
AVA INVESTMENT CO. LIMITED	95060
CONDI-CART CANADA LIMITED	1204870
MARIANNE FRIEDLAND GALLERY LIMITED	742113
MULTI-ED SERVICES INC.	1216816
THE ATC GROUP INC.	1184613
493836 ONTARIO LIMITED.	493836
527818 ONTARIO LIMITED.	527818
2003-05-02	
2016620 ONTARIO LTD.	2016620
802853 ONTARIO LIMITED.	802853

B. G. HAWTON,
 Director, Companies and Personal Property
 Security Branch
 Directrice, Direction des compagnies et des
 sûretés mobilières

20/03

Cancellations for Cause (Business Corporations Act) Annulations à juste titre (Loi sur les sociétés par actions)

NOTICE IS HEREBY GIVEN that by orders under section 240 of the *Business Corporations Act*, the certificates set out hereunder have been cancelled for cause and in the case of certificates of incorporation the corporations have been dissolved. The effective date of cancellation precedes the corporation listing.

AVIS EST DONNÉ PAR LA PRÉSENTE que, par des ordres donnés en vertu de l'article 240 de la *Loi sur les sociétés par actions*, les certificats indiqués ci-dessous ont été annulés à juste titre et, dans le cas des certificats de constitution, les sociétés ont été dissoutes. La dénomination sociale des compagnies concernées est précédée de la date de prise d'effet de l'annulation.

Name of Corporation: Ontario Corporation Number
 Dénomination sociale Numéro de la compagnie
 de la compagnie : en Ontario

2003-05-06	
GREYVEST INC.	345304
673907 ONTARIO LIMITED.	673907

B.G. HAWTON,
 Director, Companies and Personal Property
 Security Branch
 Directrice, Direction des compagnies et des
 sûretés mobilières

20/03

**Notice of Default in Complying with the
Corporations Information Act**
**Avis de non-observation de la loi sur les
renseignements exigés des compagnies
et des associations**

NOTICE IS HEREBY GIVEN under subsection 241 (3) of the *Business Corporations Act* that unless the corporations listed hereunder comply with the filing requirements under the *Corporations Information Act* within 90 days of this notice orders dissolving the corporation(s) will be issued. The effective date precedes the corporation listings.

AVIS EST DONNÉ PAR LA PRÉSENTE que, conformément au paragraphe 241 (3) de la *Loi sur les sociétés par actions*, si les compagnies mentionnées ci-dessous ne se conforment pas aux exigences de dépôt requises par la *Loi sur les renseignements exigés des compagnies et des associations* dans un délai de 90 jours suivant la réception du présent avis, des ordonnances de dissolution seront délivrées contre lesdites compagnies. La date d'entrée en vigueur précède la liste des compagnies visées.

Name of Corporation: Dénomination sociale de la compagnie :	Ontario Corporation Number Numéro de la compagnie en Ontario
---	--

2003-05-01

1404055 ONTARIO LIMITED. 1404055

2003-05-05

CHAMPION MOTORS LEASING LTD. 1538503

B. G. HAWTON,
Director, Companies and Personal Property
Security Branch
Directrice, Direction des compagnies et des
sûretés mobilières

20/03

**Notice of Default in Complying with the
Corporations Tax Act**
**Avis d'inobservation de la loi sur les
corporations**

The Director has been notified by the Minister of Revenue that the following corporations are in default in complying with the *Corporations Tax Act*.

NOTICE IS HEREBY GIVEN under subsection 241 (1) of the *Business Corporations Act*, that unless the corporations listed hereunder comply with the requirements of the *Corporations Tax Act* within 90 days of this notice, orders will be made dissolving the defaulting corporations. All enquiries concerning this notice are to be directed to Corporations Tax Branch, Ministry of Revenue, 33 King Street West, Oshawa, Ontario L1H 8H6.

Le ministre du Revenu a informé l'administrateur unique que les compagnies suivantes n'avaient pas respecté la Loi sur l'imposition des personnes morales.

AVIS EST DONNÉ PAR LA PRÉSENTE que, conformément au paragraphe 241 (1) de la *Loi sur les compagnies*, si les compagnies citées ci-dessous ne se conforment pas aux prescriptions énoncées par la Loi sur l'imposition des personnes morales dans un délai de 90 jours suivant la réception du présent avis, lesdites compagnies se verront dissoutes par décision. Pour tout renseignement relatif au présent avis, veuillez vous adresser à la Direction de l'imposition des compagnies, ministère du Revenu, 33, rue King ouest, Oshawa (Ontario) L1H 8H6.

Name of Corporation: Dénomination sociale de la compagnie :	Ontario Corporation Number Numéro de la compagnie en Ontario
---	--

2003-05-05

BRU-BEN CONSTRUCTION LIMITED	406660
CAMCOLD REFRIGERATION LTD.	679108
CHALMERS COURT CHINESE RESTAURANT INC.	999493
COMPREHENSIVE ACCOUNTING INC.	546378
CORTOM CORPORATION	384820
CUSTOM METAL FINISHERS LTD.	313816
DANMAT ENTERPRISES INC.	1291935
HOMECARE COMFORT SERVICES INC.	1138925
J.D.M. CONSTRUCTION INC.	1225255
M.C. BOLDUC LOGGING INC.	1064281
MARTELLO FINANCE INCORPORATED	111202
PARKVIEW SOD LTD.	669124
SYSTEMS MANAGEMENT SOFTWARES INC.	1282372
WILLIAM F. TREMBLAY MANAGEMENT INC.	1211724
1072107 ONTARIO LIMITED	1072107
1135242 ONTARIO LIMITED	1135242
1277267 ONTARIO INC.	1277267
1280078 ONTARIO LIMITED	1280078
1288629 ONTARIO INC.	1288629
1289987 ONTARIO LTD.	1289987
1349401 ONTARIO LIMITED	1349401
387853 ONTARIO LIMITED	387853
589331 ONTARIO INC.	589331
776606 ONTARIO LIMITED	776606

B. G. HAWTON,
Director, Companies and Personal Property
Security Branch
Directrice, Direction des compagnies et des
sûretés mobilières

20/03

**Cancellation of Certificates of
Incorporation
(Business Corporations Act)**
**Annulation de certificats de constitution
en personne morale
(Loi sur les sociétés par actions)**

NOTICE IS HEREBY GIVEN that by orders under subsection 241 (4) of the *Business Corporations Act*, the certificates of incorporation set out hereunder have been cancelled and corporation(s) have been dissolved. The effective date of cancellation precedes the corporation listing.

AVIS EST DONNÉ PAR LA PRÉSENTE que, conformément au paragraphe 241 (4) de la *Loi sur les sociétés par actions*, les certificats présentés ci-dessous ont été annulés et les compagnies ont été dissoutes. La dénomination sociale des compagnies concernées est précédée de la date de prise d'effet de l'annulation.

Name of Corporation: Dénomination sociale de la compagnie :	Ontario Corporation Number Numéro de la compagnie en Ontario
---	--

2002-11-28

1534430 ONTARIO INC. 1534430

2002-12-17

1554367 ONTARIO INC. 1554367

1554368 ONTARIO INC. 1554368

1554369 ONTARIO LIMITED. 1554369

2003-01-03

1556315 ONTARIO INC. 1556315

Name of Corporation: Ontario Corporation Number
 Dénomination sociale Numéro de la
 de la compagnie : compagnie en Ontario

2003-01-07	
1556617 ONTARIO INC.	1556617
2003-01-10	
VELOCITY AUTO BODY INC.	1548637
2003-01-20	
VILA TRIM CARPENTRY INC.	1548750
1557757 ONTARIO INC.	1557757
1557758 ONTARIO INC.	1557758
1557759 ONTARIO INC.	1557759
1557802 ONTARIO INC.	1557802
1557803 ONTARIO INC.	1557803
1557804 ONTARIO INC.	1557804
2003-04-24	
AMANI VIDEO & DISCOUNT STORE INC.	1515075
AMS LIMOUSINE INC.	1515139
BRATHWAITE ENTERPRISES INC.	1515114
EPL LIMITED	1467111
FLATLINE RECORDS INC.	1515042
INTERNET CABLE CORPORATION	1501566
NATURAL STONES INC.	1433683
PRO-DRAIN & CO. LTD.	1515021
RANKA SOFTWARE INC.	1279524
REAL TOO REEL INC.	1474097
SEVEN STRINGS ENTERTAINMENT INC.	1515022
STRATHY AUTO CLINIC INC.	1515112
WELDING SOLUTIONS INTERNATIONAL INC.	2008210
X-TREME PROMOTIONS INCORPORATED	1514372
1460643 ONTARIO INC.	1460643
1471532 ONTARIO INC.	1471532
1501730 ONTARIO LIMITED	1501730
1508687 ONTARIO INC.	1508687
1510227 ONTARIO LTD.	1510227
1514256 ONTARIO LTD.	1514256
1514346 ONTARIO LIMITED	1514346
1514360 ONTARIO INC.	1514360
1514390 ONTARIO INC.	1514390
2003-05-06	
1495773 ONTARIO LIMITED (FORMERLY TIER- FORE TECHNOLOGY SOLUTIONS INC.)	1495773
A.M. SPORTSWEAR & TEXTILES LTD.	1515249
ARZER CORPORATION	1515211
ATLANTIS ACCEPTANCE CORPORATION	1515363
BEST DISTRIBUTION SERVICES INC.	1515296
D.L. BRAVO TRANSPORTATION INC.	1515208
IMPERIAL REFINERY & PETROLEUM TRADING SERVICES INC.	1515342
INTERNATIONAL BUSINESS PARTNERS INC.	1515185
IXL MANAGEMENT CONSULTING INC.	2009345
KWIK DOLLAR DISCOUNT LTD.	1515252
MR. PITA HALAL LIMITED	1515287
NEW STYLE METAL STORE FIXTURES LTD.	2009401
QERNAMBA/Q-AMBA ENTERPRISES INC.	1515301
ROYAL IRON WORKS COMPANY LTD.	1515155
THE GARDEN ROOM LTD.	1515209
THE NAT NAST COMPANY (CANADA) INC.	1514317
WADHWA CONSULTANCY SERVICES INC.	2009369
1515039 ONTARIO LTD.	1515039
1515061 ONTARIO LIMITED	1515061
1515091 ONTARIO INC.	1515091
1515143 ONTARIO LTD.	1515143
1515171 ONTARIO LIMITED	1515171
1515232 ONTARIO LIMITED	1515232
1515290 ONTARIO INC.	1515290
1515299 ONTARIO LIMITED	1515299
1515302 ONTARIO INC.	1515302
1515304 ONTARIO INC.	1515304
1515306 ONTARIO INC.	1515306
1515317 ONTARIO CORP.	1515317
1515356 ONTARIO INC.	1515356

Name of Corporation: Ontario Corporation Number
 Dénomination sociale Numéro de la
 de la compagnie : compagnie en Ontario

2009323 ONTARIO LTD.	2009323
2009413 ONTARIO LIMITED	2009413

20/03
 B. G. HAWTON,
 Director, Companies and Personal Property
 Security Branch
 Directrice, Direction des compagnies et des
 sûretés mobilières

Co-operative Corporations Act (Certificate of Incorporation Issued) Loi sur les Sociétés Coopératives (Certificat de constitution délivré)

NOTICE IS HEREBY GIVEN that, under the *Co-operative Corporations Act*, a certificate of Incorporation has been issued to:

AVIS EST PAR LES PRÉSENTES DONNÉ qu'en vertu de la *Loi sur les Sociétés Coopératives* un certificat de constitution a été délivré à :

Name of Corporation and Head Office:
 Nom de la compagnie et siège social :

2003-04-25
 Ontario Student Co-operative Association Inc., Toronto

20/03
 JOHN M. HARPER,
 Director, Compliance Branch, Licensing and
 Compliance Division by delegated authority
 from the Superintendent of Financial Services
 Directeur, Observation des lois et des règlements
 Division de la délivrance des permis et de
 l'observation des lois et des règlements
 en vertu des pouvoirs délégués par le
 surintendant des services financiers

Co-operative Corporations Act (Certificate of Dissolution Issued) Loi sur les Sociétés Coopératives (Certificat de dissolution)

NOTICE IS HEREBY GIVEN that, under the *Co-operative Corporations Act*, a Certificate of Dissolution has been issued to:

AVIS EST PAR LES PRÉSENTES DONNÉ qu'en vertu de la *Loi sur les sociétés coopératives* un certificat de dissolution a été délivré à :

Name of Corporation: Effective Date
 Nom de la compagnie : Date d'entrée vigueur

1991-06-03
 Imaginations Artisans Co-operative Ventures
 Inc. April 23, 2003

20/03
 JOHN M. HARPER,
 Director, Compliance Branch, Licensing and
 Compliance Division by delegated authority
 from the Superintendent of Financial Services
 Directeur, Observation des lois et des règlements
 Division de la délivrance des permis et de
 l'observation des lois et des règlements
 en vertu des pouvoirs délégués par le
 surintendant des services financiers

Mining Act Loi sur les mines

GOVERNMENT NOTICE – UNDER THE *MINING ACT* LIST OF LANDS AND/OR MINING RIGHTS OPEN FOR STAKING JUNE 1, 2003

Note that some of these lands may be subject to Withdrawal Orders effective prior to June 1, 2003 under Section 35 of the *Mining Act*. You are strongly advised to reference mining claim maps prior to conducting field activities. Mining claim maps are available on-line at <http://www.mndm.gov.on.ca/mndm/mines/lands> or by calling 1-888-415-9845.

PURSUANT to the provisions of Sections 197(7), 184(2), 81(13), 82(8), 183(5) and 41(3) of the *Mining Act*, the following lands shall be open for prospecting, staking out, sale or lease at and after 8:00 A.M. standard time on the 1st day of June, 2003.

Note that some of the lands listed below may have mine hazards within their boundaries. Please conduct your mineral exploration activities accordingly.

John B. Gammon
Assistant Deputy Minister
Mines and Minerals Division
Ministry of Northern Development and Mines

For inquiries please contact:

Senior Tax and Lease Administrator
933 Ramsey Lake Road, 6th Floor
Sudbury, Ontario P3E 6B5
(705) 670-5848

AVIS GOUVERNEMENTAL – EN VERTU DE LA *LOI SUR LES MINES* TERRAINS ET DROITS MINIERS OUVERTS AU JALONNEMENT LE 1^{ER} JUIN 2003

Notez que certains de ces terrains pourraient faire l'objet d'arrêtés de retrait de la prospection et du jalonnement avant le 1^{er} juin 2003, en vertu de l'article 35 de la *Loi sur les mines*. Nous vous encourageons fortement de vérifier les cartes de claims avant de passer aux activités sur le terrain. Ces cartes sont postées en ligne au <http://www.mndm.gov.on.ca/mndm/mines/lands> ou vous pouvez appeler le 1-888-415-9845.

Conformément aux dispositions des paragraphes 197(7), 184(2), 81(13), 82(8), 183(5) et 41(3) de la *Loi sur les mines*, les terrains et droits miniers seront ouverts à la prospection, au jalonnement, à la vente ou au bail dès 8 h, heure normale du 1^{er} jour de juin 2003.

Il pourrait exister des zones minières dangereuses dans les limites de ces terrains. Veuillez en tenir compte dans la poursuite de votre exploration.

John B. Gammon
Sous-ministre adjoint
Division des mines et des minéraux
Ministère du Développement du Nord et des Mines

Renseignements :

Administratrice principale des impôts et des baux miniers
933, chemin du lac Ramsey, 6^e étage
Sudbury ON P3E 6B5
(705) 670-5848

ACC#	PARCEL	DESCRIPTION	HECTARES
DISTRICT OF ALGOMA			
TOWNSHIP OF CHABANEL			
A***0553-8	649MIC	Mining Rights Only. Part of Mining Claim SSM52476, not covered by the waters of Lena Creek.	9.842
A***0553-9	650MIC	Mining Rights Only. Part of Mining Claim SSM52477, not covered by the waters of Lena Creek.	7.369
A***0553-10	651MIC	Mining Rights Only. Part of Mining Claim SSM52478, not covered by the waters of Mildred Lake	9.870
A***0553-11	652MIC	Mining Rights Only. Mining Claim SSM52481	13.780
A***0553-12	653MIC	Mining Rights Only. Mining Claim SSM52482, being land and land under water of part of Russ Lake	12.849
A***0553-13	654MIC	Mining Rights Only. Mining Claim SSM52487	11.566
A***0553-14	655MIC	Mining Rights Only. Mining Claim SSM52488	12.282

ACC#	PARCEL	DESCRIPTION	HECTARES
DISTRICT OF ALGOMA—Contd.			
TOWNSHIP OF CHABANEL—Contd.			
A***0553-15	804MIC	Mining Rights Only. Part of Mining Claim SSM52494, not covered by the waters of Brook's Lake, but including land under water of a small pond	15.301
A***0553-16	805MIC	Mining Rights Only. Mining Claim SSM52495, being land under water of two small ponds.	12.485
A***0553-17	806MIC	Mining Rights Only. Part of Mining Claim SSM52496, not covered by the waters of Brook's Lake, but including land under water of part of a small pond.	8.672
A***0553-18	807MIC	Mining Rights Only. Mining Claim SSM52497, being land and land under water of part of a small pond	9.781
A***0553-19	3036AWS	Mining and Surface Rights. Mining Claim KW32, being land and land covered with the water of Mildred Lake	14.306
A***0553-20	3036AWS	Mining and Surface Rights. Mining Claim KW33, being land and land covered with water of Club Lake	18.187
A***0553-21	3036AWS	Mining and Surface Rights. Mining Claim KW36, being land and land covered with water of two small lakes	14.666
A***0553-22	2869AWS	Mining and Surface Rights. Mining Claim SSM13157, being land and land covered with waters of part of Brooks Lake	5.718
A***0553-23	3035AWS	Mining Rights Only. Mining Claim KW34, being land and land covered with water of two small lakes	15.483
A***0553-24	3035AWS	Mining and Surface Rights. Mining Claim KW35	17.369
A***0553-25	3035AWS	Mining and Surface Rights. Mining Claim KW37, being land and land covered with water of two small lakes partly within said mining claim	13.270
A***0553-28	2876AWS	Mining and Surface Rights. Mining Claim SSM12818	12.076
A***0553-29	2876AWS	Mining and Surface Rights. Mining Claim SSM12821	10.740
A***0553-30	2876AWS	Mining and Surface Rights. Mining Claim SSM12824	11.044
A***0553-31	2890AWS	Mining and Surface Rights. Mining Claim SSM12819, being land and land covered with the waters of part of Brooks Lake	18.680
A***0553-32	2890AWS	Mining and Surface Rights. Mining Claim SSM12820, being land and land covered with the waters of part of Brooks Lake	10.797
A***0553-33	2890AWS	Mining and Surface Rights. Mining Claim SSM12822, being land and land covered with the waters of part of Mildred Lake	12.246
A***0553-34	2890AWS	Mining and Surface Rights. Mining Claim SSM12823, being land and land covered with the waters of parts of Basky and Mildred Lakes	11.768
A***0553-35	2890AWS	Mining and Surface Rights. Mining Claim SSM12825, being land and land covered with the waters of part of Beaver Lake	13.460
A***0553-36	2890AWS	Mining and Surface Rights. Mining Claim SSM12827, being land and land covered with the waters of part of unnamed lake	0.906
ESQUEGA TOWNSHIP			
A***0553-1	521AWS	Mining Rights Only. Mining Claim KW40, being land and land under the water and islets of two small unnamed lakes and Loonskin Lake	21.715
A***0553-2	383AWS	Mining Rights Only. Mining Claim KW41, being land and land under the water of part of Long Lake	20.675
A***0553-3	382AWS	Mining Rights Only. Mining Claim KW42, being land and land under water of part of Leg Lake	15.297
A***0553-4	819AWS	Mining Rights Only. The fractional area lying between Mining Claim KW41 and Y455	0.219
A***0553-5	3341AWS	Mining Rights Only. Mining Claim Y454, being land and land covered by the waters of part of Leg Lake and part of Long Lake	16.375
A***0553-6	3342AWS	Mining Rights Only. Mining Claim Y455, being land and land covered with water of part of Long Lake.	5.666
A***0553-7	2845AWS	Mining Rights Only. Mining Claim SSM12653, being land and land covered with waters of part of Bauldry Lake.	11.716
A***0553-27	3035AWS	Mining and Surface Rights. Mining claim KW39	17.219
TOWNSHIP OF ESQUEGA AND CHABANEL			
A***0553-26	3035AWS	Mining and Surface Rights. Mining Claim KW38	17.042
TOWNSHIP OF ESTEN			
LA**0103-1	1682LA	Mining and Surface Rights. Mining Lease 103469, being composed of Mining Claims SSM339084, SSM339085, SSM339086, SSM339087, SSM321799, SSM339083, SSM360218, SSM339082 being part 1-8 on Plan 1R-4422	100.990

ACC#	PARCEL	DESCRIPTION	HECTARES
DISTRICT OF ALGOMA—Contd.			
TOWNSHIP OF JARVIS			
A***0335-1	1677ACS	Mining Rights Only. Lot 12, Con 2	22.662
A***0335-2	1677ACS	Mining Rights Only. Lot 12, Con 3	87.412
TOWNSHIP OF STRIKER			
A***0422-1	5720AES	Mining Rights Only. Pt of Broken Lot 4, Con 2, designated as part 2 on plan- AR-48.	0.911
DISTRICT OF COCHRANE			
TOWNSHIP OF BEATTY			
C***0064-1	468SEC	Mining Rights Only. SW pt, Broken Lot 8, Con 6 and the land under the water of part of Pain Killer Lake	16.187
C***0064-2	466SEC	Mining Rights Only. NW pt, Broken Lot 8, Con 5 and the land under the water of part of Pain Killer Lake	16.187
C***0064-3	467SEC	Mining Rights Only. Pt Broken Lot 8, Con 5	16.187
C***0348-1	1734SEC	Mining Rights Only. NE ¼ of N ½, Lot 10, Con 5	16.289
TOWNSHIP OF BOWMAN			
C***1174-3	15751SEC	Mining Rights Only. Pt of N Pt, Broken Lot 1, Con 5, lying east of the right-of-way of the Ontario Northland Railway.	36.422
TOWNSHIP OF BRISTOL			
C***0253-1	12833SEC	Mining Rights Only. Mining Claim P24552	21.193
C***0253-2	12832SEC	Mining Rights Only. Mining Claim P24551, being land and land under the water of Thunder Creek	30.351
C***0253-3	12831SEC	Mining Rights Only. Mining Claim P24550	18.518
C***0253-4	12830SEC	Mining Rights Only. Mining Claim P24549	17.001
C***0253-5	12829SEC	Mining Rights Only. Mining Claim P24548	12.383
C***0253-6	12828SEC	Mining Rights Only. Mining Claim P24547	17.766
C***0253-7	10862SEC	Mining Rights Only. Mining Claim P19679	15.884
C***0253-8	10863SEC	Mining Rights Only. Mining Claim P19678	14.071
C***0253-9	10894SEC	Mining Rights Only. Mining Claim P19099	18.203
C***0253-10	10893SEC	Mining Rights Only. Mining Claim P19098	23.735
C***0253-11	7492SEC	Mining Rights Only. Mining Claim P19100	26.199
C***0783-1	3898SEC	Mining Rights Only. Mining Claim P8531	23.197
C***1321-1	17865SEC	Mining Rights Only. Mining Claim P23965	19.016
C***1321-2	17866SEC	Mining Rights Only. Mining Claim P23978	24.443
C***1321-3	17868SEC	Mining Rights Only. Mining Claim P24807 being land and land covered with the waters of Thunder Creek.	14.192
C***1321-4	17869SEC	Mining Rights Only. Mining Claim P24808	15.208
C***1321-5	17870SEC	Mining Rights Only. Mining Claim P24849	16.851
C***1321-6	17867SEC	Mining Rights Only. Mining Claim P24850 being land & land covered with the waters of Thunder Creek	8.903
C***1321-7	17873SEC	Mining Rights Only. Mining Claim P24754	14.334
C***1321-8	17874SEC	Mining Rights Only. Mining Claim P24755	11.833
C***1321-9	17875SEC	Mining Rights Only. Mining Claim P25094	14.257
C***1321-10	17876SEC	Mining Rights Only. Mining Claim P25618	22.335
C***1321-11	17871SEC	Mining Rights Only. Mining Claim P25619	20.615
C***1321-12	17872SEC	Mining Rights Only. Mining Claim P25620	21.347
C***1321-13	17877SEC	Mining Rights Only. Mining Claim P26428	20.853
C***1321-14	17878SEC	Mining Rights Only. Mining Claim P26429	17.300
TOWNSHIP OF CRAWFORD			
C***0947-1	6105NEC	Mining Rights Only. N ½ Lot 10, Con 3	64.345

ACC#	PARCEL	DESCRIPTION	HECTARES
DISTRICT OF COCHRANE—Contd.			
TOWNSHIP OF DELORO			
C***0150-1	5583SEC	Mining Rights Only. Mining Claim HR1068 (TRS1236)	20.133
C***0150-2	5583SEC	Mining Rights Only. Mining Claim HR1069 (TRS 1235)	12.646
C***0150-3	5583SEC	Mining Rights Only. Mining Claim HR1070 (TRS1234)	11.878
C***0282-1	4986SEC	Mining Rights Only. Mining Claim HR861, (Recorded as Mining Claim P9193)	18.211
C***0282-2	4984SEC	Mining Rights Only. Mining Claim HR862, (Recorded as Mining Claim P9191)	14.670
C***0282-3	4985SEC	Mining Rights Only. Mining Claim HR863, (Recorded as Mining Claim P9192)	14.366
C***1245-1	1795SND	Mining Rights Only. Mining Claim HS741	9.753
C***1245-2	1622SND	Mining Rights Only. Mining Claim HS742	18.089
C***1245-3	1624SND	Mining Rights Only. Mining Claim HS743	17.523
C***1245-4	1623SND	Mining Rights Only. Mining Claim HS744	12.464
C***1321-26	1340SEC	Mining Rights Only. Mining Claim HR850	14.973
C***1321-27	2565SEC	Mining Rights Only. Mining Claim HR894	18.818
C***1321-28	5684SEC	Mining Rights Only. Mining Claim HR895 (Recorded as Mining Claim P19151)	17.604
C***1321-29	5683SEC	Mining Rights Only. Mining Claim HR896 (Recorded as Mining Claim P19150)	16.289
C***1321-30	5682SEC	Mining Rights Only. Mining Claim HR897 (Recorded as Mining Claim P19149)	21.044
C***1340-1	2132SEC	Mining Rights Only. Mining Claim P6886, being land and land covered with the water of a small creek	25.091
C***1340-2	10267SEC	Mining Rights Only. Mining Claim HR876, recorded as P27461	15.580
C***1340-3	10266SEC	Mining Rights Only. Mining Claim P26655, being land & land covered with the water of part of Shaw Creek	30.745
C***1340-4	8805SEC	Mining Rights Only. Mining Claim P20950	20.182
C***1340-5	9228SEC	Mining Rights Only. Mining Claim P20800	26.787
TOWNSHIP OF DUNDONALD			
C***0839-1	14309SEC	Mining Rights Only. NW Pt of Lot 2, Con 4	32.375
TOWNSHIP OF GARRISON			
C***0487-1	12695SEC	Mining Rights Only. Mining Claim L13368	16.001
C***0487-2	12695SEC	Mining Rights Only. Mining Claim L13369	17.393
C***0487-3	12695SEC	Mining Rights Only. Mining Claim L13579	13.699
C***0487-4	12695SEC	Mining Rights Only. Mining Claim L15490	14.172
C***0487-5	12695SEC	Mining Rights Only. Mining Claim L15602	12.027
TOWNSHIP OF GERMAN			
C***1060-1	17027SEC	Mining Rights Only. N ½ of N ½, Lot 12, Con 3	32.881
TOWNSHIP OF GODFREY			
C***0247-1	13965SEC	Mining Rights Only. SE Part of S Part, Lot 11, Con 4	14.973
C***0247-2	13964SEC	Mining Rights Only. SW Part of S Part, Lot 11, Con 4	16.187
C***1096-1	4886SEC	Mining Rights Only. SW ¼ of N ½, Lot 12, Con 6, being Mining Claim P13073	16.744
C***1096-2	4884SEC	Mining Rights Only. NW ¼ of S ½, Lot 12, Con 6, being Mining Claim P13074	16.744
C***1096-3	4885SEC	Mining Rights Only. SW ¼ of S ½, Lot 12, Con 6, being Mining Claim P13075	16.744
C***1154-3	7875SEC	Mining Rights Only. Part of NW ¼ of N ½, Lot 9, Con 6, Pt Mining Claim P27861	14.383
C***1154-4	10297SEC	Mining Rights Only. NW ¼ of S ½, Lot 9, Con 6, Mining Claim P27865	16.390
C***1219-1	10296SEC	Mining Rights Only. NE ¼ of S ½, Lot 9, Con 6, being Mining Claim P27900	16.390
C***1219-2	10298SEC	Mining Rights Only. Part of SE ¼ of N ½, Lot 9, Con 6, being Mining Claim P27899	15.932
TOWNSHIP OF HISLOP			
C***0697-1	9077SEC	Mining Rights Only. N ½ of Lot 12, Con 2	64.750
C***1159-1	14749SEC	Mining Rights Only. N ½ of Lot 4, Con 2	63.333
C***1159-2	16486SEC & 14239SEC	Mining Rights Only. S ½ of Lot 4, Con 2	63.333
C***1159-3	16217SEC	Mining Rights Only. N ½ of Lot 5, Con 2	64.345

ACC#	PARCEL	DESCRIPTION	HECTARES
DISTRICT OF COCHRANE—Contd.			
TOWNSHIP OF HISLOP—Contd.			
C***1159-4	16725SEC	Mining Rights Only. Part S ½ of Lot 5, Con 2, excepting land covered with waters of the Black River crossing said lot. Also excepting instruments 100869, 114779 and that part shown on plan CR-1339 as part 1.	53.954
C***1159-5	3870SEC	Mining Rights Only. N ½ of Lot 5, Con 3	63.738
TOWNSHIP OF JAMIESON			
C***0126-10	20552SEC	Mining Rights Only. Part NW ¼ of S ½ Lot 12, Con 1, being Mining Claim P10584	10.421
C***0126-14	3345SEC	Mining Rights Only. SW ¼ of S1/2, Lot 12, Con 1, being Mining Claim P8232	16.187
C***1194-1	9810SEC	Mining Rights Only. NW ¼ of N ½, Lot 11, Con 1, Mining Claim P24795	16.086
C***1194-2	20142SEC	Mining Rights Only. Part NW ¼ of S ½, Broken Lot 11, Con 1, Mining Claim P24797	13.456
C***1194-3	9811SEC	Mining Rights Only. SW ¼ of N ½, Broken Lot 11, Con 1, Mining Claim P24796	16.289
TOWNSHIP OF JESSOP			
C***0387-2	10204SEC	Mining Rights Only. SW ¼ of N ½, Lot 1, Con 5, being Mining Claim P26715	16.187
C***0387-3	10813SEC	Mining Rights Only. NW ¼ of N ½, Lot 3, Con 5, being Mining Claim P25531	16.187
C***0387-4	10812SEC	Mining Rights Only. NE ¼ of N ½, LOT 3, CON 5, being Mining Claim P25530	16.187
C***0387-5	10861SEC	Mining Rights Only. NE ¼ of N ½, Lot 4, Con 5, being Mining Claim P25658	15.985
C***0387-6	10231SEC	Mining Rights Only. SW ¼ of N ½ Lot 3, Con 5, being Mining Claim P26137	16.187
C***0881-1	7127SEC	Mining Rights Only. SW ¼ of N ½, Lot 5, Con 2, being Mining Claim P19540	16.137
C***0881-2	14463SEC	Mining Rights Only. Pt SE ¼ of N ½, Lot 5, Con 2, being Mining Claim P19538	15.765
C***0881-3	14464SEC	Mining Rights Only. Pt SW ¼ of N ½, Lot 4, Con 2, being Mining Claim P19539	15.295
TOWNSHIP OF LANGMUIR			
LC**0306-1	741LC	Mining and Surface Rights. Mining Lease 102874, being composed of Mining Claims P79003, P79004, P79005, P78995, P78996, P78997	27.482
TOWNSHIP OF MATHESON			
C***0195-1	785SEC	Mining Rights Only. N Part, broken Lot 4, Con 2	63.940
C***0421-2	12404SEC	Mining Rights Only. N Part, Broken Lot 3, Con 2	35.612
C***1276-1	5532SEC	Mining Rights Only. S Part of Lot 10, Con 4	64.750
C***1280-1	23207SEC	Mining Rights Only. N ½ of Lot 1, Con 6	61.310
TOWNSHIP OF MCCANN			
C***0518-1	9115SEC	Mining Rights Only. N Part, Broken Lot 4, Con 3	64.750
TOWNSHIP OF MCCART			
C***1232-1	4203NEC	Mining Rights Only. E ½ of N ½ of Lot 1 Con 5	32.375
TOWNSHIP OF MCCOOL			
C***0724-1	12825SEC	Mining Rights Only. NW ¼ of N ½, Lot 3, Con 1, Mining Claim L55261	15.985
C***0724-2	12827SEC	Mining Rights Only. SW ¼, Lot 3, Con 2, Mining Claims L55300 & L55301	32.274
TOWNSHIP OF MOUNTJOY			
C***1065-1	6916SEC	Mining Rights Only. Part S ½, Lot 10, Con 2, CR1497 Pt 1	0.809
C***1065-2	6916SEC	Mining Rights Only. Part S ½, Lot 10, Con 2, CR1504 Pt 1	0.955
C***1065-3	6916SEC	Mining Rights Only. Part S ½, Lot 10, Con 2, 6R-5145 Pt 1	4.047
C***1065-4	6916SEC	Mining Rights Only. Part S ½, Lot 10, Con 2 as shown on sketch attached to Transfer #61903.	4.755
C***1065-5	6916SEC	Mining Rights Only. Part S ½, Lot 10, Con 2, Part 1 on Plan 6R-6374	.202
C***1065-6	6916SEC	Mining Rights Only. Part S ½, Lot 10, Con 2, Part 2 on Plan 6R-6374	2.023
TOWNSHIP OF MUNRO			
C***0052-1	2152SEC	Mining and Surface Rights. E ½ of N ½ of S ½, Lot 8, Con 1, Mining Claim L4538	15.479
TOWNSHIP OF MURPHY			
C***1162-1	12769SEC	Mining Rights Only. S ½, Lot 7, Con 2	64.345
C***1308-1	12576SEC	Mining Rights Only. S ½ of Lot 1, Con 1	64.749

ACC#	PARCEL	DESCRIPTION	HECTARES
DISTRICT OF COCHRANE—Contd.			
TOWNSHIP OF OGDEN			
C***0156-1	4888SEC	Mining Rights Only. Mining Claim P7666, recorded as P16782	25.374
C***0156-2	4889SEC	Mining Rights Only. Mining Claim P7667, recorded as P16781	16.673
C***0156-3	4913SEC	Mining Rights Only. Mining Claim P8605, recorded as P16431	24.645
C***0156-4	4914SEC	Mining Rights Only. Mining Claim P8606 recorded as P16432	24.605
C***0156-5	4880SEC	Mining Rights Only. Mining Claim P16881	14.164
C***0156-6	1606SEC	Mining Rights Only. Mining Claim CT5, recorded as P5555	13.225
C***0156-7	1770SEC	Mining Rights Only. Mining Claim P6723	13.436
C***0156-8	246SEC	Mining Rights Only. Mining Claim P7987	15.884
C***0803-1	12872SEC	Mining Rights Only. Mining Claim P22182	20.675
C***0803-2	12873SEC	Mining Rights Only. Mining Claim P22183	11.028
C***0803-3	12874SEC	Mining Rights Only. Mining Claim P22184	16.600
C***0803-4	12875SEC	Mining Rights Only. Mining Claim P22185	15.876
C***0803-5	12873SEC	Mining Rights Only. Mining Claim P22186	10.421
C***0803-6	12873SEC	Mining Rights Only. Mining Claim P22187	11.619
C***0803-7	12876SEC	Mining Rights Only. Mining Claim P22188	15.564
C***0803-8	12876SEC	Mining Rights Only. Mining Claim P22189	12.047
C***0803-9	12877SEC	Mining Rights Only. Mining Claim P22190	12.315
C***0803-10	12877SEC	Mining Rights Only. Mining Claim P22191	14.463
C***0803-11	12878SEC	Mining Rights Only. Mining Claim P22192	17.074
C***0803-12	12879SEC	Mining Rights Only. Mining Claim P22193	12.553
C***0803-13	12880SEC	Mining Rights Only. Mining Claim P22194	15.580
C***0803-14	12881SEC	Mining Rights Only. Mining Claim P22441	9.397
C***0803-15	12881SEC	Mining Rights Only. Mining Claim P22442	6.896
C***0803-16	12882SEC	Mining Rights Only. Mining Claim P22443	4.868
C***0803-17	12882SEC	Mining Rights Only. Mining Claim P22444	10.607
C***0803-18	12883SEC	Mining Rights Only. Mining Claim P22445	20.368
C***0803-19	12884SEC	Mining Rights Only. Mining Claim P22446	19.045
C***0803-20	12885SEC	Mining Rights Only. Mining Claim P22971	23.698
C***0803-21	12886SEC	Mining Rights Only. Mining Claim P22972	25.240
C***0803-22	12887SEC	Mining Rights Only. Mining Claim P22990	30.606
C***0803-23	12888SEC	Mining Rights Only. Mining Claim P22991	21.452
C***0803-24	12889SEC	Mining Rights Only. Mining Claim P22992	27.276
C***0803-25	12890SEC	Mining Rights Only. Mining Claim P22993	18.000
C***0803-26	12891SEC	Mining Rights Only. Mining Claim P22994	22.800
C***0803-27	12892SEC	Mining Rights Only. Mining Claim P22995	20.489
C***0803-28	12893SEC	Mining Rights Only. Mining Claim P22996	13.108
C***0803-29	12894SEC	Mining Rights Only. Mining Claim P23474	24.148
C***0803-30	12895SEC	Mining Rights Only. Mining Claim P23475	26.365
C***0803-31	12896SEC	Mining Rights Only. Mining Claim P23476	23.690
TOWNSHIP OF ROBB			
C***0462-4	2467SEC	Mining Rights Only. Mining Claim P6809	14.973
C***0462-5	2468SEC	Mining Rights Only. Mining Claim P6898	13.840
C***1205-1	20386SEC	Mining Rights Only. Pt Mining Claim P28299	3.832
TOWNSHIP OF SHAW			
C***0075-1	1498SEC	Mining Rights Only. Mining Claim HR890	17.401
C***0210-1	5679SEC	Mining Rights Only. Mining Claim P16332, (Recorded as Mining Claim P17778)	8.377
C***0210-2	5678SEC	Mining Rights Only. Mining Claim P16333, (Recorded as Mining Claim P17777)	13.355
C***1081-1	1693SEC	Mining Rights Only. Mining Claim CT1	16.030
C***1081-2	1692SEC	Mining Rights Only. Mining Claim CT2	15.710
C***1081-3	1696SEC	Mining Rights Only. Mining Claim P5895	9.308
C***1081-4	1474SEC	Mining Rights Only. Mining Claim RSC265	17.361

ACC#	PARCEL	DESCRIPTION	HECTARES
DISTRICT OF COCHRANE—Contd.			
TOWNSHIP OF STOCK			
C***0193-1	4205SEC	Mining Rights Only. Part N Part, Lot 1, Con 1, Lying East of the Driftwood River	1.619
TOWNSHIP OF TAYLOR			
C***0375-1	13923SEC	Mining Rights Only. N Part of Lot 2, Con 1, being Part 2 on CR-61	38.085
TOWNSHIP OF THORNELOE			
LC**0306-2	769LC	Mining and Surface Rights. Mining Lease 17092, being composed of Mining Claims WD732 recorded as TRP22796	8.337
TOWNSHIP OF TISDALE			
C***1097-1	1437W&T	Mining Rights Only. NW ¼ of N ½, Lot 11, Con 4	16.339
C***1097-2	1437W&T	Mining Rights Only. NE ¼ of N ½, Lot 12, Con 4	16.238
TOWNSHIP OF TULLY			
LC**0208-3	1212LC	Mining and Surface Rights. The S1/2 of the S1/2, Lot 11, Concession 1, comprising mining claims P97878 and P97879 and the S1/2 of Lot 12, Concession 1, comprising mining claims P97874, P97875, P97876, P97877, being Mining Lease 103484	97.630
TOWNSHIP OF TURNBULL			
C***0001-1	3933SEC	Mining Rights Only. Mining Claim P12251	17.188
C***0001-2	3938SEC	Mining Rights Only. Mining Claim P12252	11.129
C***0001-3	3939SEC	Mining Rights Only. Mining Claim P12253	15.945
C***0001-4	4881SEC	Mining Rights Only. Mining Claim P13076	13.678
C***0001-5	4883SEC	Mining Rights Only. Mining Claim P13077	8.215
C***0001-6	4882SEC	Mining Rights Only. Mining Claim P13078	10.239
TOWNSHIP OF WALKER			
C***1185-1	16628SEC	Mining Rights Only. S Part of broken Lot 10, Con 4	63.738
TOWNSHIP OF WARK			
C***0916-1	14969SEC	Mining Rights Only. NW ¼ of S ½, Lot 3, Con 6	15.732
C***0935-1	17406SEC	Mining Rights Only. S ½ of Lot 12, Con 2	64.345
C***0947-2	15178SEC	Mining Rights Only. N ½ of Lot 9, Con 3	64.750
C***1284-1	14298SEC	Mining Rights Only. NE ¼ of S ½, Lot 8, Con 4	16.187
TOWNSHIP OF WHITNEY			
C***0361-1	10569W&T	Mining Rights Only. NE ¼ of S ½, Lot 12, Con 1	15.985
C***0361-2	10569W&T	Mining Rights Only. NW ¼ of S ½, Lot 12, Con 1	15.985
C***0361-3	10569W&T	Mining Rights Only. SW ¼ of N ½, Lot 12 Con 1	15.985
C***0421-4	8579W&T	Mining Rights Only. All that part of the bed of the Porcupine River lying within the boundaries of the NE part and SE part of the S part of Lot 10, Con 4	0.809
C***0421-5	8577W&T	Mining Rights Only. NE part of S part, Lot 10, Con 4, being secondly on the parcel	16.026
C***0421-6	8577W&T	Mining Rights Only. NW part of S part, Lot 10, Con 4, being firstly on the parcel	16.835
C***0421-7	8578W&T	Mining Rights Only. Part of the SE Part of Lot 10, Con 4	9.632
DISTRICT OF KENORA			
CLEARWATER BAY AREA			
K***0657-1	38419DKF	Mining Rights Only. Part Mining Claim K6565, being PT 6 on 23R-7697	0.697
TOWNSHIP OF ECHO			
K***0146-21	15083DK	Mining Rights Only. SE Part of N Part, Lot 3, Con 2, being Mining Claim KRL18831	16.244
TOWNSHIP OF JAFFRAY			
K***0352-1	12471DKF	Mining Rights Only. Part of Location 432P South of Trans Canada Highway, now city of Kenora	18.988

ACC#	PARCEL	DESCRIPTION	HECTARES
DISTRICT OF KENORA—Contd.			
TOWNSHIP OF KIRKUP			
K***0430-1	24843DK	Mining Rights Only. Part Mining Claim K2298, being Part 1 of KR781 Plan BA-2403, registered 24 th October, 1988, as Plan 23D-108	1.821
PARNES LAKE AREA			
K***0654-1	39709DK	Mining Rights Only. Part of Mining Claim SV106, being Pt 3 of 23R-8852, situated on Neepawa Island in Minnitaki Lake	12.194
DISTRICT OF KENORA PATRICIA			
TOWNSHIP OF DOME			
LO**0251-3	MNDM	Mining Rights Only. Mining Licence of Occupation 10127, comprising part of mining claim K1176 (recorded as KRL 10027), being land under water of Red Lake	4.087
TOWNSHIP OF HEYSON AND DOME			
LKP**0052-2	630LKP	Mining Rights Only. Mining Lease 103480, comprising mining claims KRL51291, KRL50249 and KRL51347.	29.684
TOWNSHIP OF HEYSON			
LKP**0052-1	629LKP	Mining and Surface Rights. Mining Lease 103479, composed of mining claim KRL50250	8.207
TOWNSHIP OF PONSFORD			
KP**0315-1	5182DP	Mining Rights Only. Part of Mining Claim PA2679 as per instrument 163735	12.096
DISTRICT OF NIPISSING			
TOWNSHIP OF STRATHY			
LN**0097-55	3165LN	Mining Rights Only. Mining Lease 102358, being composed of Mining Claim T38357	24.977
LN**0097-56	3166LN	Mining Rights Only. Mining Lease 102359, being composed of Mining Claim T38358	15.378
LN**0097-57	3167LN	Mining Rights Only. Mining Lease 102360, being composed of Mining Claim T39248	21.699
LN**0097-58	3168LN	Mining and Surface Rights. Mining Lease 102361, being composed of Mining Claim T39248	18.296
LN**0097-59	3169LN	Mining Rights Only. Mining Lease 102362, being composed of Mining Claim T38359	23.172
LN**0097-60	3170LN	Mining and Surface Rights. Mining Lease 102363, being composed of Mining Claim T38360	14.269
LN**0097-61	3171LN	Mining and Surface Rights. Mining Lease 102364, being composed of Mining Claim T38361	22.387
LN**0097-62	3172LN	Mining Rights Only. Mining Lease 102365, being composed of Mining Claim T38370	12.626
DISTRICT OF RAINY RIVER			
TOWNSHIP OF FREEBORN			
LRR*0032-1	730LRR	Mining Rights Only. Mining Lease 101552, being composed of Mining Claim FF13336	9.862
LRR*0032-2	731LRR	Mining Rights Only. Mining Lease 101553, being composed of Mining Claim FF13337	11.958
LRR*0032-3	732LRR	Mining and Surface Rights. Mining Lease 101554, being composed of Mining Claim FF13338	15.568
LRR*0032-4	733LRR	Mining Rights Only. Mining Lease 101555, being composed of Mining Claim FF13339	13.003
LRR*0032-5	734LRR	Mining and Surface Rights. Mining Lease 101556, being composed of Mining Claim FF13342	15.807
LRR*0032-6	735LRR	Mining and Surface Rights. Mining Lease 101557, being composed of Mining Claim FF13340	23.577
LRR*0032-7	736LRR	Mining and Surface Rights. Mining Lease 101558, being composed of Mining Claim FF13341	14.682
DISTRICT OF SOUTHERN ONTARIO			
TOWNSHIP OF ANSTRUTHER			
LSO**0049-2	Parcel 7-1, Section 45-C1-ANS	Mining and Surface Rights. Those parts of Lots 7, 8, 9 and 10, Concession 1 and of the beds of Anstruther Lake and Red Lake, designated as parts 1-17 on plan 45R-3772, being Mining Lease 103525, comprising mining claims EO450831, EO450832, EO450833, EO450834, EO450835, EO450836, EO482118 and EO482119.	164.978

ACC#	PARCEL	DESCRIPTION	HECTARES
DISTRICT OF SOUTHERN ONTARIO—Contd.			
TOWNSHIP OF ANSTRUTHER—Contd.			
LSO**0052-1	Parcel 23-1, Section 45-Con 3, Anstruther	Mining and Surface Rights. Mining Lease 103539, composed of parts of Lots 23 to 26, concessions 2 and 3, being mining claims EO33487, EO33486, EO33483, EO33479, EO35069, EO38180, EO38181, EO38182	162.481
LSO**0052-3	Parcel 17-1, Section 45-Con 1, Anstruther	Mining and Surface Rights. Mining Lease 103538, composed of those parts of Lots 17 to 20, Concession 1, and of Lot 20, Concession 2, and the beds of Looncall and Wolf Lakes, being mining claims EO35075, EO35077, EO35074, EO35076, EO33511, EO33512, EO33514, EO33513 designated as parts 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 on Plan 45R-3562	106.266
TOWNSHIP OF BEDFORD			
SO**0991-2	Pin 36252-0247(R)	Mining Rights Only. Part of Mining Claim EO5641, being part of the northeast part of Lot 4, Concession 4	18.255
SO**0991-3	Pin 36252-0247(R)	Mining Rights Only. Part Mining Claim EO 5893, being part of the southeast part of Lot 4, Concession 4	11.105
SO**0991-4	Pin 36252-0247(R)	Mining Rights Only. Part of Mining Claim EO5892, being part of the southwest part of Lot 4, Concession 4	19.935
SO**0991-5	Pin 36252-0247(R)	Mining Rights Only. Part of Mining Claim EO5891, being part of the southeast part of Lot 5, Concession 4	20.874
SO**0991-6	Pin 36252-0277(R)	Mining Rights Only. Mining Claim EO5890, being the northwest part of Lot 4, Concession 5	19.368
SO**0991-7	Pin 36252-0277(R)	Mining Rights Only. Mining Claim EO5895, being the southwest part of Lot 4, Concession 5	19.146
SO**0991-8	Pin 36252-0276(R)	Mining Rights Only. Part of Mining Claim EO5888, being part of the northwest part of Lot 5, Concession 5	7.224
SO**0991-9	Pin 36252-0276(R)	Mining Rights Only. Part of Mining Claim EO5889, being part of the southwest part of Lot 5, Concession 5	12.590
LO**0166-2	MNDM	Mining Rights Only. Mining Licence of Occupation 13021, being part of Mining Claims EO5894, EO5641, EO5893, being land under the water of Desert Lake; part of Mining Claims EO5891, EO5888, EO5889 being composed of land under the water of Canoe Lake; part of mining claim EO5892, being composed of land lying under the waters of Sand and Desert Lakes	49.752
TOWNSHIP OF BURLEIGH			
LSO**0049-1	24-1, section 45-C6-NBU	Mining and Surface Rights. The W1/2 of Lot 24, Concession 6, comprising Mining Claim EO482456 and the W1/2 of Lot 25, Concession 6, comprising Mining Claims EO482454 and EO482455 being mining lease 103524	53.014
LSO**0052-2	Parcel 25-1, Section 45-Con 9, N. Bur.	Mining and Surface Rights. Mining Lease 103537, composed of those parts of Lot 25, Concession 9 and 10, and the bed of Looncall Lake, being parts 1, 2, 3, 4, 5, and 6, plan 45R-3561, comprised of Mining Claims EO35284, EO35715, EO35285, EO35286	49.623
TOWNSHIP OF CARDIFF			
SO**0569-4	Registry	Mining Rights Only of Lot 13, Concession 7	40.460
SO**0569-5	Registry	Mining Rights Only of Lot 14, Concession 7	40.460
DISTRICT OF SUDBURY			
TOWNSHIP OF CAPREOL			
S***0701-1	29112SES	Mining Rights Only. Part SW ¼, S ½, Lot 11, Con 4	8.415
TOWNSHIP OF DAVIS			
S***0059-1	48433SES	Mining Rights Only. Part SW pt of S part, Lot 14, Con 2, Pt of Mining Claim S27028	10.522
TOWNSHIP OF DRURY			
S***0735-5	31114SWS	Mining Rights Only. NE ¼ of Lot 6, Con 3	32.375
TOWNSHIP OF FAIRBANK			
S***0715-1	27803SWS	Mining Rights Only. Part of Lot 9, Con 1, being Pt 2 on Plan 53R-9487	1.267
S***0715-4	27805SWS	Mining Rights Only. Part of Lot 9, Con 1, being Pt 4 on Plan 53R-9487	2.048

ACC#	PARCEL	DESCRIPTION	HECTARES
DISTRICT OF SUDBURY—Contd.			
TOWNSHIP OF MACLENNAN			
S***0053-1	46213SES	Mining Rights Only. Part of the NE Part of the S Part, Lot 6, Con 4 (Part Mining Claim S5943)	11.558
S***0537-1	31148SES	Mining Rights Only. Part Lot 6, Con 4 & 5, Mining Claim S77569, excluding the mining rights only of Part 1, Plan 53R-9630 being .002 hectares	13.749
S***0707-1	45623SES	Mining Rights Only. Part of N Pt, Lot 2, Con 5, being parts 1, 4, 5, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 18, 19 of Plan 53R-13489	4.535
S***0707-2	5607SES	Mining Rights Only. Part of S Pt, Lot 2, Con 5, (Pt Mining Claim S5869), Excluding Parts 13, 14 and 15 of Plan 53R-13489	16.155
S***0707-3	49715SES	Mining Rights Only. Part of Lot 2, Con 5, being Pt 6 of Plan 53R-13489	0.405
S***0755-1	48698SES	Mining Rights Only. Part of Lot 2, Con 5, being Pt 2 of Plan 53R-12088	0.453
TOWNSHIP OF NEELON			
S***0471-1	446SES	Part of the SW1/4 of Lot 10, Con 6, being the Mining Rights Only created by severance registered July 27, 1956, instrument #124572	26.021
TOWNSHIP OF RAYSIDE			
S***0682-1	5379SWS	Mining Rights Only. Part S Part of the W ½ of Lot 8, Con 5, Excepting Part 1on Plan SR-1042	38.259
TOWNSHIP OF SCADDING			
S***0126-1	5192SES	Mining Rights Only. NE ¼ of N ½, Lot 8, Con 2	16.187
S***0126-2	5193SES	Mining Rights Only. SW Part of S Part, broken Lot 8, Con 3	16.187
S***0126-3	5194SES	Mining Rights Only. SE ¼ of the N ½, Lot 8, Con 2	16.187
TOWNSHIP OF WATERS			
S***0371-2	10675SWS	Mining Rights Only. Part Lot 8, Con 4, Mining Rights of Remainder of Firstly, being Parcel "A"	2.749
DISTRICT OF THUNDER BAY			
BURCHELL LAKE AREA			
TB**1727	6057DFW	Mining Rights Only. Being part of mining claim TB62728, not covered by the waters of Burchell Lake	10.941
TOWNSHIP OF CONMEE			
TB**1761-1	23823TBF	Mining Rights Only. Part W1/2 of S1/2, Lot D, Con 2, being Part 2 & 3, Plan 55R-7954	4.360
TOWNSHIP OF IRWIN			
LTB**0033-1	662LTB	Mining and Surface Rights. Composed of Mining Claim TB2418, being mining lease 18562.	16.187
TOWNSHIP OF MACGREGOR			
TB**1012-1	RO	Mining Rights Only. Part Mining Location 12, being Part 1&2 of 55R-2488	0.809
TOWNSHIP OF MARKS			
TB**1562-1	6-4 Con-1 Marks	Mining Rights Only. S ½ of Lot 6, Con 1	60.096
TOWNSHIP OF MCTAVISH			
LTB-0219-2	2629LTB	Mining Rights Only. Composed of the E1/2 of the SW1/4 of Section 4, Concession 4, comprising Mining Claims TB135065 and TB465465, being mining lease 103348	32.375
TOWNSHIP OF PAIPOONGE			
TB**0768-1	RO	Mining Rights Only. Lot 16, Con 3, N of Kaministiquia River, LESS Firstly: Portion expropriated under Dept. of Hwy. Plan #43536; Secondly: Portions designated as 1, 2 and 5 on 55R-4768; Thirdly: Part 1 on 55R-1275.	39.659

ACC#	PARCEL	DESCRIPTION	HECTARES
DISTRICT OF TIMISKAMING			
TOWNSHIP OF BERNHARDT			
T***0286-6	2917CST	Mining Rights Only. Mining Claim L12967	16.430
TOWNSHIP OF BOSTON			
T***0253-2	1495DT	Mining Rights Only. Mining Claim L3665	15.459
T***0253-3	1460DT	Mining Rights Only. Mining Claim L5163	7.199
T***0253-4	1576DT	Mining Rights Only. Mining Claim L5216	8.984
T***1037-1	1241SST	Mining Rights Only. Mining Claim L6638 ½	29.299
TOWNSHIP OF CATHARINE			
T***0548-1	3555SST	Mining Rights Only. NE Part of S Part, Lot 9, Con 4	16.187
T***0548-2	3545SST	Mining Rights Only. SE Part of S Part, Lot 9, Con 4	15.945
TOWNSHIP OF COLEMAN			
T***0925-1	129SST	Mining Rights Only. Part of broken Lot 11, Con 3	3.136
T***0496-1	10816SST	Mining Rights Only. W ½ of NE ¼ of S ½, Lot 1, Con 3	8.094
T***0496-2	10816SST	Mining Rights Only. E ½ of NE ¼ of S ½, Lot 1, Con 3	8.094
T***0496-3	10816SST	Mining Rights Only. E ½ of SW ¼ of S ½, Lot 1, Con 3	8.094
T***0691-1	5935NND	Mining Rights Only. Part of Lot 3, Concession 5	11.736
TOWNSHIP OF GRENFELL			
T***1127-1	7509CST	Mining Rights Only. Part of Mining Claim L14816	9.834
TOWNSHIP OF LEBEL			
T***0203-1	135TEM	Mining Rights Only. Mining Claim L1055, being land and land covered with water of part of Turtle Lake	15.945
T***0203-2	210TEM	Mining Rights Only. Mining Claim L1661 being land and land covered with the water of part of Gull Lake	19.182
T***0203-3	211TEM	Mining Rights Only. Mining Claim L1904	15.180
T***0203-4	2516TEM	Mining Rights Only. Mining Claim L2454, being land and land covered with the water of Gull Lake	13.355
TOWNSHIP OF LORRAIN			
LT**0391-1	5203LT	Mining and Surface Rights. Being the east part of the north part of broken Lot 4, Concession 12, comprising mining claims T31129 and T31130 and the north part of broken Lot 5, Concession 12, composed of mining claim T30051, being Mining lease 102922	48.562
TOWNSHIP OF MAISONVILLE			
T***1022-2	8605NND	Mining Rights Only. Mining Claim HR581	14.973
T***1022-3	8385NND	Mining Rights Only. Mining Claim HR582	16.187
TOWNSHIP OF MORRISETTE			
T***0224-1	2525CST	Mining Rights Only. Mining Claim L9894	11.817
T***0224-2	3602CST	Mining Rights Only Mining Claim L15409	17.171
T***0224-3	3603CST	Mining Rights Only. Mining Claim L15410	5.840
T***0224-4	3604CST	Mining Rights Only. Mining Claim L18194	15.257
T***0224-5	3605CST	Mining Rights Only. Mining Claim L18195	21.084
T***0224-6	3606CST	Mining Rights Only. Mining Claim L18196	20.194
T***0224-7	3607CST	Mining Rights Only. Mining Claim L18197	11.776
T***0224-8	3608CST	Mining Rights Only. Mining Claim L18198	12.748
T***0224-9	3609CST	Mining Rights Only. Mining Claim L18199	20.598
T***0224-10	3610CST	Mining Rights Only. Mining Claim L18200	18.575
T***0224-11	6926CST	Mining Rights Only. Mining Claim L15308 (recorded as Mining Claim L30757)	9.348
T***0224-12	6934CST	Mining Rights Only. Mining Claim L13912 (recorded as Mining Claim L30761)	14.892
T***0224-13	7037CST	Mining Rights Only. Mining Claim L30758	17.045
T***0224-14	7038CST	Mining Rights Only. Mining Claim L30759	18.737
T***0286-5	2223CST	Mining Rights Only. Mining Claim L10687	15.135

ACC#	PARCEL	DESCRIPTION	HECTARES
DISTRICT OF TIMISKAMING—Contd.			
TOWNSHIP OF NICOL AND HAULTAIN			
LT**0037-1	3843LT	Mining and Surface Rights. Mining Lease 18532, being composed of Mining Claim GG5087	5.504
TOWNSHIP OF SMYTH			
T***0190-2	7794NND	Mining Rights Only. NW ¼ of S ½ Lot 7, Con 2	16.289
T***0190-3	7773NND	Mining Rights Only. SW ¼ of N ½ Lot7, Con 2	16.289
TOWNSHIP OF SOUTH LORRAIN			
T***0140-1	6256NND	Mining Rights Only. Pt of Mining Claim HR59	8.175
TOWNSHIP OF TECK			
LT**0279-1	5378LT	Mining Rights Only. Composed of mining claim L367655 being Mining Lease 103401	16.20
T***0286-10	1098CST	Mining Rights Only. Mining Claim L7057	12.829
T***0286-11	1099CST	Mining Rights Only. Mining Claim L7058	5.140
TOWNSHIP OF TUDHOPE			
T***0358-1	4553NND	Mining Rights Only. NW ¼ of S ½, Lot 12, Con 5	16.440

(6796) 20

**Applications to
Provincial Parliament — Private Bills
Demandes au Parlement
provincial — Projets de loi d'intérêt privé**

PUBLIC NOTICE

The rules of procedure and the fees and costs related to applications for Private Bills are set out in the Standing Orders of the Legislative Assembly. Copies of the Standing Orders, and the guide "Procedures for Applying for Private Legislation", may be obtained from the Legislative Assembly's Internet site at <http://www.ontla.on.ca> or from:

Committees Branch
Room 1405, Whitney Block, Queen's Park
Toronto, Ontario M7A 1A2

Telephone: 416/325-3500 (Collect calls will be accepted.)

Applicants should note that consideration of applications for Private Bills that are received after the first day of September in any calendar year may be postponed until the first regular Session in the next following calendar year.

(8699) T.F.N. CLAUDE L. DESROSIERS,
Clerk of the Legislative Assembly.

**Applications to Provincial Parliament
Demandes au Parlement provincial**

**SOCIETY OF PROFESSIONAL ACCOUNTANTS
OF ONTARIO**

NOTICE IS HEREBY GIVEN that on behalf of the Society of Professional Accountants of Ontario, application will be made to the Legislative Assembly of the Province of Ontario for an Act to enable the Society to grant to its members the exclusive use of the designation "Registered Professional Accountant" and the initials "R.P.A.", and to enable it to govern and discipline its members. The applicant represents that it is a corporation without share capital.

The application will be considered by the Standing Committee on Regulations and Private Bills. Any person who has an interest in the

application and who wishes to make submissions, for or against the application, to the Standing Committee on Regulations and Private Bills should notify, in writing, the Clerk of the Legislative Assembly, Legislative Building, Queen's Park, Toronto, Ontario, M7A 1A2.

Dated at Toronto, this 31st day of March, 2003

Pursuant to subsection 205(3) of the *Business Corporations Act*, on the expiration of three months after the date of filing of this notice, the corporation is dissolved.

Dated at Toronto, this 2nd day of April, 2003

(4296) 20

MARJORIE JEAN ATKIN
Liquidator

Sheriff's Sales of Lands Ventes de terrains par le shérif

UNDER AND BY VIRTUE of a Writ of Seizure and Sale issued out of the Ontario Court (General Division) at Brampton, dated January 17th, 1993, Court File Number RE616/92, to me directed, against the real and personal property of RENEE LOYA, Defendant(s), at the suit of ROSE, PERSIKO, COOPER, RAKOWSKI assigned to ALLAN S. COOPER on May 31, 2002, Plaintiff(s), I have seized and taken in execution all the right, title, interest and equity of redemption of RENEE LOYA, Defendant(s) in and to:

Parcel B-2, Section M-40 being Part of Block B, Plan M-40, City of Brampton Regional Municipality of Peel (formerly Township of Chinguacousy, County of Peel) designated as Parts 3 and 3A on 43R-2495.

Municipally known as 3 Homer Square, Brampton, Ontario. This is a detached 2 storey dwelling.

All of which said right, title, interest and equity of redemption of RENEE LOYA, Defendant(s), in the said land and tenements described above. I shall offer for sale by Public Auction subject to the conditions set out below at 7755 Hurontario Street, in Brampton on Tuesday, June 17th, 2003 at 10:00 in the morning.

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges, liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matters relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS: \$1,000.00 refundable deposit to register.

Deposit 10% of bid price or \$1,000.00, whichever is greater
- Payable at time of sale by successful bidder
- To be applied to purchase price
- Non-refundable

Ten business days from date of sale to arrange financing and pay balance in full at Enforcement Office, 7755 Hurontario Street, Brampton, Ontario.

All payments in cash or by certified cheque made payable to the Minister of Finance.

Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price.

Other conditions as announced

This sale is subject to cancellation by the Sheriff without further notice up to the time of sale.

NOTE: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a Sheriff under legal process, either directly or indirectly.

Dated this 30th day of April, 2003.

(4297) 20

Cindy Holovac,
Supervisor Court Operations
Family, Enforcement and Finance
Regional Municipality of Peel
(905) 456-4725

UNDER AND BY VIRTUE of a Writ of Seizure and Sale issued out of the Superior Court of Justice at Brampton, dated July 18, 2002 and October 7, 2002, Court File Number 02-BN-5438, to me directed, against the real and personal property of PEDRO M. TRIVES, MICHELLE D. BAUER, PLANET EARTH RESOURCE TECHNOLOGIES INC. and 1376381 ONTARIO INC., Defendant(s), at the suit of ROYAL BANK, Plaintiff(s), I have seized and taken in execution all the right, title, interest and equity of redemption of PEDRO M. TRIVES AND MICHELLE D. BAUER, Defendant(s) in and to:

Lot 11, Block H, Plan B-88 and Lot 65, Plan A-23, City of Mississauga, Regional Municipality of Peel, Land Registry Division of Peel (No. 43).

Municipally known as 872 Longfellow Avenue, Mississauga, Ontario. This is a 2 storey dwelling with a double garage.

All of which said right, title, interest and equity of redemption of PEDRO M. TRIVES and MICHELLE D. BAUER, Defendant(s), in the said land and tenements described above. I shall offer for sale by Public Auction subject to the conditions set out below at 7755 Hurontario Street, in Brampton on Tuesday, June 17th, 2003 at 2:00 in the afternoon.

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges, liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matters relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS: \$1,000.00 refundable deposit to register.

Deposit 10% of bid price or \$1,000.00, whichever is greater
- Payable at time of sale by successful bidder
- To be applied to purchase price
- Non-refundable

Ten business days from date of sale to arrange financing and pay balance in full at Enforcement Office, 7755 Hurontario Street, Brampton, Ontario.

All payments in cash or by certified cheque made payable to the Minister of Finance.

Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price.

Other conditions as announced

This sale is subject to cancellation by the Sheriff without further notice up to the time of sale.

NOTE: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a Sheriff under legal process, either directly or indirectly.

Dated this 1st day of May, 2003.

(4298) 20

Cindy Holovac,
Supervisor Court Operations
Family, Enforcement and Finance
Regional Municipality of Peel
(905) 456-4725

UNDER AND BY VIRTUE of a Writ of Seizure and Sale issued out of the Superior Court of Justice at Ottawa, dated September 27, 2001, Court File Number 01-CV-16957, to me directed, against the real and personal property of GARY BONDY and DEBRA WARNER BONDY aka DEBRA WARNER now or aka DEBORAH LEE WARNER, Defendant(s), at the suit of TEGO CORP., Plaintiff(s), I have seized and taken in execution all the right, title, interest and equity of redemption of GARY BONDY and DEBRA WARNER BONDY aka DEBRA WARNER now aka DEBORAH LEE WARNER, Defendant(s) in and to:

Parcel 84-1, Section M-2, being Lot 84, Plan M-2, City of Mississauga, Regional Municipality of Peel, Land Titles Division of Peel (No. 43).

Municipally known as 36 Alpha Mills Road, Mississauga. This is a detached bungalow dwelling.

All of which said right, title, interest and equity of redemption of GARY BONDY and DEBRA WARNER BONDY aka DEBRA WARNER now or aka DEBORAH LEE WARNER, Defendant(s), in the said land and tenements described above. I shall offer for sale by Public Auction subject to the conditions set out below at 7755 Hurontario Street, in Brampton on Tuesday, June 17th, 2003 at 9:00 in the morning.

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges, liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matters relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS: \$1,000.00 refundable deposit to register.
Deposit 10% of bid price or \$1,000.00 whichever is greater
- Payable at time of sale by successful bidder
- To be applied to purchase price
- Non-refundable
Ten business days from date of sale to arrange financing and pay balance in full at Enforcement Office, 7755 Hurontario Street, Brampton, Ontario.
All payments in cash or by certified cheque made payable to the Minister of Finance.
Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price.
Other conditions as announced

This sale is subject to cancellation by the Sheriff without further notice up to the time of sale.

NOTE: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a Sheriff under legal process, either directly or indirectly.

Dated this 29th day of April, 2003.

(4299) 20

Cindy Holovac,
Supervisor Court Operations
Family, Enforcement and Finance
Regional Municipality of Peel
(905) 456-4725

UNDER AND BY VIRTUE of a Writ of Seizure and Sale issued out of the Superior Court of Justice at Toronto, dated August 15, 2002, Court File Number 97-MU-016479, to me directed, against the real and personal property of ELIZABETH GOHARY, Defendant(s), at the suit of FASKEN CAMPBELL GODFREY, Plaintiff(s), I have seized and taken in execution all the right, title, interest and equity of redemption of ELIZABETH GOHARY, Defendant(s) in and to:

Part of Lot 12, Plan 619, City of Mississauga, Regional Municipality of Peel, Land Titles Division of Peel No. 43, as in RO1149994.

Municipally known as 2586 Constable Road, Mississauga. This is a semi-detached multi level home.

All of which said right, title, interest and equity of redemption of ELIZABETH GOHARY, Defendant(s), in the said land and tenements described above. I shall offer for sale by Public Auction subject to the conditions set out below at 7755 Hurontario Street, in Brampton on Tuesday, June 17th, 2003 at 1:00 in the afternoon.

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges, liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matters relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS: \$1,000.00 refundable deposit to register.
Deposit 10% of bid price or \$1,000.00 whichever is greater

- Payable at time of sale by successful bidder
- To be applied to purchase price
- Non-refundable
Ten business days from date of sale to arrange financing and pay balance in full at Enforcement Office, 7755 Hurontario Street, Brampton, Ontario.
All payments in cash or by certified cheque made payable to the Minister of Finance.
Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price.
Other conditions as announced

This sale is subject to cancellation by the Sheriff without further notice up to the time of sale.

NOTE: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a Sheriff under legal process, either directly or indirectly.

Dated this 29th day of April, 2003.

(4300) 20

Cindy Holovac,
Supervisor Court Operations
Family, Enforcement and Finance
Regional Municipality of Peel
(905) 456-4725

UNDER AND BY VIRTUE of a Writ of Seizure and Sale issued out of the Superior Court of Justice at Toronto, dated July 20, 2000, Court File Number 99-CV-164482SR, to me directed, against the real and personal property of HAROLD FRANK, Defendant(s), at the suit of BANK OF MONTREAL, Plaintiff(s), I have seized and taken in execution all the right, title, interest and equity of redemption of HAROLD FRANK, Defendant(s) in and to:

Part of Lot 168, Plan 792, City of Mississauga, Regional Municipality of Peel, (formerly in the Town of Mississauga, in the County of Peel) Land Registry Office for the Registry Division of Peel (No. 43).

Municipally known as 2451 Barcella Crescent Mississauga, Ontario. This is a 2 semi-detached dwelling.

All of which said right, title, interest and equity of redemption of HAROLD FRANK, Defendant(s), in the said land and tenements described above. I shall offer for sale by Public Auction subject to the conditions set out below at 7755 Hurontario Street, in Brampton on Tuesday, June 17th, 2003 at 11:00 in the morning.

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges, liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matters relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS: \$1,000.00 refundable deposit to register.
Deposit 10% of bid price or \$1,000.00 whichever is greater
- Payable at time of sale by successful bidder
- To be applied to purchase price
- Non-refundable
Ten business days from date of sale to arrange financing and pay balance in full at Enforcement Office, 7755 Hurontario Street, Brampton, Ontario.
All payments in cash or by certified cheque made payable to the Minister of Finance.
Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price.
Other conditions as announced

This sale is subject to cancellation by the Sheriff without further notice up to the time of sale.

NOTE: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed

for sale by a Sheriff under legal process, either directly or indirectly.

Dated this 30th day of April, 2003.

Cindy Holovac,
Supervisor Court Operations
Family, Enforcement and Finance
Regional Municipality of Peel
(905) 456-4725

(4301) 20

UNDER AND BY VIRTUE of a Writ of Seizure and Sale issued out of the Superior Court of Justice at Brampton, dated January 11, 2002, Court File Number 471/99, to me directed, against the real and personal property of SANDRA YOUNG, at the suit of JULIE M. GARITO-STEPHENS, Applicant(s), I have seized and taken in execution all the right, title, interest and equity of redemption of SANDRA YOUNG, in and to:

Lot 31, Plan K-22, City of Mississauga, Regional Municipality of Peel.

Municipally known as 983 Wales Avenue, Mississauga. This is a detached bungalow dwelling.

All of which said right, title, interest and equity of redemption of SANDRA YOUNG, in the said land and tenements described above. I shall offer for sale by Public Auction subject to the conditions set out below at 7755 Hurontario Street, in Brampton on Tuesday, June 17th, 2003 at 3:00 in the afternoon.

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges, liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matters relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS: \$1,000.00 refundable deposit to register.

Deposit 10% of bid price or \$1,000.00 whichever is greater
- Payable at time of sale by successful bidder
- To be applied to purchase price
- Non-refundable

Ten business days from date of sale to arrange financing and pay balance in full at Enforcement Office, 7755 Hurontario Street, Brampton, Ontario.

All payments in cash or by certified cheque made payable to the Minister of Finance.

Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price.

Other conditions as announced

This sale is subject to cancellation by the Sheriff without further notice up to the time of sale.

NOTE: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a Sheriff under legal process, either directly or indirectly.

Dated this 5th day of May, 2003.

Cindy Holovac,
Supervisor Court Operations
Family, Enforcement and Finance
Regional Municipality of Peel
(905) 456-4725

(4302) 20

UNDER AND BY VIRTUE of a Writ of Seizure and Sale #01-502 issued out of the Superior Court of Justice at North Bay, Court File Number 2111/01 to me directed, against the real and personal property of STAN'S AUTO BODY INC. Defendant, at the suit of NORTH BAY PAINT AND WALLPAPER LTD. Plaintiff, I have seized and taken in execution all the right, title, interest and equity of redemption of STAN'S AUTO BODY INC. Defendant(s) in and to:

Parcel 35581 Sudbury East Section, Part of Lots 8 & 9 on Plan M-555, Township of Broder, City of Greater Sudbury, District of Sudbury and known municipally as 1110 Goodview Drive, Sudbury.

All of which said right, title, interest and equity of redemption of STAN'S AUTO BODY Defendant, in the said land and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at Sudbury Courthouse, Sheriff's Office 155 Elm St., Sudbury, Ontario on Tuesday, June 24, 2003 at 10:00 a.m.

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges, liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS: Deposit 10% of bid price or \$1,000.00 whichever is greater

- Payable at time of sale by successful bidder

- To be applied to purchase price

- Non-refundable

Ten business days from date of sale to arrange financing and pay balance in full at Sheriff's Office.

All payments in cash or by certified cheque made payable to the Minister of Finance.

Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price.

Other conditions as announced

This sale is subject to cancellation by the Sheriff without further notice up to the time of sale.

NOTE: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a Sheriff under legal process, either directly or indirectly.

Dated this 1st day of May, 2003.

Louise Tarini

Supervisor, Court operations

(705) 564-7777

(4303) 20

UNDER AND BY VIRTUE of a Writ of Seizure and Sale issued out of the Superior Court of Justice at Hamilton Small Claim Court dated December 19, 2001, Court File Number (3363/01), to me directed, against the real and personal property of GITA PATEL Defendant(s), at the suit of 747041 ONTARIO INC., Plaintiff(s), I have seized and taken in execution all the right, title, interest and equity of redemption of GITA PATEL, Defendant(s) in and to:

PIN 17349-005 LT, PCL 3-1, SEC 6M438: LT 3, PL 62M438, surface rights only: Stoney Creek City of Hamilton, 00005 Velvet Crt., Stoney Creek.

All of which said right, title, interest and equity of redemption of GITA PATEL, Defendant(s), in the said land and tenements described above. I shall offer for sale by Public Auction subject to the conditions set out below at, John Sopinka Court House 45 Main Street East, 7th Floor, Hamilton, Ontario L8N 2B7, on Thursday, June 19, 2003 at 10:00 a.m.

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges, liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS: Deposit 10% of bid price or \$1,000.00 whichever is greater

- Payable at time of sale by successful bidder

- To be applied to purchase price

- Non-refundable

Ten business days from date of sale to arrange financing and pay balance in full at 45 Main Street East, Suite 126, Hamilton, ON L8N 2B7.

All payments in cash or by certified cheque made payable to the Minister of Finance.
 Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price.
 Other conditions as announced

This sale is subject to cancellation by the Sheriff without further notice up to the time of sale.

NOTE: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a Sheriff under legal process, either directly or indirectly.

Dated this 6th day of May, 2003.

Bette Jean Glassford,
 Acting Supervisor of Court Support
 45 Main Street East, Suite 126,
 Hamilton, Ontario L8N 2B7

(4304) 20

Savings Office payable to the municipality or board and representing at least 20 per cent of the tender amount.

The municipality makes no representation regarding the title to or any other matters relating to the land to be sold. Responsibility for ascertaining these matters rests with the potential purchasers.

This sale is governed by the *Municipal Act 2001* and the Municipal Tax Sales Rules made under that Act. The successful purchaser will be required to pay the amount tendered plus the accumulated taxes and the relevant land transfer tax.

For further information regarding this sale and a copy of the prescribed form of tender, contact:

SHERRY E. REED, CMA
 Treasurer
 The Corporation of the Township of
 Front of Yonge
 1514 County Rd. 2
 Mallorytown, Ont. K0E 1R0
 613-923-2251

(4305) 20

**Sales of Lands for Tax Arrears
 by Public Tender
 Ventes de terrains par appel d'offres
 pour arriéré d'impôt**

MUNICIPAL ACT 2001
 S.O. 2001, c. 25, s. 379 (2) (b), R.R.O. 1990 Reg. 824
 (Formerly under the *Municipal Tax Sales Act*)

**THE CORPORATION OF THE TOWNSHIP OF
 FRONT OF YONGE**

TAKE NOTICE that tenders are invited for the purchase of the land(s) described below and will be received until 3:00 p.m. local time on June 4th, 2003, at the Township Administration Office, 1514 County Rd. 2 Mallorytown Ontario K0E 1R0.

The tenders will then be opened in public on the same day at the Township Administration Office, 1514 County Rd. 2 Mallorytown Ontario K0E 1R0.

Description of Land(s)	Minimum Tender Amount (set out the cancellation price as of the first day of advertising)
1. Roll No. 08 06 000 010 06300 0000 Concession Broken Front, Part Lot 21, Island 116R, St. Lawrence River, 0.02 Acres, previously described in Deed No. 39333. In the Township of Front of Yonge, County of Leeds.	\$2,754.46
2. Roll No. 08 06 000 010 10400 0000 Concession Broken Front, Part Lot 25, Part 1 on Reference Plan No. 28R-11167 containing 20.00 Acres. Said parcel previously described by Instrument No. 20-10963QC. In the Township of Front of Yonge, County of Leeds, Haws Road.	\$5,623.91
2. Roll No. 08 06 000 015 17700 0000 52 Caintown Road, Mallorytown, Ontario. Conces- sion 3, Lot 12, 188.20 Acres. In the Township of Front of Yonge, County of Leeds, subject to Hydro and Pipeline Easements.	\$12,944.57

Tenders must be submitted in the prescribed form and must be accompanied by a deposit in the form of a money order or of a bank draft or cheque certified by a bank, trust corporation or Province of Ontario

MUNICIPAL ACT 2001
 S.O. 2001, c. 25, s. 379 (2) (b), R.R.O. 1990 Reg. 824
 (Formerly under the *Municipal Tax Sales Act*)

THE CORPORATION OF THE TOWN OF BRUCE MINES

TAKE NOTICE that tenders are invited for the purchase of the land(s) described below and will be received until 3:00 p.m. local time on June 18, 2003, at the Corporation of the Town of Bruce Mines, Municipal Office.

The tenders will then be opened in public on the same day at 56 Taylor St., Bruce Mines, On. P0R 1C0.

Description of Land(s)	Minimum Tender Amount (set out the cancellation price as of the first day of advertising)
------------------------	--

Part of Lot 2, Range A, Plan 5, Town of Bruce Mines, District of Algoma being Part 1, Plan 1R-2972.	\$3,647.56
---	------------

Lot 107, Plan 625 saving and excepting the mining rights reserved in former deeds of the said property (being the lands in Deed 1927 and 1924 Book BB Bruce Mines and in Deed T-37757) Algoma, Town of Bruce Mines, District of Algoma as previously described in T-146926.	\$6,643.99
---	------------

Tenders must be submitted in the prescribed form and must be accompanied by a deposit in the form of a money order or of a bank draft or cheque certified by a bank, trust corporation or Province of Ontario Savings Office payable to the municipality or board and representing at least 20 per cent of the tender amount.

The municipality makes no representation regarding the title to or any other matters relating to the land to be sold. Responsibility for ascertaining these matters rests with the potential purchasers.

This sale is governed by the *Municipal Act 2001* and the Municipal Tax Sales Rules made under that Act. The successful purchaser will be required to pay the amount tendered plus the accumulated taxes and the relevant land transfer tax.

For further information regarding this sale and a copy of the prescribed form of tender, contact:

Clerk
 The Corporation of the Town of
 Bruce Mines
 56 Taylor Street, P.O. Box 220
 Bruce Mines, Ontario P0R 1C0
 705-785-3493

(4306) 20

MUNICIPAL ACT 2001
 S.O. 2001, c. 25, s. 379 (2) (b), R.R.O. 1990 Reg. 824
 (Formerly under the *Municipal Tax Sales Act*)

Solicitor
 The Corporation of the Township of
 Matachewan
 Box 177
 Matachewan, Ontario P0K 1M0

**THE CORPORATION OF THE TOWNSHIP OF
 MATACHEWAN**

(4307) 20

TAKE NOTICE that tenders are invited for the purchase of the land(s) described below and will be received until 3:00 p.m. local time on June 6, 2003, at the Matachewan Town Hall, Box 177, at Matachewan, Ontario P0K 1M0.

The tenders will then be opened in public on the same day at Matachewan Town Hall at 3:30 p.m.

Description of Land(s)	Minimum Tender Amount (set out the cancellation price as of the first day of advertising)
Parcel 17920 South Section Timiskaming being Lot 470 Plan M-130 Timiskaming Township of Cairo	
and	
Parcel 9752 South Section Timiskaming being Lot 471 Plan M-130 Timiskaming Township of Cairo.	\$2,188.55
Parcel 9829 South Section Timiskaming, Lot 575 Plan M-157 Timiskaming Township of Cairo.	\$2,123.37
Parcel 20267 South Section Timiskaming, Lot 179 and 180 Plan M-108, Township of Cairo.	\$2,243.35
Parcel 16923 South Section Timiskaming, Lot 568 Plan M-145 Timiskaming Township of Cairo	
and	
Parcel 16922 South Section Timiskaming, being Lot 567 Plan M-145 Timiskaming Township of Cairo.	\$2,164.62
Parcel 12400 South Section Timiskaming Summer Resort LOCATION DESIGNATED as WB-40, Township of Cairo.	\$2,648.49
Parcel 6702 South Section Timiskaming, Lot 317 Plan M-117 Timiskaming Township of Cairo.	\$2,182.26
Parcel 16882 South Section Timiskaming, Lots 200 and 201 Plan M-117 Timiskaming Township of Cairo	
and	
Parcel 17036 South Section Timiskaming, Lot 199 Plan M-117 Timiskaming Township of Cairo.	\$2,279.85

ALL in the Municipality of Matachewan

Tenders must be submitted in the prescribed form and must be accompanied by a deposit in the form of a money order or of a bank draft or cheque certified by a bank, trust corporation or Province of Ontario Savings Office payable to the municipality or board and representing at least 20 per cent of the tender amount.

The municipality makes no representation regarding the title to or any other matters relating to the land to be sold. Responsibility for ascertaining these matters rests with the potential purchasers.

This sale is governed by the *Municipal Act 2001* and the Municipal Tax Sales Rules made under that Act. The successful purchaser will be required to pay the amount tendered plus the accumulated taxes and the relevant land transfer tax.

For further information regarding this sale and a copy of the prescribed form of tender, contact:

MUNICIPAL ACT 2001
 S.O. 2001, c. 25, s. 379 (2) (b), R.R.O. 1990 Reg. 824
 (Formerly under the *Municipal Tax Sales Act*)

**THE CORPORATION OF THE TOWN OF
 MISSISSIPPI MILLS**

TAKE NOTICE that tenders are invited for the purchase of the properties described below and will be accepted if sealed in an envelope and clearly marked with the PIN (Property Identification Number) and the Roll Number for the property for which the tender is submitted, for example "Tax Sale for : PIN 05094-0028 (LT) Roll No. 0931 020 020 14800 0000." A separate tender must be submitted for each property. Tenders in the prescribed form, Tender to Purchase, MUST be addressed as follows:

Town of Mississippi Mills
 P.O. Box 400
 3131 Old Perth Rd, R.R. #2
 Almonte, ON K0A 1A0
 Attention: Treasurer

Tenders will be received ONLY at the above-mentioned address until 3:00 p.m. local time, on Friday June 13, 2003. The tenders will then be opened in public at 3131 Old Perth Road, Council Chambers, immediately following the 3:00 p.m. deadline.

Description of Land(s)	Minimum Tender Amount
1. Part of Lot 5, Block B, Henderson Section, Plan 6282, (Geographic Town of Almonte) Town of Mississippi Mills, County of Lanark, 2.98 AC, 267.50 FR, 505.00 D PIN: 05094-0028 (LT), Municipal Address: Vacant Land Roll No. 0931 020 020 14800 0000.	\$3,668.73
2. Lot 197, Cameron Section, Plan 6282, (Geographic Town of Almonte) Town of Mississippi Mills, County of Lanark, 62.00 FR, 117.00 D, PIN: 05102-0025 (LT), Municipal Address: 126 Euphemia St. Roll No. 0931 010 015 05100 0000.	\$17,386.76
3. Part Lot 3, Concession 3 as in RN47252, (Geographic Township of Ramsay) Town of Mississippi Mills, County of Lanark, 1.02 AC, 208.00 FR, 213.00 D PIN: 05106-0014 (LT) Roll No. 0931 929 030 07600 0000.	\$35,670.50
4. Lot 18, James Section, Wright Survey, Plan 6262, (Geographic Town of Almonte) Town of Mississippi Mills, County of Lanark, 50.00 FR, 108.50 D, PIN: 05089-0011 (LT), Municipal Address: 189 Adelaide Crt. Roll No. 0931 020 020 17300 0000.	\$24,369.53
5. Part Lot 8, Concession 12 Being Part 1, Plan 26R-635 (Geographic Town of Pakenham) Town of Mississippi Mills, County of Lanark, 2.05 AC, 212.90 FR PIN: 05077-0007 (LT), Municipal Address: 3561 Timmins Rd., Roll No. 0931 946 025 09902 0000.	\$29,806.17
6. Lot 27, Concession 5, (Geographic Town of Pakenham) Town of Mississippi Mills, County of Lanark, 92.00 AC, PIN: 05084-0003 (LT), Municipal Address: Vacant Land Roll No. 0931 929 015 25501 0000.	\$13,459.94

The sale of these properties is subject to cancellation up to the time of the tender opening without further notice.

The Minimum Tender amount represents the cancellation price as of the first day of advertising.

Tenders must be submitted in the prescribed form. Tender to Purchase, and must be accompanied by a deposit in the form of a money order or a bank draft or cheque certified by a bank, trust company or Province of Ontario Savings Office payable to the Town of Mississippi Mills, and representing at least 20 per cent of the tender amount.

The municipality makes no representation regarding the title to or any other matters relating to the properties to be sold. Responsibility for ascertaining these matters rests with the potential purchasers.

This sale is governed by the *Municipal Act 2001* and the Municipal Tax Sales Rules made under that Act. The successful purchasers will be required to pay the amount tendered plus the accumulated taxes, penalties and interest, any other applicable charges, GST if applicable, and the relevant land transfer tax within fourteen (14) days of being notified that he/she is the successful purchaser.

For further information regarding these sales and a copy of the prescribed form, Tender to Purchase, contact the following:

RHONDA WHITMARSH,
 Treasurer at (613) 256-2064 ext. 262 or via
 e-mail at rwhitmarsh@mississippimills.ca.
 Tender to Purchase forms must be picked up
 at the following address:
 3131 Old Perth Road
 R.R. #2, Almonte, ON K0A 1A0

(4308) 20

MUNICIPAL ACT 2001
 S.O. 2001, c. 25, s. 379 (2) (b), R.R.O. 1990 Reg. 824
 (Formerly under the *Municipal Tax Sales Act*)

THE CORPORATION OF THE TOWN OF PELHAM

TAKE NOTICE that tenders are invited for the purchase of the land(s) described below and will be received until 3:00 p.m. local time on June 4, 2003, at the Municipal Building, 20 Pelham Town Square, P.O. Box 400, Fonthill, Ontario L0S 1E0.

The tenders will then be opened in public on the same day at the Municipal Building, 20 Pelham Town Square, P.O. Box 400, Fonthill, Ontario L0S 1E0.

Description of Land(s)	Minimum Tender Amount
Roll No. 27 32 010 007 03102, PIN 64038-0070(R), Part Lot 4, Concession 1, Part 2, Plan 59R-8641, Geographic Township of Pelham, now Town of Pelham, Regional Municipality of Niagara (No. 59). File No. 01-01.	\$14,846.99

Tenders must be submitted in the prescribed form and must be accompanied by a deposit in the form of a money order or of a bank draft or cheque certified by a bank, trust corporation or Province of Ontario Savings Office payable to the municipality and representing at least 20 per cent of the tender amount.

The municipality makes no representation regarding the title to or any other matters relating to the land to be sold. Responsibility for ascertaining these matters rests with the potential purchasers.

This sale is governed by the *Municipal Act 2001* and the Municipal Tax Sales Rules made under the *Municipal Tax Sales Act*. The successful purchaser will be required to pay the amount tendered plus accumulated taxes and the relevant land transfer tax.

For further information regarding this sale and a copy of the prescribed form of tender, contact:

Gordon Cherney
 Director of Financial Services
 The Corporation of the Town of Pelham
 Municipal Building
 20 Pelham Town Square
 P.O. Box 400
 Fonthill, Ontario L0S 1E0
 905-892-2607

(4309) 20

Publications under the Regulations Act Publications en vertu de la Loi sur les règlements

2003—05—17

ONTARIO REGULATION 158/03

made under the

EVIDENCE ACT

Made: December 11, 2002

Filed: April 28, 2003

CERTIFICATION OF RECORDINGS AND TRANSCRIPTS

Application

1. This Regulation applies to proceedings in the Court of Appeal, the Superior Court of Justice and the Ontario Court of Justice.

Definitions

2. In this Regulation,

“approved device” means a device for recording sound of a type approved by the Attorney General, as mentioned in subsection 5 (1) of the Act.

Certification of recordings

3. (1) A recording made under subsection 5 (1) of the Act by means of an approved device shall be certified in Form 1 by a person who,

- (a) is authorized to record evidence and proceedings under subsection 5 (1) of the Act; and
- (b) is in charge of the approved device while the recording is being made.

(2) The certificate in Form 1 is admissible in evidence and is proof, in the absence of evidence to the contrary, that the recording is a recording of evidence and proceedings in the proceeding.

Certification of transcripts

4. (1) A transcript made under subsection 5 (2) of the Act from a recording made under subsection 5 (1) of the Act by means of an approved device shall be certified in Form 2 by the person who transcribes the recording.

(2) The person who transcribes the recording and certifies the transcript shall be a person who is trained and qualified to transcribe recordings and is a member of a class of persons who are authorized to do so by the Attorney General, but need not be the same person who is in charge of the approved device while the recording is being made.

(3) The certificate in Form 2 is admissible in evidence and is proof, in the absence of evidence to the contrary, that the transcript is a transcript of a recording of evidence and proceedings in the proceeding.

Form 1

Evidence Act

subsection 5 (1)

CERTIFICATE OF RECORDING

I, _____, certify that Recording No. _____
(Please print name of authorized person)
 is the recording of the evidence and proceedings in the _____
(Name of Court)
 held at _____ on _____,
(Court address) *(day, month, year)*
 and that I was in charge of the sound recording device during those proceedings.

(3) Le certificat rédigé selon la formule 2 est admissible en preuve et constitue, en l'absence de preuve contraire, la preuve que la transcription est une transcription de l'enregistrement de la preuve et du déroulement de l'instance.

Formule 1

Loi sur la preuve

paragraphe 5 (1)

CERTIFICAT D'ENREGISTREMENT

Je soussigné(e), , certifie que l'enregistrement n°

(nom de la personne autorisée - en lettres moulées)

est l'enregistrement de la preuve et du déroulement de l'instance tenue devant le/la
(nom du tribunal)

à/au le
(adresse du tribunal) (jour, mois, année)

et que j'avais la responsabilité de l'appareil d'enregistrement sonore pendant cette instance.

Formule 2

Loi sur la preuve

paragraphe 5 (2)

CERTIFICAT DE TRANSCRIPTION

Je/Nous soussigné(e)(s), , certifie/certifions que

(nom(s) de la ou des personnes autorisées - en lettres moulées)

le présent document est une transcription exacte et fidèle de l'enregistrement de
portée devant le
(intitulé de la cause) (nom du tribunal)

à/au , tirée de l'enregistrement n°

(adresse du tribunal)

..... ,
(date) (signature de la ou des personnes autorisées)

20/03

ONTARIO REGULATION 159/03

made under the

LIQUOR LICENCE ACT

Made: April 24, 2003

Filed: April 28, 2003

Amending Reg. 718 of R.R.O. 1990

(General)

Note: Regulation 718 has previously been amended. Those amendments are listed in the Table of Regulations published in *The Ontario Gazette* dated January 18, 2003.

1. Section 6 of Regulation 718 of the Revised Regulations of Ontario, 1990 is amended by adding the following subsection:

(3.2) Subsections 30 (1), (2) and (8) of the Act do not apply to prevent the possession, service and consumption of liquor by a person who is at least 18 years of age for purposes of the education and training described in clause (2) (a.1).

20/03

ONTARIO REGULATION 160/03

made under the

PUBLIC SERVICE ACT

Made: April 8, 2003

Approved: April 24, 2003

Filed: April 28, 2003

Amending Reg. 977 of R.R.O. 1990
(General)

Note: Since the end of 2002, Regulation 977 has been amended by Ontario Regulation 59/03. Previous amendments are listed in the Table of Regulations published in *The Ontario Gazette* dated January 18, 2003.

1. Subsection 10.5 (1) of Regulation 977 of the Revised Regulations of Ontario, 1990 is revoked and the following substituted:

(1) An employee who is entitled to receive compensation under section 10.9 or 10.9.1 (overtime during an emergency) is not entitled to receive compensation under any other section for the same period of work.

2. (1) Subsection 10.9 (6) of the Regulation is revoked and the following substituted:

(6) For the purposes of this section, a full-time employee is considered to be working overtime as a result of, and during, an emergency when he or she works more than 8 hours in a 24-hour period or works on a scheduled day off.

(2) Subsection 10.9 (8) of the Regulation is revoked and the following substituted:

(8) If the employee's supervisor authorizes an employee to work overtime as a result of, and during, the emergency, the employee is entitled to receive overtime credit calculated at time-and-a-half for the authorized overtime that the employee works.

3. The Regulation is amended by adding the following section:

OVERTIME AND THE SARS EMERGENCY

10.9.1 (1) This section applies, and section 10.9 does not apply, if Management Board of Cabinet declares an emergency relating to severe acute respiratory syndrome to be an emergency requiring extraordinary measures to protect public health, public safety or property.

(2) The following full-time employees are entitled to compensation under this section when they work overtime as described in subsection (4) as a result of, and during, the SARS emergency:

1. Those employed in a class of position set out in Schedule 6 that falls within the Management Compensation Plan, but not those employed in a position listed in Schedule 8.

2. Those employed in the Senior Management Group 1 or 2 classes, but not in the Senior Management Group 1 (Seventh Unit) XCMC1 or Senior Management Group 2 (Seventh Unit) XSMC2 classes.

3. Those employed in the Information Technology Executive ITX1 or 2 classes.

(3) The amount and form of compensation are determined under this section.

(4) Subsections 10.9 (6) and (7) apply for the purpose of determining whether an employee is working overtime.

(5) If the employee's supervisor authorizes an employee to work overtime as a result of, and during, during the SARS emergency, the employee is entitled to receive overtime credit calculated at time-and-a-half for the authorized overtime that the employee works.

(6) Subsection 10.9 (9) applies for the purpose of determining the compensation to which an employee is entitled for overtime credit he or she receives under this section.

(7) In this section,

“SARS emergency” means an emergency declared by Management Board of Cabinet as described in subsection (1) relating to severe acute respiratory syndrome.

CIVIL SERVICE COMMISSION:

KATHRYN A. BOUEY
Chair

MORAG MCLEAN
Secretary

Dated on April 8, 2003.

20/03

ONTARIO REGULATION 161/03

made under the

FREEDOM OF INFORMATION AND PROTECTION OF PRIVACY ACT

Made: April 24, 2003
Filed: April 28, 2003

Amending Reg. 460 of R.R.O. 1990
(General)

Note: Regulation 460 has previously been amended. Those amendments are listed in the Table of Regulations published in *The Ontario Gazette* dated January 18, 2003.

1. The Schedule to Regulation 460 of the Revised Regulations of Ontario, 1990 is revoked and the following substituted:

SCHEDULE

ITEM	COLUMN 1 Institution	COLUMN 2 Head
1.	Accessibility Advisory Council of Ontario	Minister of Citizenship
2.	Advertising Review Board	Chair of Management Board of Cabinet
3.	Advisory Committee on Screening for Inherited Diseases in Infants	Minister of Health and Long-Term Care
4.	Advisory Council on Special Education	Minister of Education
5.	Agricorp	Chair of the Board
6.	Agricultural Rehabilitation and Development Directorate	Minister of Agriculture and Food
7.	Agricultural Research Institute of Ontario	Minister of Agriculture and Food
8.	Agriculture, Food and Rural Affairs Appeal Tribunal	Minister of Agriculture and Food
9.	Alcohol and Gaming Commission of Ontario	Minister of Consumer and Business Services
10.	Algonquin Forestry Authority	General Manager of the Authority
11.	Animal Care Review Board	Minister of Public Safety and Security
12.	Assessment Review Board	Attorney General
13.	Board of Governors of each College of Applied Arts and Technology	Chair of the Board
14.	Board of Negotiation	Minister of Agriculture and Food
15.	Board of Negotiation (Attorney General)	Attorney General
16.	Building Code Commission	Minister of Municipal Affairs and Housing
17.	Building Materials Evaluation Commission	Minister of Municipal Affairs and Housing
18.	Child and Family Services Review Board	Minister of Community, Family and Children's Services
19.	Chiropody Review Committee	Minister of Health and Long-Term Care
20.	Chiropractic Review Committee	Minister of Health and Long-Term Care
21.	Civil Service Commission	Chair of Management Board of Cabinet

ITEM	COLUMN 1 Institution	COLUMN 2 Head
22.	College Relations Commission	Minister of Training, Colleges and Universities
23.	Commercial Registration Appeal Tribunal	Minister of Consumer and Business Services
24.	Commodity Futures Advisory Board	Minister of Finance
25.	Consent and Capacity Review Board	Minister of Health and Long-Term Care
26.	Conservation Review Board	Minister of Culture
27.	Criminal Injuries Compensation Board	Attorney General
28.	Crown Employees Grievance Settlement Board	Minister of Labour
29.	Crown Timber Board of Examiners	Minister of Natural Resources
30.	Custody Review Board	Minister of Community, Family and Children's Services
31.	Dentistry Review Committee	Minister of Health and Long-Term Care
32.	Disability Adjudication Unit	Minister of Community, Family and Children's Services
33.	District Health Councils, each Council	Chair of the Council
34.	Drug Quality and Therapeutics Committee	Minister of Health and Long-Term Care
35.	Eastern Ontario Development Corporation	Minister of Enterprise, Opportunity and Innovation
36.	Education Improvement Commission	Minister of Education
37.	Education Quality and Accountability Office	Chair
38.	Education Relations Commission	Minister of Education
39.	Environmental Review Tribunal	Minister of the Environment
40.	Financial Disclosure Advisory Board	Minister of Finance
41.	Financial Services Commission of Ontario	Minister of Finance
42.	Financial Services Tribunal	Minister of Finance
43.	Fire Safety Commission	Minister of Public Safety and Security
44.	Fish and Wildlife Advisory Board	Minister of Natural Resources
45.	Grain Financial Protection Board	Minister of Agriculture and Food
46.	Greater Toronto Transit Authority	Chair
47.	Healing Arts Radiation Protection Commission	Minister of Health and Long-Term Care
48.	Health Care Systems Research Review Committee	Minister of Health and Long-Term Care
49.	Health Professions Appeal and Review Board	Minister of Health and Long-Term Care
50.	Health Professions Regulatory Advisory Council	Minister of Health and Long-Term Care
51.	Health Research Personnel Committee	Minister of Health and Long-Term Care
52.	Health Services Appeal and Review Board	Minister of Health and Long-Term Care
53.	Health System-Linked Research Units Grants Review Committee	Minister of Health and Long-Term Care
54.	Hospital Appeal Board	Minister of Health and Long-Term Care
55.	Human Rights Tribunal of Ontario	Chair
56.	Independent Electricity Market Operator	Chief Executive Officer
57.	Investment Advisory Committee of the Public Guardian and Trustee	Attorney General
58.	Justices of the Peace Remuneration Commission	Chair of Management Board of Cabinet
59.	Labour-Management Advisory Committee	Minister of Labour
60.	Land Ambulance Implementation Steering Committee	Minister of Health and Long-Term Care
61.	Languages of Instruction Commission of Ontario	Minister of Education
62.	Legal Aid Ontario	President of Legal Aid Ontario
63.	Licence Suspension Appeal Board	Minister of Transportation
64.	Liquor Control Board of Ontario	Chair of the Board
65.	Livestock Financial Protection Board	Minister of Agriculture and Food
66.	Livestock Medicines Advisory Committee	Minister of Agriculture and Food
67.	Medical Eligibility Committee — Health Insurance	Minister of Health and Long-Term Care
68.	Medical Review Committee — Health Insurance	Minister of Health and Long-Term Care
69.	Metropolitan Toronto Convention Centre Corporation	President and Chief Executive Officer of the Corporation
70.	Mining and Lands Commissioner	Commissioner
71.	Niagara Escarpment Commission	Minister of Natural Resources
72.	Niagara Parks Commission	Chair of the Commission
73.	Normal Farm Practices Protection Board	Minister of Agriculture and Food
74.	North Pickering Development Corporation	Chair of the Board
75.	Northern Ontario Development Corporation	Minister of Enterprise, Opportunity and Innovation
76.	Northern Ontario Heritage Fund Corporation	Minister of Northern Development and Mines
77.	Office for Victims of Crime	Attorney General
78.	Office of the Employer Advisor	Minister of Labour
79.	Office of Francophone Affairs	Minister Responsible for Francophone Affairs
80.	Office of the Worker Advisor	Minister of Labour
81.	Ontario Advisory Committee on HIV/AIDS	Minister of Health and Long-Term Care
82.	Ontario Civilian Commission on Police Services	Minister of Public Safety and Security
83.	Ontario Clean Water Agency	Chair
84.	Ontario Council of Regents for Colleges of Applied Arts and Technology	Minister of Training, Colleges and Universities

ITEM	COLUMN 1 Institution	COLUMN 2 Head
85.	Ontario Development Corporation	Minister of Enterprise, Opportunity and Innovation
86.	Ontario Electricity Financial Corporation	Chief Executive Officer of the Corporation
87.	Ontario Electricity Pension Services Corporation	Chief Executive Officer of the Corporation
88.	Ontario Energy Board	Minister of Energy
89.	Ontario Exports Inc.	Minister of Enterprise, Opportunity and Innovation
90.	Ontario Family Health Network	Chief Executive Officer
91.	Ontario Farm Products Marketing Commission	Minister of Agriculture and Food
92.	Ontario Film Review Board	Minister of Consumer and Business Services
93.	Ontario Financing Authority	Minister of Finance
94.	Ontario Food Terminal Board	Chair of the Board
95.	Ontario Geographic Names Board	Minister of Natural Resources
96.	Ontario Heritage Foundation	Minister of Culture
97.	Ontario Highway Transport Board	Minister of Transportation
98.	Ontario Housing Corporation	Minister of Municipal Affairs and Housing
99.	Ontario Human Rights Commission	Minister of Citizenship
100.	Ontario Junior Farmer Establishment Loan Corporation	Minister of Agriculture and Food
101.	Ontario Labour Relations Board	Minister of Labour
102.	Ontario Lottery and Gaming Corporation	Chief Executive Officer
103.	Ontario Medal for Young Volunteers Advisory Council	Minister of Citizenship
104.	Ontario Media Development Corporation	Minister of Culture
105.	Ontario Moose-Bear Allocation Advisory Committee	Minister of Natural Resources
106.	Ontario Mortgage Corporation	Minister of Municipal Affairs and Housing
107.	Ontario Municipal Board	Minister of Municipal Affairs and Housing
108.	Ontario Municipal Employees Retirement Board	Chair of the Board
109.	Ontario Northland Transportation Commission	Chair of the Commission
110.	Ontario Parent Council	Minister of Education
111.	Ontario Parks Board of Directors	Minister of Natural Resources
112.	Ontario Parole and Earned Release Board	Minister of Public Safety and Security
113.	Ontario Place Corporation	Minister of Tourism and Recreation
114.	Ontario Police Arbitration Commission	Minister of Public Safety and Security
115.	Ontario Racing Commission	Minister of Consumer and Business Services
116.	Ontario Realty Corporation	Chair of the Board of Directors
117.	Ontario Rental Housing Tribunal	Chair of the Tribunal
118.	Ontario Review Board	Chair of the Board
119.	Ontario Science Centre	Minister of Culture
120.	Ontario Securities Commission	Minister of Finance
121.	Ontario Special Education Tribunal (English)	Minister of Education
122.	Ontario Special Education Tribunal (French)	Minister of Education
123.	Ontario Student Assistance Program Appeal Board	Minister of Training, Colleges and Universities
124.	Ontario SuperBuild Corporation	Minister of Finance
125.	Ontario Tourism Marketing Partnership Corporation	Minister of Tourism and Recreation
126.	Ontario Training and Adjustment Board	Chief Executive Officer
127.	Ontario VL Corporation Ltd.	President
128.	Optometry Review Committee	Minister of Health and Long-Term Care
129.	Ottawa Congress Centre	General Manager of the Centre
130.	Owen Sound Transportation Company Limited	President
131.	Pay Equity Commission	Minister of Labour
132.	Pay Equity Hearings Tribunal	Minister of Labour
133.	Pesticides Advisory Committee	Minister of the Environment
134.	Post-secondary Education Quality Assessment Board	Minister of Training, Colleges and Universities
135.	Private Vocational School Review Board	Minister of Training, Colleges and Universities
136.	Province of Ontario Medal for Fire Fighters' Bravery Advisory Council	Minister of Citizenship
137.	Province of Ontario Medal for Good Citizenship Advisory Council	Minister of Citizenship
138.	Province of Ontario Medal for Police Bravery Advisory Council	Minister of Citizenship
139.	Provincial Advisory Committees	Minister of Training, Colleges and Universities
140.	Provincial Judges Benefits Board	Chair of Management Board of Cabinet
141.	Provincial Schools Authority	Minister of Education
142.	Public Guardian and Trustee	Attorney General
143.	Public Service Grievance Board	Minister of Labour
144.	Rabies Advisory Committee	Minister of Natural Resources
145.	Rent Review Hearings Board	Minister of Municipal Affairs and Housing
146.	Royal Ontario Museum	Chair of the Board
147.	St. Lawrence Parks Commission	Minister of Tourism and Recreation
148.	Selection Board	Minister of Training, Colleges and Universities

ITEM	COLUMN 1 Institution	COLUMN 2 Head
149.	Smart Systems for Health	Chief Executive Officer
150.	Social Benefits Tribunal	Minister of Community, Family and Children's Services
151.	Soldiers Aid Commission	Minister of Community, Family and Children's Services
152.	Special Education Tribunals — Regional/Ontario	Minister of Education
153.	The Order of Ontario Advisory Council	Minister of Citizenship
154.	Trillium Gift of Life Network	Chair of the Board
155.	Workplace Safety and Insurance Appeals Tribunal	Minister of Labour
156.	Workplace Safety and Insurance Board	Chair of the Board

RÈGLEMENT DE L'ONTARIO 161/03

pris en application de la

LOI SUR L'ACCÈS À L'INFORMATION ET LA PROTECTION DE LA VIE PRIVÉE

pris le 24 avril 2003
déposé le 28 avril 2003

modifiant le Règl. 460 des R.R.O. de 1990
(Dispositions générales)

Remarque : Le Règlement 460 a été modifié antérieurement. Ces modifications sont indiquées dans la Table des règlements publiée dans la *Gazette de l'Ontario* du 18 janvier 2003.

1. L'annexe du Règlement 460 des Règlements refondus de l'Ontario de 1990 est abrogée et remplacée par ce qui suit :

ANNEXE

NUMÉRO	COLONNE 1 Institution	COLONNE 2 Personne responsable
1.	Conseil consultatif de l'accessibilité pour l'Ontario	Ministre des Affaires civiles
2.	Commission de révision de la publicité	Président du Conseil de gestion du gouvernement
3.	Comité consultatif sur le dépistage des maladies héréditaires chez les enfants	Ministre de la Santé et des Soins de longue durée
4.	Conseil consultatif sur l'éducation de l'enfance en difficulté	Ministre de l'Éducation
5.	Agricorp	Président du conseil d'administration
6.	Direction générale de la revalorisation et de l'aménagement des régions agricoles	Ministre de l'Agriculture et de l'Alimentation
7.	Institut de recherche agricole de l'Ontario	Ministre de l'Agriculture et de l'Alimentation
8.	Tribunal d'appel de l'agriculture, de l'alimentation et des affaires rurales	Ministre de l'Agriculture et de l'Alimentation
9.	Commission des alcools et des jeux de l'Ontario	Ministre des Services aux consommateurs et aux entreprises
10.	Agence de foresterie du parc Algonquin	Directeur général de l'Agence
11.	Commission d'étude des soins aux animaux	Ministre de la Santé et de la Sécurité publique
12.	Commission de révision de l'évaluation foncière	Procureur général
13.	Conseil d'administration de chaque collège d'arts appliqués et de technologie	Président du conseil d'administration
14.	Commission de négociation	Ministre de l'Agriculture et de l'Alimentation
15.	Commission de négociation (Procureur général)	Procureur général
16.	Commission du code du bâtiment	Ministre des Affaires municipales et du Logement
17.	Commission d'évaluation des matériaux de construction	Ministre des Affaires municipales et du Logement
18.	Commission de révision des services à l'enfance et à la famille	Ministre des Services à la collectivité, à la famille et à l'enfance
19.	Comité d'étude de la podologie	Ministre de la Santé et des Soins de longue durée
20.	Comité d'étude de la chiropractie	Ministre de la Santé et des Soins de longue durée
21.	Commission de la fonction publique	Président du Conseil de gestion du gouvernement
22.	Commission des relations de travail dans les collèges	Ministre de la Formation et des Collèges et Universités
23.	Commission d'appel des enregistrements commerciaux	Ministre des Services aux consommateurs et aux entreprises
24.	Conseil consultatif sur la vente à terme de marchandises	Ministre des Finances
25.	Commission de révision du consentement et de la capacité	Ministre de la Santé et des Soins de longue durée
26.	Commission des biens culturels	Ministre de la Culture
27.	Commission d'indemnisation des victimes d'actes criminels	Procureur général

NUMÉRO	COLONNE 1	COLONNE 2
	Institution	Personne responsable
28.	Commission de règlement des griefs des employés de la Couronne	Ministre du Travail
29.	Commission d'examen du bois de la Couronne	Ministre des Richesses naturelles
30.	Commission de révision des placements sous garde	Ministre des Services à la collectivité, à la famille et à l'enfance
31.	Comité d'étude de la dentisterie	Ministre de la Santé et des Soins de longue durée
32.	Unité des décisions sur l'admissibilité des personnes handicapées	Ministre des Services à la collectivité, à la famille et à l'enfance
33.	Chacun des conseils régionaux de santé	Président de chaque conseil
34.	Comité d'appréciation des médicaments et des thérapeutiques	Ministre de la Santé et des Soins de longue durée
35.	Société de développement économique de l'Est de l'Ontario	Ministre de l'Entreprise, des Débouchés et de l'Innovation
36.	Commission d'amélioration de l'éducation	Ministre de l'Éducation
37.	Office de la qualité et de la responsabilité en éducation	Président du conseil d'administration
38.	Commission des relations de travail en éducation	Ministre de l'Éducation
39.	Tribunal de l'environnement	Ministre de l'Environnement
40.	Conseil consultatif sur la divulgation des renseignements de nature financière	Ministre des Finances
41.	Commission des services financiers de l'Ontario	Ministre des Finances
42.	Tribunal des services financiers	Ministre des Finances
43.	Commission de la sécurité-incendie	Ministre de la Sûreté et de la Sécurité publique
44.	Conseil consultatif de la chasse et de la pêche	Ministre des Richesses naturelles
45.	Commission de protection financière des producteurs de céréales	Ministre de l'Agriculture et de l'Alimentation
46.	Régie des transports en commun du grand Toronto	Président du conseil d'administration
47.	Commission de protection contre les rayons	Ministre de la Santé et des Soins de longue durée
48.	Comité d'examen des recherches sur les systèmes de soins	Ministre de la Santé et des Soins de longue durée
49.	Commission d'appel et de révision des professions de la santé	Ministre de la Santé et des Soins de longue durée
50.	Conseil consultatif de réglementation des professions de la santé	Ministre de la Santé et des Soins de longue durée
51.	Comité de chercheurs dans le domaine de la santé	Ministre de la Santé et des Soins de longue durée
52.	Commission d'appel et de révision des services de santé	Ministre de la Santé et des Soins de longue durée
53.	Comité d'examen des demandes de subvention des unités de recherche reliées au système de santé	Ministre de la Santé et des Soins de longue durée
54.	Commission d'appel des hôpitaux	Ministre de la Santé et des Soins de longue durée
55.	Tribunal des droits de la personne de l'Ontario	Président
56.	Société indépendante de gestion du marché de l'électricité	Chef de la direction
57.	Comité consultatif du Tuteur et curateur public sur les placements	Procureur général
58.	Commission de rémunération des juges de paix	Président du Conseil de gestion du gouvernement
59.	Comité consultatif sur les relations employés-employeurs	Ministre du Travail
60.	Comité directeur de mise en oeuvre du transfert des services d'ambulances terrestres	Ministre de la Santé et des Soins de longue durée
61.	Commission des langues d'enseignement de l'Ontario	Ministre de l'Éducation
62.	Aide juridique Ontario	Président d'Aide juridique Ontario
63.	Commission d'appel des suspensions de permis	Ministre des Transports
64.	Régie des alcools de l'Ontario	Président de la Régie
65.	Commission de protection financière des éleveurs de bétail	Ministre de l'Agriculture et de l'Alimentation
66.	Comité consultatif sur les médicaments pour le bétail	Ministre de l'Agriculture et de l'Alimentation
67.	Comité d'admissibilité médicale — assurance-santé	Ministre de la Santé et des Soins de longue durée
68.	Comité d'étude de la médecine — assurance-santé	Ministre de la Santé et des Soins de longue durée
69.	Société du palais des congrès de la communauté urbaine de Toronto	Président-directeur général de la Société
70.	Commissaire aux mines et aux terres	Commissaire
71.	Commission de l'escarpement du Niagara	Ministre des Richesses naturelles
72.	Commission des parcs du Niagara	Président de la Commission
73.	Commission de protection des pratiques agricoles normales	Ministre de l'Agriculture et de l'Alimentation
74.	Société d'aménagement de North Pickering	Président du conseil d'administration
75.	Société de développement du Nord de l'Ontario	Ministre de l'Entreprise, des Débouchés et de l'Innovation
76.	Société de gestion du Fonds du patrimoine du Nord de l'Ontario	Ministre du Développement du Nord et des Mines
77.	Office des affaires des victimes d'actes criminels	Procureur général
78.	Bureau des conseillers du patronat	Ministre du Travail
79.	Office des Affaires francophones	Ministre délégué aux Affaires francophones
80.	Bureau des conseillers des travailleurs	Ministre du Travail

NUMÉRO	COLONNE 1	COLONNE 2
	Institution	Personne responsable
81.	Comité consultatif ontarien de lutte contre le VIH et le sida	Ministre de la Santé et des Soins de longue durée
82.	Commission civile des services policiers de l'Ontario	Ministre de la Sûreté et de la Sécurité publique
83.	Agence ontarienne des eaux	Président
84.	Conseil ontarien des affaires collégiales	Ministre de la Formation et des Collèges et Universités
85.	Société de développement de l'Ontario	Ministre de l'Entreprise, des Débouchés et de l'Innovation
86.	Société financière de l'industrie de l'électricité de l'Ontario	Chef de la direction de la Société
87.	Société de la caisse de retraite de l'industrie de l'électricité de l'Ontario	Chef de la direction de la Société
88.	Commission de l'énergie de l'Ontario	Ministre de l'Énergie
89.	Ontario Export inc.	Ministre de l'Entreprise, des Débouchés et de l'Innovation
90.	Réseau Santé familiale de l'Ontario	Chef de la direction
91.	Commission de commercialisation des produits agricoles de l'Ontario	Ministre de l'Agriculture et de l'Alimentation
92.	Commission de contrôle cinématographique de l'Ontario	Ministre des Services aux consommateurs et aux entreprises
93.	Office ontarien de financement	Ministre des Finances
94.	Commission du Marché des produits alimentaires de l'Ontario	Président de la Commission
95.	Commission de toponymie de l'Ontario	Ministre des Richesses naturelles
96.	Fondation du patrimoine ontarien	Ministre de la Culture
97.	Commission des transports routiers de l'Ontario	Ministre des Transports
98.	Société de logement de l'Ontario	Ministre des Affaires municipales et du Logement
99.	Commission ontarienne des droits de la personne	Ministre des Affaires civiles
100.	Société de prêts aux jeunes agriculteurs de l'Ontario	Ministre de l'Agriculture et de l'Alimentation
101.	Commission des relations de travail de l'Ontario	Ministre du Travail
102.	Société des loteries et des jeux de l'Ontario	Chef de la direction
103.	Conseil consultatif de la Médaille de l'Ontario pour les jeunes bénévoles	Ministre des Affaires civiles
104.	Société de développement de l'industrie des médias de l'Ontario	Ministre de la Culture
105.	Comité consultatif ontarien d'attribution en matière de chasse à l'original et à l'ours	Ministre des Richesses naturelles
106.	Société d'hypothèques de l'Ontario	Ministre des Affaires municipales et du Logement
107.	Commission des affaires municipales de l'Ontario	Ministre des Affaires municipales et du Logement
108.	Commission du régime de retraite des employés municipaux de l'Ontario	Président de la Commission
109.	Commission de transport Ontario Northland	Président de la Commission
110.	Conseil ontarien des parents	Ministre de l'Éducation
111.	Conseil d'administration de Parcs Ontario	Ministre des Richesses naturelles
112.	Commission ontarienne des libérations conditionnelles et des mises en liberté méritées	Ministre de la Sûreté et de la Sécurité publique
113.	Société d'exploitation de la Place Ontario	Ministre du Tourisme et des Loisirs
114.	Commission d'arbitrage de la police de l'Ontario	Ministre de la Sûreté et de la Sécurité publique
115.	Commission des courses de l'Ontario	Ministre des Services aux consommateurs et aux entreprises
116.	Société immobilière de l'Ontario	Président du conseil d'administration
117.	Tribunal du logement de l'Ontario	Président du Tribunal
118.	Commission ontarienne d'examen	Président de la Commission
119.	Centre des sciences de l'Ontario	Ministre de la Culture
120.	Commission des valeurs mobilières de l'Ontario	Ministre des Finances
121.	Tribunal de l'enfance en difficulté de l'Ontario (anglais)	Ministre de l'Éducation
122.	Tribunal de l'enfance en difficulté de l'Ontario (français)	Ministre de l'Éducation
123.	Commission d'appel du Régime d'aide financière aux étudiants de l'Ontario	Ministre de la Formation et des Collèges et Universités
124.	Société ontarienne SuperCroissance	Ministre des Finances
125.	Société du Partenariat ontarien de marketing touristique	Ministre du Tourisme et des Loisirs
126.	Conseil ontarien de formation et d'adaptation de la main-d'oeuvre	Administrateur en chef
127.	Ontario VL Corporation Ltd.	Président
128.	Comité d'étude de l'optométrie	Ministre de la Santé et des Soins de longue durée
129.	Centre des Congrès d'Ottawa	Directeur général du Centre
130.	Owen Sound Transportation Company Limited	Président
131.	Commission de l'équité salariale	Ministre du Travail
132.	Tribunal de l'équité salariale	Ministre du Travail
133.	Comité consultatif sur les pesticides	Ministre de l'Environnement
134.	Commission d'évaluation de la qualité de l'éducation postsecondaire	Ministre de la Formation et des Collèges et Universités

NUMÉRO	COLONNE 1	COLONNE 2
	Institution	Personne responsable
135.	Commission d'étude des écoles privées de formation professionnelle	Ministre de la Formation et des Collèges et Universités
136.	Conseil consultatif de la médaille de bravoure des pompiers de la province de l'Ontario	Ministre des Affaires civiques
137.	Conseil consultatif de la médaille du mérite civique de la province de l'Ontario	Ministre des Affaires civiques
138.	Conseil consultatif de la médaille de bravoure des policiers de la province de l'Ontario	Ministre des Affaires civiques
139.	Comités consultatifs provinciaux	Ministre de la Formation et des Collèges et Universités
140.	Commission de retraite des juges provinciaux	Président du Conseil de gestion du gouvernement
141.	Administration des écoles provinciales	Ministre de l'Éducation
142.	Tuteur et curateur public	Procureur général
143.	Commission des griefs de la fonction publique	Ministre du Travail
144.	Comité consultatif sur la rage	Ministre des Richesses naturelles
145.	Commission de révision des loyers	Ministre des Affaires municipales et du Logement
146.	Musée royal de l'Ontario	Président du conseil d'administration
147.	Commission des parcs du Saint-Laurent	Ministre du Tourisme et des Loisirs
148.	Comité de sélection	Ministre de la Formation et des Collèges et Universités
149.	Systèmes intelligents pour la santé	Chef de la direction
150.	Tribunal de l'aide sociale	Ministre des Services à la collectivité, à la famille et à l'enfance
151.	Commission d'aide aux anciens combattants	Ministre des Services à la collectivité, à la famille et à l'enfance
152.	Tribunaux de l'enfance en difficulté — régionaux et provincial	Ministre de l'Éducation
153.	Conseil consultatif de l'Ordre de l'Ontario	Ministre des Affaires civiques
154.	Réseau Trillium pour le don de vie	Président du conseil d'administration
155.	Tribunal d'appel de la sécurité professionnelle et de l'assurance contre les accidents du travail	Ministre du Travail
156.	Commission de la sécurité professionnelle et de l'assurance contre les accidents du travail	Président de la Commission

20/03

ONTARIO REGULATION 162/03

made under the

MUNICIPAL FREEDOM OF INFORMATION AND PROTECTION OF PRIVACY ACT

Made: April 24, 2003
Filed: April 28, 2003

Amending O. Reg. 372/91
(Institutions)

Note: Ontario Regulation 372/91 has previously been amended. Those amendments are listed in the Table of Regulations published in *The Ontario Gazette* dated January 18, 2003.

1. Subsection 1 (1) of Ontario Regulation 372/91 is revoked and the following substituted:

(1) The following bodies are designated as institutions:

1. Belmont Business Improvement Area Board of Management.
2. Each board established for transitional purposes under section 5.2 of Ontario Regulation 143/96.
3. Centre in the Square Inc.
4. Each community development corporation incorporated under section 109 of the *Municipal Act, 2001* if,
 - i. the corporation receives assistance from a municipality under subsection 109 (4) of that Act, or
 - ii. one or more of the corporation's directors are nominated by the council of a municipality as provided for in subsection 109 (10) of that Act.

5. Joint committees of management established under the *Community Recreation Centres Act*, all such committees.
6. Kitchener Housing Inc.
7. Municipal Property Assessment Corporation.
8. The Board of Governors of Exhibition Place.
9. The Board of Management of the Hummingbird Centre.
10. The Downtown Improvement Area Board of Management.
11. The Hamilton Entertainment and Convention Facilities Inc.
12. Toronto Atmospheric Fund.

20/03

ONTARIO REGULATION 163/03

made under the

LOCAL ROADS BOARDS ACT

Made: April 30, 2003

Filed: May 1, 2003

Amending Reg. 734 of R.R.O. 1990

(Establishment of Local Roads Areas — Northern and Eastern Regions)

Note: Regulation 734 has previously been amended. Those amendments are listed in the Table of Regulations published in *The Ontario Gazette* dated January 18, 2003.

1. Schedule 36 to Regulation 734 of the Revised Regulations of Ontario, 1990 is revoked and the following substituted:

SCHEDULE 36

LOUNT LOCAL ROADS AREA

All of the Township of Lount in the Territorial District of Parry Sound shown outlined on Ministry of Transportation Plan N-1362-7, filed with the Records Services Unit of the Ministry of Transportation at North Bay on February 5, 2003.

FRANK F. KLEES
Minister of Transportation

Dated on April 30, 2003.

20/03

ONTARIO REGULATION 164/03

made under the

LOCAL ROADS BOARDS ACT

Made: April 30, 2003

Filed: May 1, 2003

Amending Reg. 734 of R.R.O. 1990

(Establishment of Local Roads Areas — Northern and Eastern Regions)

Note: Since the end of 2002, Regulation 734 has been amended by Ontario Regulation 163/03. Previous amendments are listed in the Table of Regulations published in *The Ontario Gazette* dated January 18, 2003.

1. Schedule 73 to Regulation 734 of the Revised Regulations of Ontario, 1990 is revoked and the following substituted:

SCHEDULE 73

LAURIER LOCAL ROADS AREA

All that portion of the Township of Laurier in the Territorial District of Parry Sound shown outlined on Ministry of Transportation Plan N-507-A5, filed with the Records Services Unit of the Ministry of Transportation at North Bay on February 5, 2003.

FRANK F. KLEES
Minister of Transportation

Dated on April 30, 2003.

20/03

ONTARIO REGULATION 165/03

made under the

LOCAL ROADS BOARDS ACT

Made: April 30, 2003
Filed: May 1, 2003

Amending Reg. 734 of R.R.O. 1990
(Establishment of Local Roads Areas — Northern and Eastern Regions)

Note: Since the end of 2002, Regulation 734 has been amended by Ontario Regulations 163/03 and 164/03. Previous amendments are listed in the Table of Regulations published in *The Ontario Gazette* dated January 18, 2003.

1. Schedule 81 to Regulation 734 of the Revised Regulations of Ontario, 1990 is revoked and the following substituted:

SCHEDULE 81

PRINGLE LOCAL ROADS AREA

All of the Township of Pringle and that portion of the Township of East Mills in the Territorial District of Parry Sound shown outlined on Ministry of Transportation Plan N-1062-5, filed with the Records Services Unit of the Ministry of Transportation at North Bay on February 5, 2003.

FRANK F. KLEES
Minister of Transportation

Dated on April 30, 2003.

20/03

ONTARIO REGULATION 166/03

made under the

HEALTH PROTECTION AND PROMOTION ACT

Made: May 1, 2003
Filed: May 1, 2003

ORDERS UNDER SECTION 22.1 OF THE ACT

Interpretation

1. (1) In this Regulation,

- “analyst” means a medical laboratory technologist at the Ministry of Health and Long-Term Care’s Central Public Health Laboratory;
- “applicant” means a person who submits an application to a medical officer of health for an order pursuant to section 22.1 of the Act;
- “Applicant Report” means an Applicant Report made in the form approved by the Minister;
- “applicant’s disclosure” means all information contained in sections “C” (Details of Occurrence) and “D” (Additional Information) of the Applicant Report and all information contained in section “C” (History of Exposure) of the Physician Report;
- “application” means a completed Applicant Report together with a completed Physician Report submitted to the medical officer of health of the board of health of the appropriate health unit;
- “appropriate health unit” for the purposes of submitting an application to a medical officer of health pursuant to section 22.1 of the Act, means the health unit for the area where the respondent resides;
- “Central Public Health Laboratory” means the Ministry of Health and Long-Term Care’s Central Public Health Laboratory;
- “crime” means an offence under the *Criminal Code* (Canada) committed in Ontario which results in serious bodily harm to a victim and as a result of which the victim may have come into contact with a bodily substance of a respondent;
- “day” means Monday through Friday between the hours of 9 a.m. and 4 p.m. local time, but does not include Saturdays, Sundays or statutory holidays;
- “laboratory requisition” means a laboratory requisition made in the form approved by the Minister;
- “occurrence” means the events alleged by an applicant which cause him or her to come into contact with a bodily substance of a respondent;
- “Physician Report” means a Physician Report made in the form approved by the Minister and including the information specified in this Regulation;
- “prescribed communicable disease” means a disease prescribed under section 2;
- “report to police” means a report of the facts alleging a crime in Ontario made to local police authorities by a victim;
- “reporting physician” means a physician who is qualified to make a Physician Report pursuant to section 22.1 of the Act;
- “respondent” means a person who has been identified by an applicant as a person whose bodily substances the applicant may have come into contact with;
- “respondent blood analysis report” means a report on the results of the analysis of a blood sample taken from a respondent in accordance with an order made pursuant to section 22.1 of the Act;
- “Respondent Report” means a Respondent Report made in the form approved by the Minister;
- “respondent’s disclosure” means all information contained in sections “B” (Details of Occurrence) and “D” (Additional Information) of the Respondent Report;
- “victim” means a person who may have come into contact with a bodily substance of a respondent as a result of sustaining bodily injury from any act or omission in Ontario of a respondent occurring in or resulting from the commission of a crime.
- (2) A reference in this Regulation to a form is a reference to the form of that name that is approved by the Minister for the purposes of this Regulation, and that is available from the Ministry of Health and Long-Term Care or on a web site of that Ministry, or both.
- (3) For the purpose of calculating time under this Regulation, where there is a reference to a number of days between two events, they shall be counted by excluding the day on which the first event happens and including the day on which the second event happens.
- Diseases prescribed**
2. For the purposes of subsections 22.1 (2) and (4) of the Act, Human Immunodeficiency Virus/Acquired Immunodeficiency Syndrome (HIV/AIDS), Hepatitis B and Hepatitis C are prescribed as communicable diseases.
- Role of the medical officer of health**
3. (1) Nothing in this Regulation creates a physician-patient relationship or other relationship of trust between a medical officer of health and an applicant.
- (2) Nothing in this Regulation creates a physician-patient relationship or other relationship of trust between a medical officer of health and a respondent.
- (3) The medical officer of health may seek legal advice from an advisor independent from the applicant and the respondent for the purpose of determining an application.

Application

4. (1) An application must be received by the office of the medical officer of health in the appropriate health unit no more than seven days after the occurrence.
- (2) An application received more than seven days after the occurrence is invalid.
- (3) In the event of conflicting information about the date of the occurrence, the medical officer of health shall determine the date of the occurrence based on the information provided in the physician report.
- (4) Where the office of a medical officer of health receives an application, the office shall set out in writing the date and time the application was received by the office.
- (5) A medical officer of health may request and receive further information from any person before determining an application if, in the opinion of the medical officer of health, it is appropriate to do so.
- (6) Where an application is received by the office of a medical officer of health in a health unit other than the appropriate health unit, the office that receives the application shall forward the application to the office of the medical officer of health in the appropriate health unit.
- (7) Where an application is forwarded to the office of the medical officer of health in the appropriate health unit pursuant to this section, the application is deemed received by the office of the medical officer of health in the appropriate health unit on the day it was received by the office of the medical officer of health that forwarded the application.

Base line testing

5. (1) The reporting physician shall order base line testing for the prescribed communicable diseases and the applicant must attend at a laboratory forthwith to have a blood sample taken and tested for the prescribed communicable diseases.
- (2) The medical officer of health may consider and determine an application before receiving the applicant's base line testing results.
- (3) It is the responsibility of the applicant to ensure that a valid copy of his or her base line testing results is received by the office of the medical officer of health in the appropriate health unit no more than five days after the applicant receives the results.
- (4) The medical officer of health shall determine the application as soon as practicable after the applicant's base line testing results become available.
- (5) When determining an application, the medical officer of health shall consider the applicant's base line testing results if those results are available.
- (6) If the medical officer of health makes an order but subsequently receives the applicant's base line testing results which indicate that the applicant is positive for one or more of the prescribed communicable diseases, the medical officer of health shall rescind the order as a whole or any parts of the order that are no longer valid or shall make a new order if appropriate.

Voluntary information

6. (1) Upon receiving an application, the medical officer of health shall immediately designate an appropriate public health professional for the purpose of contacting the respondent about voluntarily providing information necessary to confirm his or her seropositivity respecting the prescribed communicable diseases and voluntarily providing a blood sample to be tested for the prescribed communicable diseases.
- (2) The medical officer of health shall provide the person designated under this section with the name and address of the respondent and, if available, the telephone number of the respondent.
- (3) The procedure for the voluntary process shall be informal, using standard public health practices and procedures.
- (4) The person designated under this section shall not disclose the applicant's name or any other personally identifying information about the applicant to the respondent but may disclose to the respondent that an application has been received by the medical officer of health and may describe the process governing the application.
- (5) The medical officer of health who considers an application shall not take part in any investigation or receive information respecting the voluntary process involving the respondent or the applicant with the exception of receiving information about whether or not the voluntary process was successful.
- (6) Where the designated person is satisfied that the respondent has voluntarily provided information necessary to confirm his or her seropositivity or has voluntarily provided a blood sample for testing, the voluntary process is successful.
- (7) Where the designated person is not satisfied that the respondent has voluntarily provided information necessary to confirm his or her seropositivity or has voluntarily provided a blood sample for testing, the voluntary process is not successful.
- (8) Where the medical officer of health receives information that the voluntary process was successful, the medical officer of health shall not consider the application.

(9) Where the medical officer of health receives information that the voluntary process was not successful, the medical officer of health shall proceed to consider the application.

(10) Where the medical officer of health is of the opinion that he or she has received information about the voluntary process outside the scope of what permitted in this section, the medical officer of health shall immediately contact the Chief Medical Officer of Health who shall designate another medical officer of health to consider the application.

(11) A medical officer of health designated by the Chief Medical Officer of Health under this section may continue the voluntary process if he or she is of the opinion that it is appropriate to do so.

(12) Where the person designated under this section has made reasonable attempts to contact the respondent but is unable to contact the respondent within seven days of being designated for that purpose by the medical officer of health, the person shall advise the medical officer of health that the voluntary process was unsuccessful.

(13) The voluntary process shall take no more than seven days to complete.

Mandatory conditions

7. (1) An applicant must meet each of the following mandatory conditions in making an application under section 22.1 of the Act:

1. The application must be received by the office of the medical officer of health no more than seven days after the occurrence.
2. The Applicant Report must be sworn or affirmed to by the applicant.
3. The Applicant Report must include the name and address of the respondent.
4. The Applicant Report must state that the applicant has provided his or her consent permitting the release of his or her personal health information relating to the application to the medical officer of health and to any other person that the medical officer of health considers necessary for the purposes of the application.
5. Where an application is brought under subclause 22.1 (2) (a) (i) of the Act, the Applicant Report must state that,
 - i. the applicant has made a report to police, and
 - ii. the applicant has provided his or her consent permitting the medical officer of health to request any information that the medical officer of health considers necessary from local police authorities respecting the applicant's report to police.
6. The applicant must consent to examination, counselling, including counselling respecting recommended prophylaxis or treatment, and base line testing for the prescribed communicable diseases recommended by the reporting physician. However, while the applicant must consent to counselling respecting prophylaxis or treatment, if the applicant refuses to consent to prophylaxis or treatment, his or her application may still be considered.

(2) Where an applicant fails to meet one or more of the conditions listed in this section, the application is not valid and shall be dismissed by the medical officer of health.

(3) Where the medical officer of health dismisses an application, the medical officer of health shall make a written dismissal.

(4) A dismissal made pursuant to section 22.1 of the Act shall include,

- (a) the reasons for the dismissal; and
- (b) a statement that under subsection 22.1 (9) of the Act and this Regulation, the applicant may appeal the dismissal to the Chief Medical Officer of Health by filing a completed Form AP1 - Notice of Appeal of Dismissal or Refusal with the office of the Chief Medical Officer of Health within five days of the deemed receipt of the dismissal pursuant to subsection (6).

(5) Where the medical officer of health dismisses an application, he or she shall send a copy of the dismissal to the applicant by registered mail no more than two days after the dismissal is made.

(6) The applicant shall be deemed to have received a dismissal sent by registered mail on the fifth day after the dismissal is mailed.

Receiving information

8. (1) Whether or not a hearing is held under subsection 22.1 (5) of the Act, the medical officer of health may at any time receive and consider any information from any person for the purposes of determining an application.

(2) Where the medical officer of health receives and considers information for the purpose of determining an application, the medical officer of health must retain a written record of that information.

(3) The medical officer of health shall determine whether or not to share information he or she receives for the purposes of an application with the applicant and the respondent.

(4) The medical officer of health shall not share information he or she receives for the purposes of an application with the applicant and not with the respondent.

(5) The medical officer of health shall not share information he or she receives for the purposes of an application with the respondent and not with the applicant.

Where no hearing held

9. (1) This section applies where the medical officer of health receives an application and determines that a hearing is not necessary under subsection 22.1 (5) of the Act.

(2) Where a hearing is not held under subsection 22.1 (5) of the Act, the medical officer of health may at any time receive and consider any information from any person for the purposes of determining an application.

(3) Despite subsections 8 (4) and (5), where a hearing is not held under subsection 22.1 (5) of the Act, the medical officer of health may share information he or she receives for the purposes of an application with the applicant and not with the respondent.

(4) Upon determining that a hearing is not necessary under subsection 22.1 (5) of the Act, the medical officer of health shall proceed to consider and determine the application without notice to the respondent.

Where hearing is held

10. (1) This section applies where the medical officer of health receives an application and determines that a hearing is necessary under subsection 22.1 (5) of the Act.

(2) For the purposes of subsection 22.1 (5) of the Act, the medical officer of health may only hold hearings at which no oral evidence is presented.

(3) Where a hearing is held under subsection 22.1 (5) of the Act, the medical officer of health may at any time receive and consider any information from any person for the purposes of determining an application.

(4) The parties to a hearing held by a medical officer of health under subsection 22.1 (5) of the Act are the applicant, the respondent and any other person that the medical officer of health considers necessary.

(5) The medical officer of health shall determine the nature and extent of the participation in the hearing of all parties to a hearing held under subsection 22.1 (5) of the Act, other than the applicant and the respondent.

(6) The medical officer of health shall not provide the parties to a hearing held under subsection 22.1 (5) of the Act with any sections of the Physician Report, the Applicant Report or the Respondent Report with the exception of those sections included in the applicant's disclosure and the respondent's disclosure.

(7) Where the medical officer of health determines that a hearing is necessary under subsection 22.1 (5) of the Act, the medical officer of health shall make up to three attempts to personally deliver a blank Respondent Report and the applicant's disclosure to the respondent within the first three days after the medical officer of health determines that a hearing is necessary.

(8) Where the medical officer of health attempts to personally deliver a blank Respondent Report and the applicant's disclosure to a respondent but is unsuccessful, the medical officer of health shall, if practicable, leave information at the delivery address sufficient to permit the respondent to contact the medical officer of health respecting the application.

(9) The medical officer of health shall maintain a log of all attempts made to deliver a blank Respondent Report and the applicant's disclosure to a respondent.

(10) Where the medical officer of health is unable to personally deliver a blank Respondent Report and the applicant's disclosure to a respondent after making three attempts to do so, the medical officer of health shall proceed to consider and determine the application without holding a hearing under subsection 22.1 (5) of the Act.

(11) The medical officer of health may consider the inability to personally deliver a blank Respondent Report and the applicant's disclosure to a respondent in determining whether or not to make an order under section 22.1 of the Act.

(12) A respondent shall deliver a completed Respondent Report to the medical officer of health no more than seven days after receiving a blank Respondent Report and the applicant's disclosure from the medical officer of health.

(13) Where a blank Respondent Report and the applicant's disclosure has been personally delivered to the respondent, the medical officer of health may proceed to consider the application seven days after the respondent received the blank Respondent Report and the applicant's disclosure.

(14) Where the medical officer of health has not yet determined an application, the medical officer of health may accept a Respondent Report received more than seven days after the respondent received the blank Respondent Report and the applicant's disclosure from the medical officer of health.

Where order is made

11. (1) An order made by the medical officer of health pursuant to section 22.1 of the Act shall include,

- (a) the medical officer of health's reasons for decision;
 - (b) a statement that under section 44 of the Act, the respondent is entitled to a hearing by the Health Services Appeal and Review Board if, no more than 15 days after receiving the order, the respondent mails or delivers notice in writing requiring a hearing to the medical officer of health who made the order and to the Health Services Appeal and Review Board;
 - (c) a statement that under section 44 of the Act, the order takes effect when the respondent receives it but that the respondent may apply to the Health Services Appeal and Review Board for a stay of the order pending the outcome of a hearing before the Health Services Appeal and Review Board;
 - (d) a statement that the respondent must have a blood sample taken in accordance with the order no more than seven days after receiving the order; and
 - (e) the name of a person or a class of persons to take the blood sample from the respondent.
- (2) Where the medical officer of health makes an order pursuant to section 22.1 of the Act, the medical officer of health shall send a notice stating that the order has been made and setting out the date of the order to the applicant by registered mail no more than two days after the order is made.
- (3) An applicant shall be deemed to have received a notice sent by registered mail on the fifth day after the notice is mailed.
- (4) Where the medical officer of health makes an order pursuant to section 22.1 of the Act, the medical officer of health shall make up to three attempts to personally deliver a copy of the order to the respondent within the first three days after the order is made.
- (5) Where the medical officer of health attempts to personally deliver an order to a respondent but is unsuccessful, the medical officer of health shall, if practicable, leave information at the delivery address sufficient to permit the respondent to contact the medical officer of health respecting the order.
- (6) The medical officer of health shall maintain a log of all attempts made to deliver an order to a respondent.
- (7) Where the medical officer of health is unable to personally deliver an order to a respondent after making three attempts to do so, the order shall be considered non-deliverable.
- (8) Where the medical officer of health makes an order pursuant to section 22.1 of the Act, the order takes effect,
- (a) as against the respondent, when the respondent receives the order;
 - (b) as against the person named in the order to take the blood sample from the respondent, when the respondent presents him or herself to the person to have the blood sample taken; and
 - (c) as against the Central Public Health Laboratory, when the blood sample taken from the respondent arrives at the Central Public Health Laboratory.
- (9) Where the medical officer of health makes an order pursuant to section 22.1 of the Act, the respondent must have a blood sample taken in accordance with the order no more than seven days after the respondent receives the order.

Where order refused

12. (1) Where the medical officer of health refuses to make an order pursuant to section 22.1 of the Act, the medical officer of health shall make a written refusal.
- (2) A refusal made pursuant to section 22.1 of the Act shall include,
- (a) reasons for the decision; and
 - (b) a statement that under subsection 22.1 (9) of the Act and this Regulation, the applicant may appeal the refusal to the Chief Medical Officer of Health by personally serving the respondent with a completed Form AP1 and filing the Form AP1, with proof of personal service of the form on the respondent, with the office of the Chief Medical Officer of Health within five days of the deemed receipt of the refusal pursuant to subsection (4).
- (3) Where the medical officer of health makes a refusal, the medical officer of health shall send a copy of the refusal to the applicant by registered mail no more than two days after the refusal is made.
- (4) The applicant shall be deemed to have received a refusal sent by registered mail on the fifth day after the refusal is mailed.

Taking and analyzing blood sample

13. (1) The provisions of this section apply to blood samples taken from a respondent in accordance with an order made pursuant to section 22.1 of the Act.
- (2) All blood samples taken from a respondent shall be taken by,
- (a) a physician named in the order by the medical officer of health; or

- (b) any other health care provider who is authorized or has been delegated to take the blood sample.
- (3) Before taking a blood sample from a respondent, the person who is to take the sample shall verify the identity of the respondent by inspecting photo identification produced by the respondent.
- (4) Where a respondent does not produce photo identification or where the person who is to take the sample is not satisfied that the photo identification produced by the respondent verifies the respondent's identity, the person taking the sample shall,
 - (a) not take any blood samples from the respondent pursuant to the order;
 - (b) indicate on the laboratory requisition that the respondent did not produce photo identification or that the person who was to take the sample was not satisfied that the photo identification produced by the respondent verified the respondent's identity and that no blood samples were taken from the respondent pursuant to the order; and
 - (c) deliver the completed laboratory requisition to the office of the medical officer of health who made the order.
- (5) Where the office of the medical officer of health receives a laboratory requisition which indicates that the respondent did not produce photo identification or that the person who was to take the sample was not satisfied that the photo identification produced by the respondent verified the respondent's identity and that no blood samples were taken from the respondent pursuant to the order, the order shall be considered breached.
- (6) A person who takes a blood sample from a respondent shall,
 - (a) attach a label that lists the respondent's name, date of birth and the date on which the specimen was collected to each of the vacutainers;
 - (b) immediately put all vacutainers containing blood samples taken from the respondent into the biohazard bag;
 - (c) attach a seal to the biohazard bag;
 - (d) write the respondent's full name and date of birth on the seal attached to the biohazard bag;
 - (e) attach a unique number identifier to each of the three copies of the laboratory requisition;
 - (f) indicate on the laboratory requisition that the identity of the respondent was verified in accordance with subsection (3);
 - (g) write his or her own full name and sign and date the laboratory requisition;
 - (h) provide the respondent from whom the blood sample was taken with a copy of the completed laboratory requisition; and
 - (i) retain one copy of the completed laboratory requisition for his or her records.
- (7) All analysis of blood samples taken from a respondent shall be done at the Central Public Health Laboratory.
- (8) A person who takes a blood sample from a respondent shall immediately deliver the blood sample and a copy of the laboratory requisition by courier to the Central Public Health Laboratory.
- (9) Before any analysis is performed on a blood sample taken from a respondent, an official of the Central Public Health Laboratory shall verify that,
 - (a) the seal on the biohazard bag containing the blood sample is intact; and
 - (b) the vacutainer containing the blood sample is not damaged.
- (10) No analysis shall be performed on blood samples taken from a respondent which are contained in biohazard bags that arrive at the Central Public Health Laboratory with broken seals or which are contained in damaged vacutainers.
- (11) Where the biohazard bag containing the blood samples taken from a respondent arrives at the Central Public Health Laboratory with a broken seal or where all vacutainers containing blood samples taken from a respondent are damaged,
 - (a) no analysis of the respondent's blood samples shall be performed;
 - (b) an official of the Central Public Health Laboratory shall indicate on the laboratory requisition that the biohazard bag containing the blood samples taken from the respondent arrived at the Central Public Health Laboratory with a broken seal or that all vacutainers containing blood samples taken from the respondent were damaged and that no analysis of the respondent's blood samples was performed; and
 - (c) an official of the Central Public Health Laboratory shall deliver the laboratory requisition to the office of the medical officer of health who made the order.
- (12) Where the medical officer of health receives a laboratory requisition which indicates that the biohazard bag containing the blood samples taken from a respondent arrived at the Central Public Health Laboratory with a broken seal or that all vacutainers containing blood samples taken from a respondent were damaged and that no analysis of the respondent's blood samples was performed, the medical officer of health may make a new order pursuant to section 22.1 of the Act.
- (13) Blood samples taken from a respondent shall be analyzed in accordance with the requirements specified on the laboratory requisition and in accordance with standard laboratory protocol.

(14) The signature of an analyst on a respondent blood analysis report indicates that blood samples taken from a respondent were analyzed in accordance with the requirements specified on the laboratory requisition and in accordance with standard laboratory protocol.

(15) The Central Public Health Laboratory shall deliver a respondent blood analysis report to the office of the medical officer of health named on the laboratory requisition.

(16) The Central Public Health Laboratory shall make reasonable attempts to deliver a respondent blood analysis report to the respondent's physician named on the laboratory requisition.

(17) Where the respondent's physician is not named on the laboratory requisition, the Central Public Health Laboratory shall make no attempts to deliver a respondent blood analysis report to the respondent's physician.

(18) If a respondent blood analysis report has been delivered to the respondent's physician, the Central Public Health Laboratory shall make reasonable attempts to deliver to the respondent named on the laboratory requisition,

- (a) a notice that the Central Public Health Laboratory has delivered a respondent blood analysis report to the respondent's physician; and
- (b) a recommendation that the respondent consult his or her physician for a proper interpretation of the respondent blood analysis report.

(19) The Central Public Health Laboratory shall make reasonable attempts to deliver a respondent blood analysis report to the applicant's physician named on the laboratory requisition.

(20) The Central Public Health Laboratory shall make reasonable attempts to deliver to the applicant named on the laboratory requisition,

- (a) a notice that the Central Public Health Laboratory has made reasonable attempts to deliver a respondent blood analysis report to the applicant's physician; and
- (b) a recommendation that the applicant consult his or her physician for a proper interpretation of the respondent blood analysis report.

Use of blood samples and test results

14. (1) This section applies to blood samples taken from a respondent in accordance with an order made pursuant to section 22.1 of the Act.

(2) Blood samples taken from a respondent shall not be used for any purpose other than for analysis and reporting of results in accordance with section 22.1 of the Act and this Regulation.

(3) Blood samples taken from a respondent shall not be released to any person except in accordance with section 22.1 of the Act and this Regulation.

(4) The results of the analysis of blood samples taken from a respondent shall not be released or disclosed to any person except in accordance with section 22.1 of the Act and this Regulation.

(5) The results of the analysis of blood samples taken from a respondent shall not be used for any purpose other than for analysis and reporting of results in accordance with section 22.1 of the Act and this Regulation.

Physician Report

15. A Physician Report shall include, at a minimum,

- (a) the name, office address, office telephone number and office facsimile number of the reporting physician;
- (b) personal information respecting the applicant, including the applicant's full name, full address, telephone number, OHIP number, sex, age and date of birth;
- (c) the name, office address and office telephone number of the applicant's family physician, if different from the reporting physician;
- (d) a description of the occurrence as reported to the reporting physician by the applicant, including the date and time of the occurrence;
- (e) a statement regarding the type of exposure the applicant experienced and the type of bodily fluid with which the applicant had contact;
- (f) the reporting physician's findings of examinations related to the occurrence, including an assessment of any injuries sustained by the applicant;
- (g) the applicant's immunization history and serostatus for the prescribed communicable diseases, if known;
- (h) a description of all base line testing for the prescribed communicable diseases recommended by the reporting physician, including a statement regarding whether the applicant consented or refused to comply with these recommendations;

- (i) a description of all post-exposure prophylaxis and treatment recommended by the reporting physician, including a statement regarding whether the applicant consented or refused to comply with these recommendations;
- (j) a statement regarding whether the applicant was counselled respecting the occurrence, including a statement regarding whether the applicant refused counselling;
- (k) the name, office address, office telephone number and office facsimile number of the physician to whom the reporting physician referred the applicant for post-exposure follow up and care, if applicable;
- (l) the reporting physician's assessment of the applicant's risk of exposure to the prescribed communicable diseases as potentially significant, non-significant or indeterminate;
- (m) a statement that the reporting physician is qualified to complete a Physician Report under section 22.1 of the Act;
- (n) the dated signature of the reporting physician; and
- (o) the following statements:
 - (i) "If the applicant submits an application to the medical officer of health under section 22.1 of the *Health Protection and Promotion Act* (HPPA),
 - (A) information contained in this form will be disclosed to the medical officer of health and to such other persons the medical officer of health considers necessary for the purpose of the application, and
 - (B) information contained in section "C" (History of Exposure) of this form may be disclosed to the respondent (source)* for the purpose of the application.

* The respondent is the person whose bodily substances the applicant may have come into contact with."
 - (ii) "The applicant must consent to examination, counselling, including counselling respecting prophylaxis or treatment, and base line testing for HIV/AIDS, Hepatitis B and Hepatitis C. Otherwise, the application is invalid and may not be considered by the medical officer of health under section 22.1 of the HPPA. Thus you must order base line testing for the applicant in accordance with this form's instructions."
 - (iii) "While the applicant must consent to counselling respecting prophylaxis or treatment, if the applicant refuses to consent to prophylaxis or treatment, his or her application may still be considered by the medical officer of health."
 - (iv) "Once completed, please give two copies of this Physician Report to the applicant and retain one copy for your records."
 - (v) "The applicant must provide one copy of this form, together with a completed Applicant Report, to the medical officer of health no more than seven days after he or she came into contact with the bodily substance of the respondent. Otherwise, the application is invalid and may not be considered by the medical officer of health under section 22.1 of the HPPA."
 - (vi) "Applicant's base line testing requisition is to be marked "STAT". A copy of the applicant's base line testing results must also be sent to the applicant's physician named in section "B" above."

Appeal to Chief Medical Officer of Health

16. (1) In this section,

"dismissal appeal record" means the documents prepared in accordance with subsection (7) by the office of the medical officer of health who dismissed the application and includes,

- (a) the Physician Report,
- (b) the Applicant Report,
- (c) the dismissal made by the medical officer of health pursuant to section 7, and
- (d) the written record of any other information received and considered by the medical officer of health in dismissing the application;

"file" means delivery of a document to the office of the Chief Medical Officer of Health by way of personal service, service by pre-paid registered mail or service by fax;

"Form AP1 - Notice of Appeal of Dismissal or Refusal" means Form AP1 - Notice of Appeal of Dismissal or Refusal made in the form approved by the Minister;

"Form AP2 - Response to Applicant's Appeal" means Form AP2 - Response to Applicant's Appeal made in the form approved by the Minister;

"refusal appeal record" means the documents prepared in accordance with subsection (14) by the office of the medical officer of health who refused the order and includes,

- (a) the Physician Report,
- (b) the Applicant Report,
- (c) the Respondent Report, in cases where the medical officer of health held a hearing,
- (d) the refusal made by the medical officer of health pursuant to section 12, and
- (e) the written record of any other information received and considered by the medical officer of health in refusing the order;

“respondent appeal record” means the documents prepared in accordance with subsection (14) by the office of the medical officer of health who refused the order and includes,

- (a) Section “C” (History of Exposure) of the Physician Report,
- (b) Sections “C” (Details of Occurrence) and “D” (Additional Information) of the Applicant Report,
- (c) the refusal made by the medical officer of health pursuant to section 12, and
- (d) the written record of any other information received and considered by the medical officer of health in refusing the order.

(2) An applicant’s appeal pursuant to subsection 22.1 (9) of the Act shall be considered and determined in accordance with the procedure provided in this section.

(3) The Chief Medical Officer of Health may seek legal advice from an advisor independent from the applicant and the respondent for the purpose of determining an appeal under subsection 22.1 (9) of the Act.

(4) A decision of the Chief Medical Officer of Health made pursuant to subsection 22.1 (9) of the Act is final and not subject to further review or appeal.

(5) The time for filing an appeal of a dismissal or a refusal is mandatory and shall not be extended by the Chief Medical Officer of Health.

(6) An applicant may commence an appeal of a dismissal by filing a completed Form AP1 - Notice of Appeal of Dismissal or Refusal with the office of the Chief Medical Officer of Health within five days of the deemed receipt of the dismissal pursuant to section 7.

(7) In the case of an appeal of a dismissal, within two days of receiving Form AP1, the office of the Chief Medical Officer of Health shall request that the office of the medical officer of health who dismissed the application file the dismissal appeal record with the office of the Chief Medical Officer of Health, and the office of the medical officer of health shall file the dismissal appeal record within two days of receiving the request.

(8) Within seven days of receiving the dismissal appeal record or as soon after seven days of receiving the dismissal appeal record as is reasonably practicable, the Chief Medical Officer of Health, without notice to the respondent, shall review the applicant’s Form AP1 and the dismissal appeal record and determine whether the applicant has or has not met the mandatory conditions in section 7.

(9) If the Chief Medical Officer of Health determines that the applicant has not met one or more of the mandatory conditions in section 7, the Chief Medical Officer of Health shall confirm the dismissal made by the medical officer of health.

(10) The Chief Medical Officer of Health’s confirmation of the dismissal shall be in writing and be delivered by fax or pre-paid registered mail to the applicant.

(11) If the Chief Medical Officer of Health determines that the applicant has met all of the mandatory conditions in section 7, the Chief Medical Officer of Health shall refer the applicant’s application back to the medical officer of health who dismissed the application, with a direction that the medical officer of health consider and determine the application in accordance with this Regulation.

(12) Upon referring an application back to a medical officer of health under subsection (11), the Chief Medical Officer of Health shall deliver a notice that the application has been referred back to the medical officer of health for consideration and determination to the applicant by fax or pre-paid registered mail.

(13) An applicant may commence an appeal of a refusal by filing a completed Form AP1 with the office of the Chief Medical Officer of Health within five days of the deemed receipt of the refusal pursuant to section 12.

(14) In the case of an appeal of a refusal, within two days of receiving Form AP1, the office of the Chief Medical Officer of Health shall request that the office of the medical officer of health who refused the order file the refusal appeal record and the respondent appeal record with the office of the Chief Medical Officer of Health, and the office of the medical officer of health shall file the refusal appeal record and the respondent appeal record within two days of receiving the request.

(15) The Chief Medical Officer of Health shall, within two days of receiving the refusal appeal record from the office of the medical officer of health, deliver to the respondent by personal service, service by fax or service by pre-paid registered mail, a copy of the respondent appeal record, a blank Form AP2 - Response to Applicant's Appeal and a copy of Section “D”

(Reason why Decision is not Correct) and Section "E" (Additional Information that the Chief Medical Officer of Health Should Consider) of Part 2 of the Form AP1.

(16) For the purposes of subsection (15),

(a) service by registered mail is effective on the fifth day following the day on which the document was sent by pre-paid registered mail; and

(b) service by fax is effective on the next business day if the document is faxed after 4 p.m.

(17) Within seven days of the day on which the respondent is deemed to have received the Form AP2, the respondent may file the Form AP2 with the office of the Chief Medical Officer of Health.

(18) The Chief Medical Officer of Health shall, within two days of receiving Form AP2, deliver to the appellant by personal service, service by fax or service by pre-paid registered mail, a copy of Section "B" (Response to Applicant's Submissions in Form AP1) and Section "C" (Additional Information That the Chief Medical Officer of Health Should Consider) of the Form AP2.

(19) The Chief Medical Officer of Health may, but is not required to, request and receive additional information from any person that is, in the opinion of the Chief Medical Officer of Health, necessary to determine the applicant's appeal.

(20) Where the Chief Medical Officer of Health receives additional information, the applicant and respondent shall be provided with the additional information and be given an opportunity to make written submissions on the additional information to the Chief Medical Officer of Health.

(21) The process for the disclosure and written submissions shall be determined by the Chief Medical Officer of Health.

(22) Within 14 days, or as soon after 14 days as is reasonable practicable, of the date when the respondent was required to file his or her Form AP2, the Chief Medical Officer of Health shall consider the refusal appeal record, the appeal submissions, and any additional information received by the Chief Medical Officer of Health pursuant to subsection (19) and determine the applicant's appeal of the refusal.

(23) The decision of the Chief Medical Officer of Health shall be in writing and include reasons for the decision.

(24) In cases where the Chief Medical Officer of Health considers the same information that was considered by the medical officer of health in refusing the order, the Chief Medical Officer of Health shall determine if the refusal made by the medical officer of health is clearly wrong.

(25) If the Chief Medical Officer of Health determines that the refusal is not clearly wrong, the Chief Medical Officer of Health shall confirm the refusal made by the medical officer of health.

(26) The Chief Medical Officer of Health's confirmation of the refusal shall be in writing and be delivered by fax or pre-paid registered mail to the applicant.

(27) If the Chief Medical Officer of Health determines that the refusal is clearly wrong, the Chief Medical Officer of Health shall direct the medical officer of health who refused the order to make the order sought by the applicant in accordance with section 11.

(28) In cases where the Chief Medical Officer of Health considers information that was not considered by the medical officer of health in refusing the order, the Chief Medical Officer of Health shall determine if, based on all of the information, including the new information, the refusal made by the medical officer of health remains correct.

(29) If the Chief Medical Officer of Health determines that the refusal remains correct, the Chief Medical Officer of Health shall confirm the refusal made by the medical officer of health.

(30) The Chief Medical Officer of Health's confirmation of the refusal shall be in writing and be delivered by fax or pre-paid registered mail to the applicant.

(31) If the Chief Officer of Health determines that the refusal is no longer correct, the Chief Medical Officer of Health shall direct the medical officer of health who refused the order to make the order sought by the applicant in accordance with section 11.

Commencement

17. This Regulation comes into force on September 1, 2003.

TONY CLEMENT
Minister of Health and Long-Term Care

Dated on May 1, 2003.

20/03

ONTARIO REGULATION 167/03

made under the

DEVELOPMENT CORPORATIONS ACTMade: May 1, 2003
Filed: May 2, 2003Amending O. Reg. 43/02
(Smart Systems for Health Agency)

Note: Ontario Regulation 43/02 has not previously been amended.

1. (1) Subsection 5 (1) of Ontario Regulation 43/02 is amended by adding the following paragraph:

6. Information systems established by or on behalf of the Public Health Branch of the Ministry of Health and Long-Term Care that are related to the control of reportable diseases and communicable diseases within the meaning of the *Health Protection and Promotion Act*.

(2) Clause 5 (5) (c) of the Regulation is revoked and the following substituted:

(c) the Deputy Minister of Health and Long-Term Care,

- (i) in the case of a system or initiative respecting community care access centres or health care providers and laboratories, or
- (ii) in the case of the Health Network or a system of the Public Health Branch of the Ministry of Health and Long-Term Care.

20/03

ONTARIO REGULATION 168/03

made under the

MUNICIPAL ACT, 2001Made: May 1, 2003
Filed: May 2, 2003**MUNICIPAL BUSINESS CORPORATIONS****Interpretation**

1. (1) In this Regulation,

“corporation” means a corporation incorporated by a municipality under this Regulation;

“municipal capital facilities” includes only,

(a) facilities that are,

- (i) used by the council,
- (ii) for the general administration of the municipality,
- (iii) related to the provision of transit and transportation systems, or
- (iv) for the collection and management of residential waste and garbage,

(b) facilities that combine the facilities described in clause (a),

(c) municipal community centres and facilities used for cultural, recreational or tourist purposes,

(d) parking facilities ancillary to any of the facilities described in clauses (a), (b) and (c),

(e) municipal general parking facilities;

“private person” means a person who is not a municipality, the Province of Ontario, Canada or an agent of any of them;

“wholly-owned” in reference to a corporation owned by a municipality or municipalities, includes a corporation incorporated under Part III of the *Corporations Act* if a municipality, by itself or together with other municipalities, has an entitlement to all of the voting rights allocated to the members of the corporation.

(2) A corporation incorporated under this Regulation is a prescribed corporation under subsection 203 (1) of the Act.

Creation of corporations

2. (1) A municipality may incorporate one or more corporations under the *Business Corporations Act* or under Part III of the *Corporations Act* for one or more of the following purposes:

1. To operate and maintain a public transportation system.
2. To operate and maintain a waste management service for the collection, transfer, storage, disposal or recycling of residential waste.
3. To promote the municipality for any purpose through the collection and dissemination of information and the preparation of economic development strategic plans to advance the municipality's economic goals and objectives.
4. To provide municipal administrative services to municipalities, local boards, public hospitals, universities, colleges and school boards, excluding enforcement of any Act, regulation or by-law.
5. To be a party to an agreement made under section 110 of the Act and under the agreement operate and maintain one or more municipal capital facilities of a municipality that is also party to the agreement.
6. To construct, operate, maintain and own, including ownership of the land related thereto, one or more of the following facilities:
 - i. A nursing home under the *Nursing Homes Act* or an approved charitable home for the aged under the *Charitable Institutions Act*.
 - ii. Recreation, tourism and cultural facilities, except public libraries.
 - iii. General parking facilities.
 - iv. Public transportation systems.
 - v. Waste management facilities for the collection, transfer, storage, disposal and recycling of residential waste.

(2) Paragraphs 1 to 5 of subsection (1) do not permit the corporation incorporated for or carrying on a purpose described in those paragraphs to own the land related to the facility, system or service described in those paragraphs.

(3) The purposes described in paragraph 6 of subsection (1) are limited to the construction, operation, maintenance and ownership of facilities that are new when the corporation first carries on its business with respect to them.

(4) A municipality may incorporate a corporation alone or together with one or more other municipalities.

(5) A corporation may only operate,

- (a) within the boundaries of the incorporating municipality or municipalities if it or they are single-tier municipalities;
- (b) within the boundaries of a lower-tier municipality if the lower-tier municipality is an incorporating municipality or it agrees to allow the corporation to operate in the lower-tier municipality;
- (c) within the boundaries of an upper-tier municipality if the upper-tier municipality is an incorporating municipality or it agrees to allow the corporation to operate in the upper-tier municipality; or
- (d) within any municipality with its agreement.

(6) The operations of a corporation under clause (5) (b) do not require the agreement of the upper-tier municipality and the operations of a corporation under clause (5) (c) do not require the agreement of any lower-tier municipality.

(7) The articles of incorporation or letters patent, including any subsequent articles or supplementary letters patent, shall restrict the powers or limit the objects of a corporation to carrying on one or more of the purposes set out in subsection (1) and subsection 3 (1).

(8) A municipality shall ensure that the articles of incorporation of a corporation, including any subsequent articles, or the letters patent of a corporation, including any supplementary letters patent, meet the requirements of this section and section 3.

(9) Letters patent issued under Part III of the *Corporations Act* in respect of a corporation incorporated under paragraph 3 of subsection (1) shall restrict membership in the corporation to the incorporating municipality or to another municipality that has agreed to allow the corporation to carry on business in that municipality.

(10) Despite subsection (1), a corporation incorporated under paragraph 3 of subsection (1) or carrying on business that includes the purpose identified by that paragraph shall only be incorporated under Part III of the *Corporations Act*.

Regional Municipality of York

3. (1) A corporation incorporated by The Regional Municipality of York for any purpose described in paragraph 1 or 5 of subsection 2 (1) or subparagraph 6 iii or iv of subsection 2 (1) may be incorporated for one or more of the following additional purposes:

1. To develop one or more sites for an industrial, commercial or institutional use if the sites are part of, abut or are necessary for a system or facility of the corporation for public transportation.
2. To develop one or more sites for and construct, operate and maintain one or more housing projects used in whole or in part for residential accommodation on those sites, including facilities used for ancillary purposes, and located in one or more buildings used in whole or in part for residential accommodation if the sites are part of, abut or are necessary for a system or facility of the corporation for public transportation.
3. To sell, lease or otherwise dispose of or encumber all or any part of a site or project referred to in paragraph 1 or 2 to support or benefit a system or facility of the corporation for public transportation.

(2) The purposes described in subsection (1) are limited to the construction, operation, maintenance and ownership of facilities or projects that are new when the corporation first carries on its business with respect to them.

Holding corporations

4. (1) A municipality may incorporate a corporation under the *Business Corporations Act* with articles of incorporation that restrict the powers of the corporation to those necessary to acquire, hold, dispose of and otherwise deal with,

- (a) shares of one or more corporations incorporated by the municipality;
- (b) shares of one or more corporations incorporated by another municipality that the first municipality has agreed to allow to carry on business in the municipality;
- (c) shares of a corporation incorporated by the municipality under section 142 of the *Electricity Act, 1998*; or
- (d) any combination of shares described in clauses (a), (b) and (c).

(2) The articles of incorporation of a corporation to which subsection (1) applies shall restrict the ownership of any and all voting and non-voting shares in the corporation to the incorporator.

Result of non-compliance

5. Any of the following matters may be considered sufficient cause under section 240 of the *Business Corporations Act* or under section 317 of the *Corporations Act*, as applicable, to cancel the certificate of incorporation of a corporation or the letters patent or supplementary letters patent of a corporation:

1. The corporation does not meet the requirements of this Regulation.
2. A certificate is issued under the *Business Corporations Act* that is inconsistent with this Regulation.
3. Letters patent or supplementary letters patent are granted under the *Corporations Act* that are inconsistent with this Regulation.
4. The corporation acts outside the purposes to which it is restricted by its articles or letters patent.

Business case study

6. (1) A municipality shall undertake a business case study before it,

- (a) incorporates a corporation;
- (b) purchases shares in a corporation that the municipality has agreed to allow to carry on business in the municipality;
- (c) becomes a member of a corporation incorporated under Part III of the *Corporations Act*; or
- (d) submits articles of amendment or any other articles under the *Business Corporations Act* or supplementary letters patent under the *Corporations Act*.

(2) The business case study shall, at a minimum, address the following matters:

1. The projected financial consequences for the next five years, including the advantages and disadvantages and risks for the municipality, and a comparison with other options considered for providing the same service or facility.
2. The scope of the business to be carried on by the corporation and the permitted purposes or objects of the corporation.
3. The governance structure to be set out in the articles of incorporation, by-laws, letter patents and other documents of the corporation, including the composition, role and term of office of the directors of the corporation.
4. The accountability requirements of the corporation to the municipality and its taxpayers, including,
 - i. a policy on access by the public to the records and meetings of the corporation,

- ii. a summary of any proposed or existing agreements between the municipality and the corporation or between the corporation and its shareholders,
 - iii. a summary of all financial reporting or audit requirements,
 - iv. a statement of the financial risk to the municipality related to the corporation and its activities, and
 - v. a statement of any tax implications to the municipality, including the expected tax treatment of the corporation.
5. The original value, as estimated by the treasurer of the municipality, of any investment by the municipality in the corporation, including any assets to be transferred to the corporation and services or other benefits to be provided to it.
 6. The value of any proposed investment in the corporation by a private person.
 7. The original value, as estimated by the treasurer of the municipality, of any funds contributed by the Province of Ontario towards the purchase or improvement of any assets intended to be transferred to the corporation and evidence that section 21 has been complied with.
 8. The winding-up provisions of the corporation, including provisions respecting voluntary dissolution, bankruptcy, involuntary wind-up and the disposition of assets.
 9. The authority of the municipality to provide any facility or program that is to be provided by the corporation for the municipality.
 10. The corporation's proposed or existing policy on setting fees and charges and an explanation of how the municipality will protect the interest of taxpayers and ensure that value for money is being obtained in delivering services.
 11. How the municipality intends to address any labour and employment issues that arise as a result of the proposed action by the municipality.
 12. An asset management plan for any corporation that will receive municipal assets.
 13. How the municipality will ensure that both itself and the corporation adhere to applicable performance standards for the delivery of services and comply with any other duty or obligation required of the municipality or corporation under any Act, regulation or policy directive issued by the Province.
 14. The public competition process used or to be used to select any investor in the corporation who is a private person.
 15. Other matters that the municipality considers to be appropriate.

Public participation

7. (1) Before incorporating a corporation, a municipality shall,
 - (a) hold at least one public meeting;
 - (b) give at least 30 days notice of the public meeting or meetings; and
 - (c) ensure that copies of the proposed by-law authorizing the incorporation, with the business case study attached, are made available to the public at least 30 days before the meeting or, if there is more than one meeting, before the first meeting.
- (2) Any person who attends a meeting under this section may make representations relating to the proposed by-law and the business case study.
- (3) After the public meeting or meetings have been held, the municipality may adopt the business case study and pass the proposed by-law.
- (4) If a proposed by-law or the business case study is changed following a meeting under this section, the municipality may elect to hold further meetings or may elect to not hold further meetings and the decision of the municipality is final.
- (5) Nothing in this section restricts the ability of a municipality to hold other public meetings before the completion of the business case study.
- (6) The proposed by-law may only be passed within the one-year period following the completion of the business case study.

Limitations on actions of corporation

8. (1) A corporation shall not act as an incorporator of another corporate body that is incorporated under any Act.
- (2) A corporation may not enter into a trust agreement, except a trust agreement or indenture for the purpose of obtaining financing for the corporation.
- (3) A corporation may only invest in securities prescribed under section 418 of the Act and, for the purpose of this subsection, any regulation made under subsection 418 (6) of the Act applies to the corporation as if it were a municipality.

(4) To expand or otherwise carry on its purposes, a corporation, other than a corporation incorporated under section 4, may acquire all of the voting and non-voting shares of,

- (a) another corporation incorporated under this Regulation;
- (b) a body corporate incorporated under any Act of Ontario if the articles of incorporation of the body corporate restrict the powers or limit the objects of the body corporate to carrying on one or more of the purposes set out in subsection 2 (1).

(5) A body corporate, the shares of which have been acquired under subsection (4), must be dissolved and its remaining assets and liabilities transferred to the acquiring corporation within one year of the date of the acquisition of the shares.

(6) A corporation may become a member of another corporation incorporated under Part III of the *Corporations Act* only if they both have the same objects and if the corporation is allocated a minimum of 51 per cent of the voting rights allocated to members of the other corporation, but nothing in this section prevents a corporation from joining an industry or professional association.

Deemed members

9. The directors and officers of a corporation that is wholly-owned by a municipality or municipalities are deemed to be members for the purposes of the *Municipal Conflict of Interest Act*.

Deemed institutions

10. A corporation that is wholly-owned by a municipality or municipalities and a corporation incorporated under paragraph 4 of subsection 2 (1) are deemed to be institutions for the purposes of the *Municipal Freedom of Information and Protection of Privacy Act*.

Limitation

11. A municipality may incorporate a corporation only if,
- (a) the corporation's purpose is to provide a service, system or facility that could be provided directly by the municipality;
or
 - (b) the corporation is incorporated under section 4.

Appointments by municipality

12. A municipality may appoint one or more persons to sign articles of incorporation or subsequent articles or an application for letters patent or supplementary letters patent for the incorporation of a corporation on its behalf and the municipality may appoint or authorize the appointment of the directors, officers or members of the corporation or of a corporation incorporated by another municipality that is carrying on business in the municipality.

Goods and services

13. (1) A municipality may enter into a contract for goods or services with a corporation only as the result of a public competition process.

(2) Despite subsection (1), a municipality may enter into a contract for goods or services with a corporation incorporated by the municipality or a corporation the shares of which the municipality has purchased, without a public competition process, if the corporation is wholly-owned by the municipality or by the municipality together with other municipalities and the corporation is limited by its articles of incorporation or letters patent to providing services to that municipality or those municipalities.

(3) Despite subsection (1), a municipality may enter into a contract for goods or services with a corporation incorporated by the municipality or a corporation the shares of which the municipality has purchased, that is not wholly-owned by the municipality or municipalities, without a public competition process, if any private person who invests in shares of the corporation has been selected through a public competition process described in paragraph 14 of subsection 6 (2) as part of the business case study for the corporation undertaken by the municipality.

(4) Despite subsections (2) and (3), a municipality shall not enter into a contract for goods or services with a corporation authorized to carry on business with respect to a waste management service or facility without a public competition process.

No assignment

14. A municipality shall not assign or transfer any right granted to it in any agreement between the municipality and the Province of Ontario to a corporation without first obtaining the consent of the Minister responsible for the agreement.

Inspection

15. A municipality may inspect the accounting or other financial records of a corporation of which it is a shareholder or member at any time upon reasonable notice to the corporation.

Financial statements

16. A municipality may require a corporation of which it is a shareholder or member to submit audited financial statements to the municipality at any time upon reasonable notice to the corporation.

Holding of shares and voting rights

17. (1) Subject to subsection (2), a municipality may acquire, hold, dispose of and otherwise deal with shares of a corporation incorporated by it or with shares of a corporation incorporated by another municipality that is carrying on business in the municipality.

(2) A municipality, by itself or together with other municipalities that hold shares in a corporation, must at all times retain at least 51 per cent of the total voting rights attached to all voting shares issued by the corporation.

(3) A municipality, by itself or together with other municipalities, must at all times maintain an entitlement to at least 51 per cent of the total voting rights allocated to the members of a corporation incorporated under Part III of the *Corporations Act*.

Debt instruments

18. (1) A municipality may acquire, hold, dispose of and otherwise deal with bonds, debentures, promissory notes, mortgages and other evidences of indebtedness of a corporation only if the debt would be incurred as the result of,

(a) the transfer of a municipal property asset to a corporation incorporated by the municipality or to a corporation incorporated by another municipality that the municipality has agreed to allow to carry on business in the municipality; or

(b) an action taken by the municipality under section 19.

(2) In this section,

“municipal property asset” means an asset of a municipality that is land, equipment or other goods.

Deemed commercial enterprise

19. (1) A corporation is deemed to be a commercial enterprise under section 106 of the Act.

(2) Despite subsection (1), a municipality may provide assistance to a corporation,

(a) if the corporation is wholly-owned by the municipality or by the municipality and other municipalities and the corporation is limited by its articles or letters patent to providing services to that municipality or those municipalities;

(b) if the purpose of the assistance is to subsidize the cost of public transportation facilities or services or public access to recreational and cultural facilities; or

(c) if the municipality is party to an agreement with the corporation to operate and maintain municipal capital facilities under section 110 of the Act.

(3) The types of assistance that may be provided under subsection (2) are,

(a) exemption from taxation or development charges or other assistance under an agreement or a by-law made under section 110 of the Act if the municipality is party to an agreement with the corporation to operate and maintain municipal capital facilities under that section;

(b) assistance provided by the council exercising its authority under subsection 28 (6) or (7) of the *Planning Act*;

(c) giving, lending or selling any property of the municipality, including money;

(d) guaranteeing borrowing;

(e) providing the services of employees of the municipality.

(4) The assistance provided under clause (3) (c), (d) or (e) need not be at fair market value.

(5) Nothing in subsection (2), (3) or (4) authorizes a municipality to provide assistance,

(a) inconsistent with a purpose of a corporation;

(b) as a transfer that would not be permitted under section 22;

(c) for or in respect of an investment or other transaction made by a corporation under section 8; or

(d) for or in respect of a share transaction under section 17.

(6) The treasurer shall prepare a statement of the value of any grant or an estimate of the fair market value of any other assistance provided at less than fair market value under subsection (2).

(7) The municipality shall attach the estimate or statement to the agreement or other documentation evidencing the grant or assistance.

Status of corporation

20. (1) A corporation is not a local board for the purposes of any Act.

(2) Despite subsection (1), a corporation is deemed to be a local board for purposes of the *Environmental Assessment Act*, the *Municipal Conflict of Interest Act*, and sections 270 and 271 of the *Municipal Act, 2001*.

(3) Despite subsection (1), if a corporation is wholly-owned by the municipality alone or together with other municipalities, it is deemed to be a local board for the purposes of the *Development Charges Act, 1997*.

Condition for incorporation

21. (1) Before incorporating a corporation, a municipality shall notify the Minister of Municipal Affairs and Housing and any other Minister whose Ministry has made a financial contribution to an asset that is intended to be transferred to the corporation of the value, as estimated by the treasurer of the municipality, of any funds contributed at any time by the Province of Ontario to the purchase or improvement of any assets intended to be transferred to the corporation.

(2) A Minister who receives a notice under subsection (1) may accept the valuation of the treasurer of the municipality or may otherwise determine the value of the contribution and shall notify the municipality in writing within six months of the receipt of the notice as to the requirement for repayment or to indicate the release of the Province's interest in the asset being transferred or the proceeds of the transfer.

(3) A municipality may not incorporate a corporation until one of the following conditions are met:

1. Six months have passed since notice was given under subsection (1) and no response has been received by the Province within that period.
2. The Province has notified the municipality of its acceptance of the valuation by the treasurer and of any requirement for repayment.
3. The Province has notified the municipality of its rejection of the valuation by the treasurer, of its own valuation and of any requirement for repayment.
4. The Province has notified the municipality that it releases its interest in the asset being transferred or in the proceeds of the transfer.

(4) The fact that the incorporating municipality has not complied with this section may be considered sufficient cause under section 240 of the *Business Corporations Act* or under section 317 of the *Corporations Act*, as applicable, to cancel the certificate of incorporation of a corporation or the letters patent or supplementary letters patent of a corporation.

Transfer of land

22. (1) A municipality may only sell land to a corporation if the sale is consistent with the purpose of the corporation and the land is vacant land.

(2) A municipality may lease or otherwise dispose of any land to a corporation only if the lease or other disposition is consistent with the purpose of the corporation and is for a period, including any possible renewal of the lease or other option to extend the period of disposition, of not more than 40 years.

(3) Despite subsections (1), (2) and (4), a municipality shall not sell, lease or otherwise dispose of land to a corporation if the land is used for parks or housing projects, as described in paragraph 2 of subsection 3 (1).

(4) Despite subsection (1), a municipality may sell land that has existing buildings or structures on it to a corporation incorporated under subsection 3 (1) if the buildings or structures are being used exclusively for or are necessary for the maintenance and operation of a transportation system.

(5) The following, if not being used, is vacant land for the purposes of this section:

1. Land that has no buildings or structures on it.
2. Land upon which a building or structure is being built.
3. Land upon which a building or structure has been built if no part of the building or structure has yet been used.
4. Land upon which a building or structure has been built if the building or structure is substantially unusable.

(6) Any occupation of a building or structure is a use, for the purpose of paragraph 3 of subsection (5), and once a building or structure has been occupied, the land upon which the building or structure is located cannot be vacant land unless the building or structure becomes substantially unusable.

20/03

ONTARIO REGULATION 169/03
made under the
SAFE DRINKING WATER ACT, 2002

Made: April 24, 2003
Filed: May 2, 2003

ONTARIO DRINKING-WATER QUALITY STANDARDS

Standards

1. The standards set out in Schedules 1, 2 and 3 are prescribed as drinking-water quality standards for the purposes of the Act.

Deemed compliance

2. (1) A person who, pursuant to section 10 of the Act or otherwise, has an obligation to ensure that water meets a standard set out in Schedule 1, 2 or 3 shall be deemed not to have contravened the obligation if, in circumstances where the water does not meet the standard, the person immediately contacts the medical officer of health and takes such other steps as are directed by the medical officer of health.

(2) Despite subsection (1), the owner or operating authority of a drinking-water system that provides water that does not meet a standard set out in Schedule 1, 2 or 3 shall be deemed not to have contravened paragraph 1 of subsection 11 (1) of the Act only if the owner or operating authority ensures that the appropriate corrective action is taken under Schedule 17 or 18 to Ontario Regulation 170/03 (Drinking-Water Systems).

Commencement

3. **This Regulation comes into force on the day subsection 11 (1) of the *Safe Drinking Water Act, 2002* comes into force.**

SCHEDULE 1

MICROBIOLOGICAL STANDARDS

Item	Microbiological Parameter	Standard (expressed as a maximum)
1.	<i>Escherichia coli</i> (E. coli)	Not detectable
2.	Fecal coliforms	Not detectable
3.	Total coliforms	Not detectable
4.	General bacteria population expressed as background colony counts on the total coliform membrane filter	200 colony forming units (CFU) per 100 millilitres
5.	General bacteria population expressed as colony counts on a heterotrophic plate count	500 colony forming units (CFU) per millilitre

SCHEDULE 2

CHEMICAL STANDARDS

Item	Chemical Parameter	Standard (expressed as a maximum concentration in milligrams per litre)
1.	Alachlor	0.005
2.	Aldicarb	0.009
3.	Aldrin + Dieldrin	0.0007
4.	Antimony	0.006
5.	Arsenic	0.025
6.	Atrazine + N-dealkylated metabolites	0.005
7.	Azinphos-methyl	0.02
8.	Barium	1.0
9.	Bendiocarb	0.04
10.	Benzene	0.005
11.	Benzo(a)pyrene	0.00001
12.	Boron	5.0
13.	Bromate	0.01

Item	Chemical Parameter	Standard (expressed as a maximum concentration in milligrams per litre)
14.	Bromoxynil	0.005
15.	Cadmium	0.005
16.	Carbaryl	0.09
17.	Carbofuran	0.09
18.	Carbon Tetrachloride	0.005
19.	Chloramines	3.0
20.	Chlordane (Total)	0.007
21.	Chlorpyrifos	0.09
22.	Chromium	0.05
23.	Cyanazine	0.01
24.	Cyanide	0.2
25.	Diazinon	0.02
26.	Dicamba	0.12
27.	1,2-Dichlorobenzene	0.2
28.	1,4-Dichlorobenzene	0.005
29.	Dichlorodiphenyltrichloroethane (DDT) + metabolites	0.03
30.	1,2-dichloroethane	0.005
31.	1,1-Dichloroethylene (vinylidene chloride)	0.014
32.	Dichloromethane	0.05
33.	2,4-Dichlorophenol	0.9
34.	2,4-Dichlorophenoxy acetic acid (2,4-D)	0.1
35.	Diclofop-methyl	0.009
36.	Dimethoate	0.02
37.	Dinoseb	0.01
38.	Dioxin and Furan	0.000000015 ^a
39.	Diquat	0.07
40.	Diuron	0.15
41.	Fluoride	1.5
42.	Glyphosate	0.28
43.	Heptachlor + Heptachlor Epoxide	0.003
44.	Lead	0.01
45.	Lindane (Total)	0.004
46.	Malathion	0.19
47.	Mercury	0.001
48.	Methoxychlor	0.9
49.	Metolachlor	0.05
50.	Metribuzin	0.08
51.	Microcystin LR	0.0015
52.	Monochlorobenzene	0.08
53.	Nitrate (as nitrogen)	10.0
54.	Nitrite (as nitrogen)	1.0
55.	Nitrate + Nitrite (as nitrogen)	10.0
56.	Nitrilotriacetic Acid (NTA)	0.4
57.	Nitrosodimethylamine (NDMA)	0.000009
58.	Paraquat	0.01
59.	Parathion	0.05
60.	Pentachlorophenol	0.06
61.	Phorate	0.002
62.	Picloram	0.19
63.	Polychlorinated Biphenyls (PCB)	0.003
64.	Prometryne	0.001
65.	Selenium	0.01
66.	Simazine	0.01
67.	Temephos	0.28
68.	Terbufos	0.001
69.	Tetrachloroethylene (perchloroethylene)	0.03
70.	2,3,4,6-Tetrachlorophenol	0.1
71.	Triallate	0.23
72.	Trichloroethylene	0.05
73.	2,4,6-Trichlorophenol	0.005
74.	2,4,5-Trichlorophenoxy acetic acid (2,4,5-T)	0.28

Item	Chemical Parameter	Standard (expressed as a maximum concentration in milligrams per litre)
75.	Trifluralin	0.045
76.	Trihalomethanes	0.100 ^b
77.	Uranium	0.02
78.	Vinyl Chloride	0.002

Footnotes:

- ^a Total toxic equivalents when compared with 2,3,7,8-TCDD (tetrachlorodibenzo-p-dioxin).
^b This standard is expressed as a running annual average.

SCHEDULE 3
RADIOLOGICAL STANDARDS

Item	Radiological Parameter	Standard (expressed as a maximum in becquerels per litre)
Natural Radionuclides		
1.	Beryllium-7	4000.0
2.	Bismuth -210	70.0
3.	Lead-210	0.1
4.	Polonium-210	0.2
5.	Radium-224	2.0
6.	Radium-226	0.6
7.	Radium-228	0.5
8.	Thorium-228	2.0
9.	Thorium-230	0.4
10.	Thorium-232	0.1
11.	Thorium-234	20.0
12.	Uranium-234	4.0
13.	Uranium-235	4.0
14.	Uranium-238	4.0
Artificial Radionuclides		
15.	Americium-241	0.2
16.	Antimony-122	50.0
17.	Antimony-124	40.0
18.	Antimony-125	100.0
19.	Barium-140	40.0
20.	Bromine-82	300.0
21.	Calcium-45	200.0
22.	Calcium-47	60.0
23.	Carbon-14	200.0
24.	Cerium-141	100.0
25.	Cerium-144	20.0
26.	Cesium-131	2000.0
27.	Cesium-134	7.0
28.	Cesium-136	50.0
29.	Cesium-137	10.0
30.	Chromium-51	3000.0
31.	Cobalt-57	40.0
32.	Cobalt-58	20.0
33.	Cobalt-60	2.0
34.	Gallium-67	500.0
35.	Gold-198	90.0
36.	Indium-111	400.0
37.	Iodine-125	10.0
38.	Iodine-129	1.0
39.	Iodine-131	6.0
40.	Iron-55	300.0
41.	Iron-59	40.0
42.	Manganese-54	200.0

Item	Radiological Parameter	Standard (expressed as a maximum in becquerels per litre)
43.	Mercury-197	400.0
44.	Mercury-203	80.0
45.	Molybdenum-99	70.0
46.	Neptunium-239	100.0
47.	Niobium-95	200.0
48.	Phosphorus-32	50.0
49.	Plutonium-238	0.3
50.	Plutonium-239	0.2
51.	Plutonium-240	0.2
52.	Plutonium-241	10.0
53.	Rhodium-105	300.0
54.	Rubidium-81	3000.0
55.	Rubidium-86	50.0
56.	Ruthenium-103	100.0
57.	Ruthenium-106	10.0
58.	Selenium-75	70.0
59.	Silver-108m	70.0
60.	Silver-110m	50.0
61.	Silver-111	70.0
62.	Sodium-22	50.0
63.	Strontium-85	300.0
64.	Strontium-89	40.0
65.	Strontium-90	5.0
66.	Sulphur-35	500.0
67.	Technetium-99	200.0
68.	Technetium-99m	7000.0
69.	Tellurium-129m	40.0
70.	Tellurium-131m	40.0
71.	Tellurium-132	40.0
72.	Thallium-201	2000.0
73.	Tritium	7000.0
74.	Ytterbium-169	100.0
75.	Yttrium-90	30.0
76.	Yttrium-91	30.0
77.	Zinc-65	40.0
78.	Zirconium-95	100.0

Notes:

Radionuclide concentrations that exceed the standard may be tolerated for a short period, as long as the annual average concentrations remain below the standard and the restriction (see immediately below) for multiple radionuclides is met.

Restrictions for multiple radionuclides: If two or more radionuclides are present, the following relationship, based on International Commission on Radiological Protection (ICRP) Publication 26, must be satisfied and, if not satisfied, the standard shall be considered to have been exceeded:

$$\frac{c_1}{C_1} + \frac{c_2}{C_2} + \dots + \frac{c_i}{C_i} \leq 1$$

where c_1 , c_2 and c_i are the observed concentrations, and C_1 , C_2 and C_i are the maximum acceptable concentrations for each contributing radionuclide.

20/03

ONTARIO REGULATION 170/03
made under the
SAFE DRINKING WATER ACT, 2002

Made: April 24, 2003
Filed: May 2, 2003

DRINKING-WATER SYSTEMS

CONTENTS

1.	Interpretation: general
2.	Interpretation: ground water under direct influence of surface water
3.	Interpretation: open designated facilities and public facilities
4.	Application
5.	Exemptions: residential systems
6.	Exemptions: non-residential systems connected to other systems
7.	Exemptions: non-residential systems that receive transported water
8.	Exemptions: warning notices for systems and users without electricity, etc.
9.	Exemptions from approval requirements of Act
10.	Revocation of OWRA approvals for non-municipal systems
11.	Annual reports
12.	Information to be available
13.	Retention of records
14.	Forms
15.	Purpose of notice to interested authorities
16.	Commencement
SCHEDULE 1	Treatment equipment (<i>municipal residential</i>)
SCHEDULE 2	Treatment equipment (<i>municipal non-residential; non-municipal residential; non-municipal non-residential</i>)
SCHEDULE 3	Point of entry treatment (<i>municipal non-residential; non-municipal non-residential</i>)
SCHEDULE 4	Relief from Schedule 1 (<i>municipal residential</i>)
SCHEDULE 5	Relief from Schedule 2 (<i>municipal non-residential; non-municipal residential; non-municipal non-residential</i>)
SCHEDULE 6	Operational Checks, Sampling and Testing — General (<i>all systems</i>)
SCHEDULE 7	Operational Checks (<i>municipal residential</i>)
SCHEDULE 8	Operational Checks (<i>large municipal non-residential; non-municipal year-round residential; large non-municipal non-residential</i>)
SCHEDULE 9	Operational Checks (<i>small municipal non-residential; non-municipal seasonal residential; small non-municipal non-residential</i>)
SCHEDULE 10	Microbiological Sampling and Testing (<i>large municipal residential</i>)
SCHEDULE 11	Microbiological Sampling and Testing (<i>small municipal residential; large municipal non-residential; non-municipal year-round residential; large non-municipal non-residential</i>)
SCHEDULE 12	Microbiological Sampling and Testing (<i>small municipal non-residential; non-municipal seasonal residential; small non-municipal non-residential</i>)
SCHEDULE 13	Chemical Sampling and Testing (<i>municipal residential; large municipal non-residential; non-municipal year-round residential; large non-municipal non-residential</i>)
SCHEDULE 14	Chemical Sampling and Testing (<i>small municipal non-residential; non-municipal seasonal residential</i>)
SCHEDULE 15	Chemical Sampling and Testing (<i>small non-municipal non-residential</i>)
SCHEDULE 16	Reporting Adverse Test Results and Other Problems (<i>all systems</i>)
SCHEDULE 17	Corrective Action (<i>large municipal residential</i>)
SCHEDULE 18	Corrective Action (<i>small municipal residential; municipal non-residential; non-municipal residential; non-municipal non-residential</i>)
SCHEDULE 19	Warning Notice of Potential Problems (<i>small municipal residential; municipal non-residential; non-municipal residential; non-municipal non-residential</i>)
SCHEDULE 20	Engineers' Reports (<i>municipal residential</i>)
SCHEDULE 21	Engineering Evaluation Reports (<i>municipal non-residential; non-municipal residential; non-municipal non-residential</i>)
SCHEDULE 22	Summary Reports for Municipalities (<i>municipal residential</i>)
SCHEDULE 23	Inorganic Parameters (<i>all systems</i>)
SCHEDULE 24	Organic Parameters (<i>all systems</i>)

Interpretation: general

1. (1) In this Regulation,

“appurtenance” includes a valve, valve chamber, hydrant, hydrant lead, flow meter, curb stop, maintenance access point, personnel access opening or other minor accessory part of a watermain;

“certified operator” means,

- (a) a person who holds an operator-in-training’s licence or any class of water treatment facility or water distribution facility operator’s licence under section 6 or 8 of Ontario Regulation 435/93 (Water Works and Sewage Works),
- (b) a person who holds a water treatment facility or water distribution facility conditional operator’s licence issued under section 6.1 of Ontario Regulation 435/93, or
- (c) a person who has qualifications that, in the opinion of the Director, are equivalent to the qualifications required for a licence referred to in clause (a);

“children’s camp” means a camp that is intended primarily for campers under 18 years of age and that is a class A camp or class B camp within the meaning of Regulation 568 of the Revised Regulations of Ontario, 1990 (Recreational Camps) under the *Health Protection and Promotion Act*;

“chloramination” means combined chlorine residual disinfection where the combined chlorine residual is predominately in the form of monochloramine;

“chlorination” means free chlorine residual disinfection;

“day nursery” means a day nursery as defined in the *Day Nurseries Act*;

“delivery agent care facility” means,

- (a) a place where an emergency hostel service that receives funding under the *Ontario Works Act, 1997* is provided,
- (b) a domiciliary hostel that receives funding under the *Ministry of Community and Social Services Act*,
- (c) a place where a resource centre program that receives funding under the *Day Nurseries Act* is provided, or
- (d) a place where a recreational program that receives funding under the *Day Nurseries Act* is provided;

“designated facility” means,

- (a) a children’s camp,
- (b) a delivery agent care facility,
- (c) a health care facility,
- (d) a school or private school,
- (e) a social care facility, or
- (f) a university, a college of applied arts and technology, or an institution with authority to grant degrees;

“distribution sample” means, with respect to a drinking-water system, a water sample that is taken, in the drinking-water system’s distribution system or in plumbing that is connected to the drinking-water system, from a point significantly beyond the point at which treated water enters the distribution system or plumbing;

“health care facility” means a facility that provides overnight accommodation and that is,

- (a) a hospital within the meaning of the *Public Hospitals Act* or the *Community Psychiatric Hospitals Act*,
- (b) a private hospital within the meaning of the *Private Hospitals Act*,
- (c) a psychiatric facility within the meaning of the *Mental Health Act*,
- (d) a nursing home within the meaning of the *Nursing Homes Act*,
- (e) a home within the meaning of the *Homes for the Aged and Rest Homes Act*,
- (f) an approved charitable institution within the meaning of the *Charitable Institutions Act* that is approved under section 3 of that Act as,
 - (i) a halfway house where rehabilitative residential group care may be provided for adult persons,
 - (ii) a home for the aged, or
 - (iii) a home where residential group care may be provided for handicapped or convalescent adult persons,
- (g) a cancer centre established by the Ontario Cancer Treatment and Research Foundation under the *Cancer Act*,
- (h) a home for special care within the meaning of the *Homes for Special Care Act*,
- (i) an approved home within the meaning of the *Mental Hospitals Act*,

- (j) a residence for seniors or retired persons, or any other similar residence, where attainment of a mature age is a factor in being accepted for occupancy,
- (k) a nursing station, health centre, clinic or other facility that receives funding through the Ministry of Health and Long-Term Care's Underserviced Area Program, or
- (l) a facility owned or leased by a person who receives funding from the Ministry of Health and Long-Term Care for one or more of the following health care support services that are provided to or are available to residents of the facility:
 - (i) a residential treatment services program,
 - (ii) a withdrawal management services program,
 - (iii) a dedicated supportive housing project;

"infiltration gallery" means a subsurface ground water collection system constructed with open-jointed or perforated pipes that discharge collected water into a watertight chamber;

"interested authority" means,

- (a) with respect to a delivery agent care facility, the delivery agent designated under the *Ontario Works Act, 1997* or the *Day Nurseries Act* for the geographic area in which the facility is located, or any successor of that delivery agent,
- (b) with respect to a health care facility, the Ministry of Health and Long-Term Care, or any successor of that ministry,
- (c) with respect to a school, the Ministry of Education, or any successor of that ministry,
- (d) with respect to a social care facility, the Ministry of Community, Family and Children's Services, or any successor of that ministry, or
- (e) with respect to a university, a college of applied arts and technology, or an institution with authority to grant degrees, the Ministry of Training, Colleges and Universities, or any successor of that ministry;

"large municipal non-residential system" means a municipal drinking-water system that does not serve a major residential development and is capable of supplying drinking water at a rate of more than 2.9 litres per second;

"large municipal residential system" means a municipal drinking-water system that serves a major residential development and serves more than 100 private residences;

"large non-municipal non-residential system" means a non-municipal drinking-water system that is capable of supplying drinking water at a rate of more than 2.9 litres per second and does not serve,

- (a) a major residential development, or
- (b) a trailer park or campground that has more than five service connections;

"non-municipal seasonal residential system" means a non-municipal drinking-water system that is a seasonal system and serves,

- (a) a major residential development, or
- (b) a trailer park or campground that has more than five service connections;

"non-municipal year-round residential system" means a non-municipal drinking-water system that is a not a seasonal system and serves,

- (a) a major residential development, or
- (b) a trailer park or campground that has more than five service connections;

"Ontario Drinking-Water Quality Standards" means Ontario Regulation 169/03 (Ontario Drinking-Water Quality Standards);

"OWRA approval" means an approval granted before this Regulation came into force under section 52 of the *Ontario Water Resources Act*;

"OWRA order" means an order, direction or report in respect of a water works that was issued before this Regulation came into force under the *Ontario Water Resources Act*;

"point of entry treatment unit" means equipment for treating water that is installed in plumbing at a location that,

- (a) is at or near where water from a drinking-water system enters a building or other structure, and
- (b) is upstream of all plumbing fixtures,

but does not include equipment for treating water that is installed in plumbing at a location that is in close proximity to a plumbing fixture and that is intended only to treat water provided to that fixture;

- “primary disinfection” means a process or series of processes intended to remove or inactivate human pathogens such as viruses, bacteria and protozoa in water;
- “private residence” has the meaning prescribed in Ontario Regulation 171/03 (Definitions of Words and Expressions Used in the Act) for the purpose of the definition of “private residence” in subsection 2 (1) of the Act;
- “private school” means a private school as defined in the *Education Act*;
- “*Procedure for Corrective Action for Systems Not Currently Using Chlorine*” means the document of that name, originally dated April 16, 2003, published by and available from the Ministry, as amended from time to time;
- “*Procedure for Disinfection of Drinking Water in Ontario*” means the document of that name, originally dated April 16, 2003, published by and available from the Ministry, as amended from time to time;
- “professional engineer” means a professional engineer as defined in the *Professional Engineers Act*;
- “professional hydrogeologist” means a hydrogeologist who is a member of the Association of Professional Geoscientists of Ontario;
- “public facility” means,
- (a) food premises, as defined in the *Health Protection and Promotion Act*,
 - (b) a place that provides overnight accommodation to the travelling public, including a trailer park or campground,
 - (c) a marina,
 - (d) a church, mosque, synagogue, temple or other place of worship,
 - (e) a recreational camp,
 - (f) a recreational or athletic facility;
 - (g) a place, other than a private residence, where a service club or fraternal organization meets on a regular basis, or
 - (h) any place where the general public has access to a washroom, drinking water fountain or shower,
- but does not include a designated facility;
- “resample and test” means,
- (a) with respect to corrective action that arises from the test of a water sample for a microbiological parameter,
 - (i) take a set of water samples, at approximately the same time, with,
 - (A) at least one sample from the same location as the sample that gave rise to the corrective action,
 - (B) at least one sample from a location that is a significant distance upstream from the location described in sub-subclause (A), if that is reasonably possible, and
 - (C) at least one sample from a location that is a significant distance downstream from the location described in sub-subclause (A), if that is reasonably possible, and
 - (ii) conduct, on the samples taken under subclause (i), the same test that gave rise to the corrective action, or
 - (b) with respect to corrective action that arises from the test of a water sample for a parameter that is not a microbiological parameter,
 - (i) take a water sample from the same location as the sample that gave rise to the corrective action, and
 - (ii) conduct, on the sample taken under subclause (i), the same test that gave rise to the corrective action;
- “school” means a school as defined in the *Education Act*;
- “seasonal system” means a drinking-water system that,
- (a) does not operate for at least 60 consecutive days in every calendar year, or
 - (b) does not operate for at least 60 consecutive days in every period that begins on April 1 in one year and ends on March 31 in the following year;
- “secondary disinfection” means a process or series of processes intended to provide and maintain a disinfectant residual in a drinking-water system’s distribution system, and in plumbing connected to the distribution system, for the purposes of,
- (a) protecting water from microbiological re-contamination,
 - (b) reducing bacterial regrowth,
 - (c) controlling biofilm formation, and
 - (d) serving as an indicator of distribution system integrity,

and includes the use of disinfectant residuals from primary disinfection to provide and maintain a disinfectant residual in a drinking-water system's distribution system for the purposes described in clauses (a) to (d);

“service connection” means,

- (a) a point where a drinking-water system connects to plumbing, or
- (b) in a trailer park or campground, a fixture that allows a trailer or other vehicle to connect to the trailer park's or campground's drinking-water system;

“service pipe” means the pipe portion of a drinking-water system that extends from a watermain to the property line of a property serviced by the watermain;

“small municipal non-residential system” means a municipal drinking-water system that does not serve a major residential development, is not capable of supplying drinking water at a rate of more than 2.9 litres per second and serves a designated facility or public facility;

“small municipal residential system” means a municipal drinking-water system that serves a major residential development but serves fewer than 101 private residences;

“small non-municipal non-residential system” means a non-municipal drinking-water system that is not capable of supplying drinking water at a rate of more than 2.9 litres per second, serves a designated facility or public facility and does not serve,

- (a) a major residential development, or
- (b) a trailer park or campground that has more than five service connections;

“social care facility” means,

- (a) a facility designated by the regulations under the *Developmental Services Act* as a facility to which that Act applies,
- (b) a residence licensed as a children's residence under the *Child and Family Services Act*,
- (c) a facility where child development services, child treatment services, child welfare services, community support services or young offenders services, within the meaning of the *Child and Family Services Act*, are provided, unless the facility is located in a private residence,
- (d) a facility where child and family intervention services, within the meaning of Regulation 70 of the Revised Regulations of Ontario, 1990 (General) under the *Child and Family Services Act*, are provided, unless the facility is located in a private residence,
- (e) a place where an emergency shelter service that receives funding under the *Ministry of Community and Social Services Act* is provided, unless the place is located in a private residence,
- (f) a day nursery,
- (g) an Ontario Early Years Centre or a satellite program of the Ontario Early Years Centre that receives funding under the *Ministry of Community and Social Services Act*,
- (h) a sheltered workshop that receives funding under the *Developmental Services Act* or the *Ministry of Community and Social Services Act*,
- (i) a place where a supported employment program that receives funding under the *Developmental Services Act* or the *Ministry of Community and Social Services Act* is provided,
- (j) a place where an adults' community support service that receives funding under the *Developmental Services Act* is provided, unless the place is located in a private residence,
- (k) a place where an employment preparation, training and job placement program that receives funding under the *Developmental Services Act* or the *Ontario Disability Support Program Act, 1997* is provided,
- (l) a place where a violence against women program that receives funding under the *Ministry of Community and Social Services Act* is provided, unless the place is located in a private residence,
- (m) a place where an aboriginal healing and wellness program funded under the Aboriginal Healing and Wellness Strategy is provided;

“trained person” means,

- (a) a certified operator, or
- (b) a person who, in the preceding 36 months, successfully completed a course approved by the Director relating to the functions that trained persons are required or authorized by this Regulation to perform;

“watermain” means any system of pipes and appurtenances used for the distribution of drinking water, but does not include plumbing or a pumping facility.

(2) Despite the definition of “large municipal non-residential system” in subsection (1), a drinking-water system described in that definition that has one or more distribution lines that supply water exclusively for operations described in subsection (3), shall be deemed to be a small municipal non-residential system for the purposes of this Regulation if the result of the following calculation is 2.9 litres per second or less:

$$A - B$$

where,

A = the maximum rate, expressed in litres per second, at which the drinking-water system can supply drinking water;

B = the sum of the average rates, expressed in litres per second, at which the drinking-water system supplied drinking water in the preceding calendar year to the distribution lines that supply water exclusively for operations described in subsection (3).

(3) The operations referred to in subsections (2) and (6) are the following:

1. Agricultural operations.
2. Landscaping operations.
3. Industrial or manufacturing operations, including food manufacturing or processing operations.
4. Swimming pool or skating rink maintenance operations.

(4) Despite subsection (2) and the definition of “large municipal non-residential system” in subsection (1), a drinking-water system described in subsection (2) shall be deemed, during the calendar year in which the system begins operation, to be a small municipal non-residential system for the purposes of this Regulation if the owner of the system, on reasonable grounds, estimates that the result of the calculation referred to in subsection (2) would be 2.9 litres per second or less if the system had operated during all of the preceding calendar year.

(5) If a drinking-water system is deemed to be a small municipal non-residential system under subsection (2) or (4), the system does not serve any designated facilities and the system does not serve any public facilities, this Regulation does not apply to the system.

(6) Despite the definition of “large non-municipal non-residential system” in subsection (1), a drinking-water system described in that definition that has one or more distribution lines that supply water exclusively for operations described in subsection (3) shall be deemed to be a small non-municipal non-residential system for the purposes of this Regulation if the result of the following calculation is 2.9 litres per second or less:

$$A - B$$

where,

A = the maximum rate, expressed in litres per second, at which the drinking-water system can supply drinking water;

B = the sum of the average rates, expressed in litres per second, at which the drinking-water system supplied drinking water in the preceding calendar year to the distribution lines that supply water exclusively for operations described in subsection (3).

(7) Despite subsection (6) and the definition of “large non-municipal non-residential system” in subsection (1), a drinking-water system described in subsection (6) shall be deemed, during the calendar year in which the system begins operation, to be a small non-municipal non-residential system for the purposes of this Regulation if the owner of the system, on reasonable grounds, estimates that the result of the calculation referred to in subsection (6) would be 2.9 litres per second or less if the system had operated during all of the preceding calendar year.

(8) If a drinking-water system is deemed to be a small non-municipal non-residential system under subsection (6) or (7), the system does not serve any designated facilities and the system does not serve any public facilities, this Regulation does not apply to the system.

(9) For the purposes of this Regulation, a drinking-water system shall be deemed to be a seasonal system during the 365-day period that begins on the day the system begins operation if, during that period, it will not be operated for at least 60 consecutive days.

Interpretation: ground water under direct influence of surface water

2. (1) A drinking-water system that obtains water from a raw water supply that is ground water under the direct influence of surface water is deemed, for the purposes of this Regulation, to be a drinking-water system that obtains water from a raw water supply that is surface water.

(2) The following drinking-water systems are deemed, for the purposes of this Regulation, to be drinking-water systems that obtain water from a raw water supply that is ground water under the direct influence of surface water:

1. A drinking-water system that obtains water from a well that is not a drilled well or from a well that does not have a watertight casing that extends to a depth of six metres below ground level.

2. A drinking-water system that obtains water from an infiltration gallery.
 3. A drinking-water system that is not capable of supplying water at a rate greater than 0.58 litres per second and that obtains water from a well, any part of which is within 15 metres of surface water.
 4. A drinking-water system that is capable of supplying water at a rate greater than 0.58 litres per second and that obtains water from an overburden well, any part of which is within 100 metres of surface water.
 5. A drinking-water system that is capable of supplying water at a rate greater than 0.58 litres per second and that obtains water from a bedrock well, any part of which is within 500 metres of surface water.
 6. A drinking-water system that exhibits evidence of contamination by surface water.
 7. A drinking-water system in respect of which a written report has been prepared by a professional engineer or professional hydrogeologist that concludes that the system's raw water supply is ground water under the direct influence of surface water and that includes a statement of his or her reasons for reaching that conclusion.
- (3) Subsection (2) does not apply to a drinking-water system if,
- (a) a written report prepared after August 1, 2000 by a professional engineer or professional hydrogeologist concludes that the raw water supply is not ground water under the direct influence of surface water and the report includes a statement of his or her reasons for reaching that conclusion; and
 - (b) in the case of a drinking-water system that requires an approval, the Director agrees that the raw water supply is not ground water under the direct influence of surface water.
- (4) A drinking-water system that obtains water from a raw water supply that is surface water is deemed, for the purposes of this Regulation, not to be a drinking-water system that obtains water from a raw water supply that is ground water.

Interpretation: open designated facilities and public facilities

3. (1) For the purposes of this Regulation, a school or private school is open on a day if, at any time during that day, programs for children under 18 years of age are held at the school or private school.

(2) For the purposes of this Regulation, a designated facility other than a school or private school is open on a day if, at any time during that day, any of the persons that the facility serves, cares for or provides programming for are present at the facility.

(3) For the purposes of this Regulation, a public facility is open on a day unless persons served by the facility are denied access to the facility during the entire day.

Application

4. Unless otherwise provided, this Regulation applies to the drinking-water systems referred to in the following Table, with each row of the Table setting out the Schedules to this Regulation that apply to the drinking-water systems referred to in that row:

TABLE

Item	Drinking-Water Systems	Applicable Schedules				
		Treatment	Operational Checks, Sampling and Testing	Adverse Test Results and Other Problems	Reports	Chemical Testing Parameters
1.	Large municipal residential systems	1, 4	6, 7, 10, 13	16, 17	20, 22	23, 24
2.	Small municipal residential systems	1, 4	6, 7, 11, 13	16, 18, 19	20, 22	23, 24
3.	Large municipal non-residential systems	2, 3, 5	6, 8, 11, 13	16, 18, 19	21	23, 24
4.	Small municipal non-residential systems	2, 3, 5	6, 9, 12, 14	16, 18, 19	21	23, 24
5.	Non-municipal year-round residential systems	2, 5	6, 8, 11, 13	16, 18, 19	21	23, 24
6.	Non-municipal seasonal residential systems	2, 5	6, 9, 12, 14	16, 18, 19	21	23, 24
7.	Large non-municipal non-residential systems	2, 3, 5	6, 8, 11, 13	16, 18, 19	21	23, 24
8.	Small non-municipal non-residential systems	2, 3, 5	6, 9, 12, 15	16, 18, 19	21	23, 24

Exemptions: residential systems

5. (1) If a large municipal residential system or a small municipal residential system obtains all of its water from a large municipal residential system or a small municipal residential system, Schedules 1, 7, 10, 11 and 13 do not apply to the system that obtains the water, except for the following provisions:

1. Section 7-1, subsection 7-2 (3) and section 7-5 of Schedule 7.
2. Sections 10-1, 10-2 and 10-5 of Schedule 10.
3. Sections 11-1, 11-2, 11-4 and 11-5 of Schedule 11.
4. Sections 13-1, 13-3, 13-5, 13-6, 13-10, 13-11 and 13-12 of Schedule 13.

(2) If a non-municipal year-round residential system obtains all of its water from a drinking-water system to which this Regulation applies that provides secondary disinfection in accordance with section 1-5 of Schedule 1 or section 2-5 of Schedule 2, Schedules 2, 8, 11 and 13 do not apply to the system that obtains the water, except for the following provisions:

1. Sections 8-1 and 8-2, subsection 8-3 (3) and sections 8-5 and 8-7 of Schedule 8.
2. Sections 11-1, 11-2, 11-4 and 11-5 of Schedule 11.
3. Sections 13-1, 13-3, 13-5, 13-10, 13-11 and 13-12 of Schedule 13.
4. If the system that obtains the water rechlorinates the water, section 13-6 of Schedule 13.

(3) If a non-municipal seasonal residential system obtains all of its water from a drinking-water system to which this Regulation applies that provides secondary disinfection in accordance with section 1-5 of Schedule 1 or section 2-5 of Schedule 2, Schedules 2, 9, 12 and 14 do not apply to the system that obtains the water, except for the following provisions:

1. Sections 9-1 and 9-2, subsection 9-3 (3) and sections 9-5, 9-6 and 9-8 of Schedule 9.
2. Sections 12-1, 12-2, 12-4 and 12-5 of Schedule 12.
3. Sections 14-1, 14-3, 14-8, 14-9 and 14-10 of Schedule 14.
4. If the system that obtains the water rechlorinates the water, section 14-4 of Schedule 14.

Exemptions: non-residential systems connected to other systems

6. (1) This Regulation, except subsection 9 (1), does not apply to a drinking-water system listed in subsection (2) if,
- (a) the drinking-water system is connected to and receives all of its drinking water from another drinking-water system to which this Regulation does apply;
 - (b) the drinking-water system from which the drinking water is obtained provides secondary disinfection in accordance with section 1-5 of Schedule 1 or section 2-5 of Schedule 2; and
 - (c) the owner of the drinking-water system from which the drinking water is obtained has agreed in writing to ensure that the treatment equipment that provides the secondary disinfection referred to in clause (b) is operated so that, at all times and at all locations within the distribution system of the system that obtains the water,
 - (i) the free chlorine residual is never less than 0.05 milligrams per litre, if the drinking-water system from which the water is obtained provides chlorination and does not provide chloramination, or
 - (ii) the combined chlorine residual is never less than 0.25 milligrams per litre, if the drinking-water system from which the water is obtained provides chloramination.
- (2) The exemption provided by subsection (1) applies to the following drinking-water systems:
1. A large municipal non-residential system.
 2. A small municipal non-residential system.
 3. A large non-municipal non-residential system.
 4. A small non-municipal non-residential system.

Exemptions: non-residential systems that receive transported water

7. (1) If drinking water is transported to one of the following drinking-water systems from a drinking-water system that provides secondary disinfection in accordance with section 1-5 of Schedule 1 or section 2-5 of Schedule 2, Schedules 2, 3, 8, 9 and 11 to 15 do not apply to the drinking-water system that receives the water:

1. A large municipal non-residential system.
2. A small municipal non-residential system.
3. A large non-municipal non-residential system.

4. A small non-municipal non-residential system.

(2) The owner of the drinking-water system referred to in subsection (1) that receives the drinking water and the operating authority for the system shall ensure that a distribution sample is taken at least once a day and is tested for,

- (a) free chlorine residual, if the system from which the drinking water is obtained provides chlorination and does not provide chloramination; or
- (b) combined chlorine residual, if the system from which the drinking water is obtained provides chloramination.

Exemptions: warning notices for systems and users without electricity, etc.

8. (1) Subject to subsections (2) to (5), this Regulation does not apply to a drinking-water system if,

- (a) the owner of the system posts warning notices in accordance with subsections (6) and (7);
- (b) the owner of the system complies with subsections (8) and (9);
- (c) all water fountains that are connected to the drinking-water system have been rendered inoperative; and
- (d) the owner of the system has notified the Director in writing that the steps described in clauses (a), (b) and (c) have been taken.

(2) Subject to subsection (3), subsection (1) applies to a drinking-water system only if the system does not use electricity and does not serve any building or other structure that uses electricity.

(3) Subsection (1) applies to small non-municipal non-residential system only if,

- (a) the system does not use electricity and does not serve any building or other structure that uses electricity;
- (b) the system does not serve any designated facilities and only supplies water to a washroom or shower;
- (c) the system does not serve any designated facilities and the only user served by the system is a user described in clause 2 (1) (c) of Regulation 562 of the Revised Regulations of Ontario, 1990 (Food Premises) under the *Health Protection and Promotion Act*; or
- (d) the system,
 - (i) does not serve any designated facilities, and
 - (ii) does not serve any food premises that rely on the system for the supply of potable water that is required by clause 20 (1) (a) of Regulation 562 of the Revised Regulations of Ontario, 1990 (Food Premises) under the *Health Protection and Promotion Act*.

(4) Clause (3) (d) does not apply to a small non-municipal non-residential system after,

- (a) July 1, 2008, if the system obtains water from a raw water supply that is surface water; or
- (b) December 31, 2009, if the system obtains water from a raw water supply that is ground water.

(5) The exemption provided by subsection (1) does not apply to the following provisions:

1. Section 10.
2. Schedules 4 and 5.

(6) A warning notice must be posted at every tap that supplies water from the drinking-water system in a location where it is likely to come to the attention of all users and potential users of the tap.

(7) A warning notice larger than the notices referred to in subsection (6) must be posted,

- (a) at every entrance to every building and every structure that is served by the drinking-water system; or
- (b) if the drinking-water system does not serve any building or structure, in a location where it is likely to come to the attention of all users and potential users of water from the system.

(8) The owner of the drinking-water system shall ensure that the warning notices are checked at least once a week to ensure that they are legible and comply with this section.

(9) The owner of the drinking-water system shall ensure that,

- (a) every time the warning notices are checked under subsection (8), a record is made of the date and time and of the name of the person who performed the check; and
- (b) the records referred to in clause (a) are kept for at least five years at a location where they can conveniently be viewed by a provincial officer who is inspecting the warning notices.

(10) Nothing in this section relieves any person of any obligation to provide potable water or water that meets the standards prescribed by the Ontario Drinking-Water Quality Standards.

Exemptions from approval requirements of Act

9. (1) Subsection 31 (1) of the Act does not apply to large municipal non-residential systems or small municipal non-residential systems.

(2) Subsection 31 (1) of the Act does not apply to a large municipal residential system or a small municipal residential system in respect of,

- (a) the establishment or alteration of or a change to a service pipe;
- (b) the establishment or alteration of or a change in an appurtenance of a watermain, if the appurtenance does not disrupt the operation of the drinking-water system that the watermain is part of;
- (c) the relining of a watermain, if the new lining does not disrupt the operation of the drinking-water system that the watermain is part of;
- (d) the replacement of an existing watermain with a new watermain that has similar dimensions and performance criteria and that is in the same or approximately the same location, if the existing watermain was established or altered in accordance with an approval granted by a Director.

Revocation of OWRA approvals for non-municipal systems

10. For the purpose of subsection 52 (7) of the Act, the earliest of the following dates is prescribed as the date that the approval under the *Ontario Water Resources Act* is deemed to be revoked:

1. The date this Regulation comes into force, if, before that date, a report was submitted to the Director in respect of the drinking-water system in accordance with section 5 of Ontario Regulation 505/01 (Drinking Water Protection — Smaller Water Works Serving Designated Facilities).
2. The date the owner of the drinking-water system gives the Director a notice that complies with section 21-7 of Schedule 21.
3. The date the owner of the drinking-water system gives the Director a statement under subsection 21-2 (3) of Schedule 21.
4. The date the Director is notified in accordance with clause 8 (1) (d) that the steps described in clauses 8 (1) (a), (b) and (c) have been taken.
5. The date the Director imposes a condition under subsection 60 (2) of the Act in an approval under Part VI of the Act.

Annual reports

11. (1) The owner of a drinking-water system shall ensure that an annual report is prepared and given to the Director in accordance with this section.

(2) The owner of a drinking-water system, other than a large municipal residential system or a small municipal residential system, shall ensure that, at the same time that the annual report is given to the Director, a copy of the report is given to,

- (a) each designated facility served by the system; and
- (b) the interested authority for each designated facility served by the system.

(3) In the case of the following drinking-water systems, the annual report must cover the period from January 1 to December 31 in a year and must be given to the Director not later than February 28 of the following year:

1. Large municipal residential systems.
2. Small municipal residential systems.
3. Large municipal non-residential systems.
4. Small municipal non-residential systems.
5. Non-municipal year-round residential systems.

(4) In the case of non-municipal seasonal residential systems and large non-municipal non-residential systems, the annual report must cover the period from November 1 in a year to October 31 of the following year and must be given to the Director not later than December 31 of the latter year.

(5) In the case of small non-municipal non-residential systems, the annual report must cover the period from April 1 in a year to March 31 of the following year and must be given to the Director not later than May 31 of the latter year.

- (6) The annual report must,
 - (a) contain a brief description of the drinking-water system, including a list of water treatment chemicals used by the system during the period covered by the report;

- (b) summarize any reports made to the Ministry under subsection 18 (1) of the Act or section 16-4 of Schedule 16 during the period covered by the report;
 - (c) summarize the results of tests required under this Regulation, or an approval or order, including an OWRA order, during the period covered by the report and, if tests required under this Regulation in respect of a parameter were not required during that period, summarize the most recent results of tests of that parameter;
 - (d) describe any corrective actions taken under Schedule 17 or 18 during the period covered by the report;
 - (e) describe any major expenses incurred during the period covered by the report to install, repair or replace required equipment; and
 - (f) in the case of a large municipal residential system or a small municipal residential system, include a statement of where a report prepared under Schedule 22 will be available for inspection under subsection 12 (4).
- (7) The owner of the drinking-water system shall ensure that a copy of an annual report is given, without charge, to every person who requests a copy.
- (8) Subsection (7) does not apply to an annual report that is more than two years old.
- (9) The owner of the drinking-water system shall ensure that, every time an annual report is prepared, effective steps are taken to advise users of water from the system that copies of the report are available, without charge, and of how a copy may be obtained.
- (10) If a large municipal residential system serves more than 10,000 people, the owner of the system shall ensure that a copy of every report prepared under this section is available to the public at no charge on a web site on the Internet.
- (11) The obligation to ensure that a report be given to the interested authority for a designated facility under subsection (2) does not apply to the following designated facilities:
- 1. A private school.
 - 2. A children's camp.
 - 3. A residence for seniors or retired persons, or any other similar residence, where attainment of a mature age is a factor in being accepted for occupancy.
- (12) If section 12 of Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works) applied to the owner of a system to which subsection (3) applies, the report required to be given to the Director not later than February 28, 2004 under subsection (3) shall, despite that subsection, cover the period from April 1, 2003 to December 31, 2003.
- (13) If section 15 of Ontario Regulation 505/01 (Drinking Water Protection — Smaller Water Works Serving Designated Facilities) applied to the owner of a system to which subsection (3) applies, the report required to be given to the Director not later than February 28, 2004 under subsection (3) shall, despite that subsection, cover the period from August 1, 2002 to December 31, 2003.
- (14) If section 12 of Ontario Regulation 459/00 and section 15 of Ontario Regulation 505/01 did not apply to the owner of a system to which subsection (3) applies, the report required to be given to the Director not later than February 28, 2004 under subsection (3) shall, despite that subsection, cover the period from the day this section comes into force to December 31, 2003.
- (15) If section 12 of Ontario Regulation 459/00 applied to the owner of a system to which subsection (4) applies, the report required to be given to the Director not later than December 31, 2003 under subsection (4) shall, despite that subsection, cover the period from April 1, 2003 to October 31, 2003.
- (16) If section 12 of Ontario Regulation 459/00 and section 15 of Ontario Regulation 505/01 did not apply to the owner of a system to which subsection (4) applies, the report required to be given to the Director not later than December 31, 2003 under subsection (4) shall, despite that subsection, cover the period from the day this section comes into force to October 31, 2003.
- (17) If section 15 of Ontario Regulation 505/01 applied to the owner of a system to which subsection (5) applies, the report required to be given to the Director not later than May 31, 2004 under subsection (5) shall, despite that subsection, cover the period from August 1, 2002 to March 31, 2004.
- (18) If section 12 of Ontario Regulation 459/00 and section 15 of Ontario Regulation 505/01 did not apply to the owner of a system to which subsection (5) applies, no report is required to be given to the Director under subsection (5) until May 31, 2006 and, despite that subsection, the report required to be given to the Director not later than May 31, 2006 shall cover the period from June 1, 2005 to March 31, 2006.
- (19) With respect to any period before this section comes into force,
- (a) a reference in subsection (6) to reports made to the Ministry under subsection 18 (1) of the Act or section 16-4 of Schedule 16,
 - (i) shall be deemed to be a reference to,

- (A) notices given under section 8 of Ontario Regulation 459/00, if that regulation applied to the drinking-water system, or
- (B) notices given under section 11 of Ontario Regulation 505/01, if that regulation applied to the drinking-water system, and
- (ii) does not apply, in any other case;
- (b) a reference in subsection (6) to results of tests required under this Regulation,
 - (i) shall be deemed to be a reference to results of tests required under,
 - (A) Ontario Regulation 459/00, if that regulation applied to the drinking-water system, or
 - (B) Ontario Regulation 505/01, if that regulation applied to the drinking-water system, and
 - (ii) does not apply, in any other case;
- (c) a reference in subsection (6) to corrective actions taken under Schedule 17 or 18,
 - (i) shall be deemed to be a reference to,
 - (A) action taken under section 9 of Ontario Regulation 459/00, if that regulation applied to the drinking-water system, or
 - (B) action taken under section 12 of Ontario Regulation 505/01, if that regulation applied to the drinking-water system, and
 - (ii) does not apply, in any other case; and
- (d) clause (6) (f) does not apply.

Information to be available

12. (1) The owner of a drinking-water system shall ensure that the following information is available for inspection in accordance with subsection (4):

1. A copy of every test result obtained in respect of a test required under this Regulation, or under an approval or order, including an OWRA order.
 2. A copy of every approval and every order, including OWRA orders, that applies to the system and is still in effect, if the approval or order was issued after January 1, 2001.
 3. A copy of every annual report prepared under section 11.
 4. A copy of every report prepared under Schedule 20, 21 or 22.
 5. A copy of this Regulation.
- (2) Paragraphs 1 and 2 of subsection (1) do not apply to a record, report or test result until the day after it comes into the owner's possession.
- (3) Paragraphs 1, 2, 4 and 5 of subsection (1) do not apply to a record, report or test result that is more than two years old.
- (4) The information must be available for inspection by any member of the public during normal business hours without charge,
- (a) at the office of the owner or, if the office of the owner is not reasonably convenient to users of water from the system, at a location that is reasonably convenient to those users; and
 - (b) if the owner is not a municipality but the system serves a municipality, at the office of the municipality.
- (5) If the owner of a drinking-water system provides the operator of a designated facility with a copy of the information referred to in subsection (1), the operator of the facility shall ensure that the information is available at the facility, between 9 a.m. and 5 p.m. or during normal business hours, for inspection without charge by any person allowed to enter the facility.
- (6) For the purpose of this section,
- (a) a reference in paragraph 1 of subsection (1) to tests required under this Regulation shall be deemed to include a reference to,
 - (i) tests required under Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works), if that regulation applied to the drinking-water system, or
 - (ii) tests required under Ontario Regulation 505/01 (Drinking Water Protection — Small Water Works Serving Designated Facilities), if that regulation applied to the drinking-water system;
 - (b) a reference in paragraph 3 of subsection (1) to annual reports prepared under section 11 shall be deemed to include a reference to,

- (i) reports prepared under section 12 of Ontario Regulation 459/00, if that regulation applied to the drinking-water system, or
- (ii) reports prepared under section 15 of Ontario Regulation 505/01, if that regulation applied to the drinking-water system;
- (c) a reference in paragraph 4 of subsection (1) to reports prepared under Schedule 20 shall be deemed to include a reference to reports prepared under section 13 of Ontario Regulation 459/00, if that regulation applied to the drinking-water system; and
- (d) a reference in paragraph 4 of subsection (1) to reports prepared under Schedule 21 shall be deemed to include a reference to reports prepared under section 5 of Ontario Regulation 505/01, if that regulation applied to the drinking-water system.

Retention of records

13. (1) The owner of a drinking-water system shall ensure that the following documents and other records are kept for at least five years:

- 1. Every record or report related to a test required under section 7, Schedules 6 to 12, sections 17-5 to 17-9 of Schedule 17 or sections 18-5 to 18-9 of Schedule 18.
- 2. Every record or report related to a test required under an approval or order, including an OWRA order, unless the record or report relates to a parameter listed in Schedule 23 or 24 of this Regulation or Schedule 3 of Ontario Regulation 169/03 (Ontario Drinking-Water Quality Standards).
- 3. Every annual report prepared under section 11.
- 4. Every report prepared under Schedule 22.

(2) The owner of a drinking-water system shall ensure that the following documents and other records are kept for at least 15 years:

- 1. Every record or report related to a test required under Schedules 13 to 15, sections 17-10 to 17-13 of Schedule 17 or sections 18-10 to 18-13 of Schedule 18.
- 2. Every record or report related to a test required under an approval or order, including an OWRA order, if the record or report relates to a parameter listed in Schedule 23 or 24 of this Regulation or Schedule 3 of Ontario Regulation 169/03 (Ontario Drinking-Water Quality Standards).
- 3. Every report prepared under Schedule 21.
- 4. Every report referred to in paragraph 7 of subsection 2 (2) or clause 2 (3) (a) that is related to the system's raw water supply.

(3) The owner of a drinking-water system shall ensure that reports prepared under Schedule 21 are kept at a location where they can conveniently be viewed by a provincial officer who is inspecting the system's water treatment equipment.

(4) If the Director or a provincial officer makes a request for a document or other record referred to in subsection (1) or (2), the owner of a drinking-water system shall ensure that the document or other record is given to the Director or a provincial officer within such period as the Director or provincial officer may specify.

(5) For the purpose of this section,

- (a) a reference in paragraph 1 of subsection (1) to tests required under Schedules 6 to 12 shall be deemed to include a reference to,
 - (i) tests required under section 7 of Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works), other than tests referred in subclause (6) (a) (i), if that regulation applied to the drinking-water system, or
 - (ii) tests required under sections 7 and 8 of Ontario Regulation 505/01 (Drinking Water Protection — Small Water Works Serving Designated Facilities), if that regulation applied to the drinking-water system;
- (b) a reference in paragraph 1 of subsection (1) to tests required under sections 17-5 to 17-9 of Schedule 17 or sections 18-5 to 18-9 of Schedule 18 shall be deemed to include a reference to,
 - (i) tests required under clause 9 (b) of Ontario Regulation 459/00, if that regulation applied to the drinking-water system, or
 - (ii) tests required under section 12 of Ontario Regulation 505/01, if that regulation applied to the drinking-water system; and
- (c) a reference in paragraph 2 of subsection (1) to annual reports prepared under section 11 shall be deemed to include a reference to,

- (i) reports prepared under section 12 of Ontario Regulation 459/00, if that regulation applied to the drinking-water system, or
 - (ii) reports prepared under section 15 of Ontario Regulation 505/01, if that regulation applied to the drinking-water system.
- (6) For the purpose of this section,
- (a) a reference in paragraph 1 of subsection (2) to tests required under Schedules 13 to 15 shall be deemed to include a reference to,
 - (i) tests required under section 7 of Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works) with respect to Tables B, C and D of Schedule 2 to that regulation, if that regulation applied to the drinking-water system, or
 - (ii) tests required under section 9 of Ontario Regulation 505/01 (Drinking Water Protection — Small Water Works Serving Designated Facilities), if that regulation applied to the drinking-water system;
 - (b) a reference in paragraph 1 of subsection (2) to tests required under sections 17-10 to 17-13 of Schedule 17 or sections 18-10 to 18-13 of Schedule 18 shall be deemed to include a reference to tests required under clause 9 (a) of Ontario Regulation 459/00, if that regulation applied to the drinking-water system; and
 - (c) a reference in paragraph 2 of subsection (2) to reports prepared under section 21 shall be deemed to include a reference to reports prepared under section 5 of Ontario Regulation 505/01, if that regulation applied to the drinking-water system.

Forms

14. (1) Where this Regulation requires or permits the submission of a written notice or report or the posting of a warning notice, the notice or report must be in a form provided by or approved by the Director.

(2) The Director may require that a document or other record that is given to the Director under this Regulation be given in an electronic format specified by the Director.

Purpose of notice to interested authorities

15. The sole purpose of the provisions of this Regulation that require notice to be given to interested authorities is to provide interested authorities with information relating to compliance with this Regulation.

Commencement

16. **This Regulation comes into force on the day subsection 11 (1) of the *Safe Drinking Water Act, 2002* comes into force.**

SCHEDULE 1

TREATMENT EQUIPMENT

Municipal: Large Residential
Small Residential

Application

1-1. This Schedule applies to the following drinking-water systems:

1. Large municipal residential systems.
2. Small municipal residential systems.

General obligations

1-2. (1) The owner of a drinking-water system shall ensure the following:

1. Any well used as a raw water supply is constructed and maintained to prevent surface water and other foreign materials from entering the well.
 2. Water treatment equipment is provided in accordance with sections 1-3 to 1-5.
- (2) The owner of a drinking-water system and the operating authority for the system shall ensure the following:
1. The water treatment equipment is in operation whenever water is being obtained or supplied.
 2. The water treatment equipment is operated in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario*.
 3. The water treatment equipment required by section 1-3 or 1-4 is operated in a manner that achieves the design capabilities it is required to have under that section.

4. The water treatment equipment required by section 1-5 is operated so that, at all times and at all locations within the distribution system,
 - i. the free chlorine residual is never less than 0.05 milligrams per litre, if the drinking-water system provides chlorination and does not provide chloramination, or
 - ii. the combined chlorine residual is never less than 0.25 milligrams per litre, if the drinking-water system provides chloramination.
5. Adjustments to the water treatment equipment are carried out only by certified operators.

Primary disinfection for ground water raw water supply

1-3. The owner of a drinking-water system that obtains water from a raw water supply that is ground water shall ensure provision of water treatment equipment that is designed to be capable of primary disinfection in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario* and that is designed to be capable of achieving, at all times, at least 99 per cent removal or inactivation of viruses before water enters the distribution system.

Filtration and primary disinfection for surface water raw water supply

1-4. The owner of a drinking-water system that obtains water from a raw water supply that is surface water shall ensure provision of,

- (a) water treatment equipment that is designed to be capable of chemically assisted filtration and primary disinfection in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario* and that is designed to be capable of achieving, at all times, at least 99 per cent removal or inactivation of cryptosporidium (*Cryptosporidium parvum*) cysts, at least 99.9 per cent removal or inactivation of giardia (*Giardia lamblia*) cysts and at least 99.99 per cent removal or inactivation of viruses, before water enters the distribution system; or
- (b) other water treatment equipment that, in the Director's opinion, is designed to be capable of producing water of equal or better quality than the equipment described in clause (a).

Secondary disinfection

1-5. The owner of a drinking-water system shall ensure provision of,

- (a) water treatment equipment that is designed to be capable of secondary disinfection using chlorination or chloramination in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario* and that is designed to be capable of achieving, at all locations within the distribution system,
 - (i) a free chlorine residual of 0.2 milligrams per litre, if the drinking-water system provides chlorination and does not provide chloramination, or
 - (ii) a combined chlorine residual of 1.0 milligrams per litre, if the drinking-water system provides chloramination; or
- (b) other water treatment equipment that, in the Director's opinion, is designed to be capable of providing secondary disinfection that is equivalent to or better than the secondary disinfection provided by the equipment described in clause (a).

Ultraviolet light disinfection equipment

1-6. If ultraviolet light disinfection equipment is provided by a drinking-water system, the owner of the system and the operating authority for the system shall ensure that the following standards are met:

1. The disinfection equipment must have a feature that causes an alarm to sound in the following locations if the disinfection equipment malfunctions, loses power or ceases to provide the appropriate level of disinfection:
 - i. The building or structure where the disinfection equipment is installed.
 - ii. A location where a person is present, if a person is not always present at the building or structure where the disinfection equipment is installed.
2. If an alarm sounds under paragraph 1, a certified operator who is at the building or structure where the disinfection equipment is installed must take appropriate action or, if no certified operator is at that location, a certified operator must promptly be dispatched to that location to take appropriate action.
3. A certified operator who is dispatched under paragraph 2 must arrive at the building or structure where the disinfection equipment is installed as soon as possible.

OWRA approvals and OWRA orders with less stringent requirements

1-7. This Schedule prevails over an OWRA approval or OWRA order granted or issued before August 1, 2000 that provides for less stringent requirements.

OWRA approvals that give additional time for compliance

1-8. If an OWRA approval granted on or after August 1, 2000 provides that a drinking-water system is required, by a date specified in the approval that is later than the date this Regulation comes into force,

- (a) to comply with section 5 of Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works); or
- (b) to ensure that water treatment equipment is provided for primary disinfection, secondary disinfection or filtration, sections 1-2 to 1-6 do not apply until the date specified in the approval.

Delayed compliance

1-9. (1) Subject to section 1-8, if a drinking-water system commenced operation before August 1, 2000 and, immediately before that day, was not in compliance with sections 1-2 to 1-6, those sections do not apply until July 1, 2003.

(2) Subsection (1) does not apply if an OWRA approval granted on or after August 1, 2000 provided that the drinking-water system was required, by a date specified in the approval that is on or before the date this Regulation comes into force,

- (a) to comply with section 5 of Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works); or
- (b) to ensure that water treatment equipment is provided for primary disinfection, secondary disinfection or filtration.

SCHEDULE 2**TREATMENT EQUIPMENT**

Municipal: Large Non-Residential
Small Non-Residential

Non-Municipal: Year-Round Residential
Seasonal Residential
Large Non-Residential
Small Non-Residential

Application

2-1. This Schedule applies to the following drinking-water systems:

1. Large municipal non-residential systems.
2. Small municipal non-residential systems.
3. Non-municipal year-round residential systems.
4. Non-municipal seasonal residential systems.
5. Large non-municipal non-residential systems.
6. Small non-municipal non-residential systems.

General obligations

2-2. (1) The owner of a drinking-water system shall ensure the following:

1. Any well used as a raw water supply is constructed and maintained to prevent surface water and other foreign materials from entering the well.
 2. Water treatment equipment is provided in accordance with sections 2-3 to 2-5.
- (2) The owner of a drinking-water system and the operating authority for the system shall ensure the following:
1. The water treatment equipment is in operation whenever water is being obtained or supplied.
 2. The water treatment equipment is operated in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario*.
 3. The water treatment equipment required by section 2-3 or 2-4 is operated in a manner that achieves the design capabilities it is required to have under that section.
 4. The water treatment equipment required by section 2-5 is operated so that, at all times and at all locations within the distribution system,
 - i. the free chlorine residual is never less than 0.05 milligrams per litre, if the drinking-water system provides chlorination and does not provide chloramination, or
 - ii. the combined chlorine residual is never less than 0.25 milligrams per litre, if the drinking-water system provides chloramination.
 5. The water treatment equipment is properly maintained.

6. Written operating instructions for the water treatment equipment are kept near the equipment.
7. Clearly marked adequate supplies of chemicals or other materials necessary for the operation of the water treatment equipment are kept nearby, separate from other chemicals and materials that are not used for the drinking-water system.
8. Replacement parts are kept nearby for those parts of the water treatment equipment that may be expected to require periodic replacement.
9. Adjustments to the water treatment equipment are carried out only by,
 - i. certified operators, in the case of,
 - A. a large municipal non-residential system,
 - B. a non-municipal year-round residential system, or
 - C. a large non-municipal non-residential system, or
 - ii. trained persons, in the case of,
 - A. a small municipal non-residential system,
 - B. a non-municipal seasonal residential system, or
 - C. a small non-municipal non-residential system.

Primary disinfection for ground water raw water supply

2-3. The owner of a drinking-water system that obtains water from a raw water supply that is ground water shall ensure provision of water treatment equipment that is designed to be capable of primary disinfection in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario* and that is designed to be capable of achieving, at all times, at least 99 per cent removal or inactivation of viruses before water enters the distribution system.

Filtration and primary disinfection for surface water raw water supply

2-4. The owner of a drinking-water system that obtains water from a raw water supply that is surface water shall ensure provision of,

- (a) water treatment equipment that is designed to be capable of chemically assisted filtration and primary disinfection in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario* and that is designed to be capable of achieving, at all times, at least 99 per cent removal or inactivation of cryptosporidium (*Cryptosporidium parvum*) cysts, at least 99.9 per cent removal or inactivation of giardia (*Giardia lamblia*) cysts and at least 99.99 per cent removal or inactivation of viruses, before water enters the distribution system or plumbing; or
- (b) other water treatment equipment that, in the opinion of a professional engineer, is designed to be capable of producing water of equal or better quality than the equipment described in clause (a).

Secondary disinfection

2-5. (1) The owner of a drinking-water system shall ensure provision of,

- (a) water treatment equipment that is designed to be capable of secondary disinfection using chlorination or chloramination in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario* and that is designed to be capable of achieving, at all locations within the distribution system,
 - (i) a free chlorine residual of 0.2 milligrams per litre, if the drinking-water system provides chlorination and does not provide chloramination, or
 - (ii) a combined chlorine residual of 1.0 milligrams per litre, if the drinking-water system provides chloramination; or
 - (b) other water treatment equipment that, in the opinion of a professional engineer, is designed to be capable of providing secondary disinfection that is equivalent to or better than the secondary disinfection provided by the equipment described in clause (a).
- (2) This section does not apply if,
- (a) the owner complies with section 2-3 or 2-4, whichever is applicable; and
 - (b) all parts of the drinking-water system and of the plumbing connected to the drinking-water system that are downstream of the equipment provided in accordance with section 2-3 or 2-4 are enclosed in a building or other protective structure.

Ultraviolet light disinfection equipment

2-6. If ultraviolet light disinfection equipment is provided by a drinking-water system, the owner of the drinking-water system and the operating authority for the system shall ensure that the following standards are met:

1. The disinfection equipment must have a feature that causes an alarm to sound in the following locations if the disinfection equipment malfunctions, loses power or ceases to provide the appropriate level of disinfection:
 - i. The building or structure where the disinfection equipment is installed.
 - ii. A location where a person is present, if a person is not always present at the location described in subparagraph i.
 - iii. Every designated facility served by the drinking-water system.
2. If an alarm sounds under paragraph 1, a person described in paragraph 9 of subsection 2-2 (2) who is at the building or structure where the disinfection equipment is installed must take appropriate action or, if no such person is at that location, a person described in paragraph 9 of subsection 2-2 (2) must promptly be dispatched to that location to take appropriate action.
3. A person who is dispatched under paragraph 2 must arrive at the building or structure where the disinfection equipment is installed as soon as possible.

OWRA approvals and OWRA orders with less stringent requirements

2-7. This Schedule prevails over an OWRA approval or OWRA order granted or issued before August 1, 2000 that provides for less stringent requirements.

OWRA approvals and OWRA orders that give additional time for compliance

2-8. If an OWRA approval or OWRA order granted or issued on or after August 1, 2000 provides that a drinking-water system is required, by a date specified in the approval or order that is later than the date this Regulation comes into force,

- (a) to comply with section 5 of Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works) or section 4 of Ontario Regulation 505/01 (Drinking Water Protection — Smaller Water Works Serving Designated Facilities); or

(b) to ensure that water treatment equipment is provided for primary disinfection, secondary disinfection or filtration, sections 2-2 to 2-6 do not apply until the date specified in the approval or order.

Delayed compliance

2-9. (1) Subject to section 2-8, if a large municipal non-residential system, a non-municipal year-round residential system or a large non-municipal non-residential system does not serve a designated facility, the system commenced operation before August 1, 2000 and, immediately before that day, the system was not in compliance with sections 2-2 to 2-6, those sections do not apply until,

- (a) July 1, 2004, if the system obtains water from a raw water supply that is surface water; or
- (b) December 31, 2005, if the system obtains water from a raw water supply that is ground water.

(2) Subject to section 2-8, if a small municipal non-residential system, a non-municipal seasonal residential system or a small non-municipal non-residential system does not serve a designated facility, the system commenced operation before the day this Regulation comes into force and, immediately before that day, the system was not in compliance with sections 2-2 to 2-6, those sections do not apply until,

- (a) July 1, 2005, if the system obtains water from a raw water supply that is surface water; or
- (b) December 31, 2006, if the system obtains water from a raw water supply that is ground water.

(3) Subject to section 2-8, if a large municipal non-residential system, a small municipal non-residential system, a non-municipal year-round residential system, a non-municipal seasonal residential system, a large non-municipal non-residential system or a small non-municipal non-residential system serves a designated facility other than a school, the system commenced operation before December 19, 2001 and, immediately before that day, the system was not in compliance with sections 2-2 to 2-6, those sections do not apply until July 1, 2003.

(4) Despite subsection (3) but subject to section 2-8, if a large municipal non-residential system, a small municipal non-residential system, a non-municipal year-round residential system, a non-municipal seasonal residential system, a large non-municipal non-residential system or a small non-municipal non-residential system serves a designated facility referred to in subsection (5), the system commenced operation before the day this Regulation came into force and, immediately before that day, the system was not in compliance with sections 2-2 to 2-6, those sections do not apply until July 1, 2004.

(5) Subsection (4) applies to a drinking-water system if it serves one or more of the following designated facilities:

1. A children's camp.
2. A residence for seniors or retired persons, or any other similar residence, where attainment of a mature age is a factor in being accepted for occupancy, if the residence is not operated for commercial purposes.

(6) Subsections (1) to (5) do not apply if an OWRA approval or OWRA order granted or issued on or after August 1, 2000 provided that the drinking-water system was required, by a date specified in the approval or order that is on or before the date this Regulation comes into force,

- (a) to comply with section 5 of Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works) or section 4 of Ontario Regulation 505/01 (Drinking Water Protection — Smaller Water Works Serving Designated Facilities); or
- (b) to ensure that water treatment equipment is provided for primary disinfection, secondary disinfection or filtration.

Notice if s. 2-9 applies

2-10. (1) The owner of a drinking-water system to which section 2-9 applies, other than a system that serves a designated facility, shall give a notice to the Director in accordance with subsection (2) not later than,

- (a) December 31, 2004, in the case of a small non-municipal non-residential system; or
- (b) July 1, 2004, in the case of any other drinking-water system.

(2) The notice must indicate one of the following:

- 1. The owner intends to comply with sections 2-2 to 2-6 not later than the date the owner is required to comply under section 2-9.
- 2. The owner intends to make an application under clause 38 (3) (a) or 60 (3) (a) of the Act for relief from compliance with some or all of the requirements of sections 2-2 to 2-6.
- 3. The owner intends to post warning notices and take the other steps necessary to obtain the exemption provided by section 8 of this Regulation.

(3) The owner of a drinking-water system shall promptly give a notice to the Director that describes any changes that occur with respect to information that was given in an earlier notice under subsection (1) or this subsection.

(4) Subsection (1) does not apply if, before the date the notice is required to be given to the Director under that subsection,

- (a) the owner of the drinking-water system gives the Director a notice that complies with section 21-7 of Schedule 21; or
- (b) the owner of the drinking-water system makes an application under clause 38 (3) (a) or 60 (3) (a) of the Act for relief from compliance with some or all of the requirements of sections 2-2 to 2-6.

SCHEDULE 3

POINT OF ENTRY TREATMENT

Municipal: Large Non-Residential
Small Non-Residential

Non-Municipal: Large Non-Residential
Small Non-Residential

Application

3-1. This Schedule applies to the following drinking-water systems:

- 1. Large municipal non-residential systems.
- 2. Small municipal non-residential systems.
- 3. Large non-municipal non-residential systems.
- 4. Small non-municipal non-residential systems.

Exemption: s. 2-5 of Sched. 2

3-2. Section 2-5 of Schedule 2 does not apply to a drinking-water system if the following criteria are met:

- 1. A point of entry treatment unit belonging to the owner of the drinking-water system is installed in the plumbing of every building and other structure served by the drinking-water system.
- 2. If adjustments are required to a point of entry unit and access to the unit requires the permission of the occupants of the building or structure that is served by the unit, notice must be given to the occupants informing them that access is required for that purpose.

SCHEDULE 4

RELIEF FROM SCHEDULE 1

Municipal: Large Residential
Small Residential

Application: systems

4-1. This Schedule applies to the following drinking-water systems:

1. Large municipal residential systems.
2. Small municipal residential systems.

Application: conditions

4-2. This Schedule applies to a condition imposed by the Director under clause 38 (2) (a) of the Act only if the condition provides relief from compliance with all of the requirements of the following provisions:

1. Paragraph 2 of subsection 1-2 (1) of Schedule 1.
2. Subsection 1-2 (2) of Schedule 1.
3. Sections 1-3 to 1-6 of Schedule 1.

Prohibitions

4-3. (1) The Director is prohibited from imposing a condition under clause 38 (2) (a) of the Act if the drinking-water system obtains water from a raw water supply that is surface water.

(2) The Director is prohibited from imposing a condition under clause 38 (2) (a) of the Act if the condition would apply after the fifth anniversary of the date the condition is imposed, but this subsection does not prohibit the Director from subsequently imposing that condition again pursuant to a new application under clause 38 (3) (a) of the Act.

(3) The Director is prohibited from imposing a condition under clause 38 (2) (a) of the Act unless the municipality to which the drinking-water system relates has passed a resolution requesting the condition.

Assessment

4-4. A person who proposes that the Director include a condition in an approval under clause 38 (2) (a) of the Act shall ensure that a written assessment is prepared in accordance with the following rules before an application is made under clause 38 (3) (a) of the Act:

1. The assessment must be prepared by a professional hydrogeologist.
2. The assessment must assess the aquifer and the wells that the drinking-water system obtains water from, the well head protection and the impact of existing and anticipated land uses.
3. The assessment must include,
 - i. the results of all drinking-water tests required under the Act during the 24 months before the assessment is prepared, and
 - ii. the results of all analyses required under Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works) during the 24 months before the assessment is prepared, if the assessment is prepared less than 24 months after the revocation of that Regulation.
4. The assessment must include,
 - i. a written statement from the professional hydrogeologist confirming that he or she has requested and, to the best of his or her knowledge, received all information in the possession of the medical officer of health that relates to the drinking-water system,
 - ii. a written statement from the professional hydrogeologist confirming that he or she has consulted with the medical officer of health about potential health-related issues or concerns that relate to the drinking-water system, and
 - iii. a summary of all the potential health-related issues and concerns that relate to the drinking-water system that were identified by the medical officer of health.

Consultation

4-5. A person who proposes that the Director include a condition in an approval under clause 38 (2) (a) of the Act shall ensure that public consultation is conducted in accordance with the following rules before an application is made under clause 38 (3) (a) of the Act:

1. A public meeting must be conducted to obtain comments on the proposed condition.

2. Reasonable notice of the public meeting must be given to users and prospective users of water from the drinking-water system.
3. The person proposing the condition must prepare a written summary of the comments made at the public meeting, along with the person's responses to the comments.

SCHEDULE 5

RELIEF FROM SCHEDULE 2

Municipal: Large Non-Residential
Small Non-Residential

Non-Municipal: Year-Round Residential
Seasonal Residential
Large Non-Residential
Small Non-Residential

Application

5-1. This Schedule applies to the following drinking-water systems:

1. Large municipal non-residential systems.
2. Small municipal non-residential systems.
3. Non-municipal year-round residential systems.
4. Non-municipal seasonal residential systems.
5. Large non-municipal non-residential systems.
6. Small non-municipal non-residential systems.

Application: conditions

5-2. This Schedule applies to a condition imposed by the Director under clause 38 (2) (a) or 60 (2) (a) of the Act only if the condition provides relief from compliance with all of the requirements of the following provisions:

1. Paragraph 2 of subsection 2-2 (1) of Schedule 2.
2. Subsection 2-2 (2) of Schedule 2.
3. Sections 2-3 to 2-6 of Schedule 2.

Prohibitions

5-3. (1) The Director is prohibited from imposing a condition under clause 38 (2) (a) or 60 (2) (a) of the Act if the drinking-water system obtains water from a raw water supply that is surface water.

(2) The Director is prohibited from imposing a condition under clause 38 (2) (a) or 60 (2) (a) of the Act if the condition would apply after the fifth anniversary of the date the condition is imposed, but this subsection does not prohibit the Director from subsequently imposing that condition again pursuant to a new application under clause 38 (3) (a) or 60 (3) (a) of the Act.

Assessment

5-4. (1) A person who proposes that the Director include a condition in an approval under clause 38 (2) (a) or 60 (2) (a) of the Act shall ensure that a written assessment is prepared in accordance with the following rules before an application is made under clause 38 (3) (a) or 60 (3) (a) of the Act:

1. The assessment must be prepared by a professional engineer.
2. The assessment must include,
 - i. a written statement from the professional engineer confirming that he or she has requested and, to the best of his or her knowledge, received all information in the possession of the medical officer of health that relates to the drinking-water system,
 - ii. a written statement from the professional engineer confirming that he or she has consulted with the medical officer of health about potential health-related issues or concerns that relate to the drinking-water system, and
 - iii. a summary of all the potential health-related issues and concerns that relate to the drinking-water system that were identified by the medical officer of health.
3. The assessment must include a characterization of the drinking-water system's raw water supply prepared by or under the supervision of the professional engineer that includes,

- i. the results of all microbiological tests conducted on waters from the system during the 24 months before the assessment is prepared,
 - ii. the results of a testing program conducted on the system's raw water supply that includes, in each of the 24 months before the assessment is prepared, at least one test for *Escherichia coli* (E. coli) or fecal coliforms and at least one test for total coliforms,
 - iii. a written statement from the professional engineer confirming that, in his or her opinion, there are no significant and rapid shifts in raw water supply characteristics in relation to any of the following parameters:
 - A. pH,
 - B. turbidity,
 - C. temperature,
 - D. nitrate and nitrite,
 - E. conductivity, and
 - iv. copies of all results of any tests the professional engineer has obtained, from any person, that show past evidence of any of the following organisms or chemicals in the system's raw water supply:
 - A. viruses,
 - B. chlorophyll a,
 - C. protozoan cysts,
 - D. macro-organisms.
4. The assessment must include surveys and analyses prepared by or under the supervision of the professional engineer that deal with the potential risks of microbiological contamination with respect to each of the following:
- i. well construction and well head protection,
 - ii. the well head vicinity and recharge zone,
 - iii. the drinking-water system's distribution system and plumbing that is connected to the drinking-water system that is owned by the owner of the drinking-water system,
 - iv. connections between the drinking-water system and plumbing that is not owned by the owner of the drinking-water system.
5. The assessment must include a proposed management plan prepared by or under the supervision of the professional engineer that provides guidance for operations related to preventing, reducing and managing microbiological risks, including,
- i. procedures describing seasonal start-up and scheduled routine maintenance activities related to flushing and disinfecting the system,
 - ii. procedures for increased monitoring activities following heavy rainfall, floods or other adverse weather events,
 - iii. logs for recording samples taken for tests, including records of locations, times, signatures and test results,
 - iv. a protocol for notifying users of water from the system, the Ministry and the medical officer of health, including contact lists,
 - v. procedures for corrective action to be taken on receipt of adverse sampling results that are consistent with the Ministry's *Procedure for Corrective Action for Systems Not Currently Using Chlorine*, and
 - vi. procedures for recording summaries of any corrective actions taken, the results that were achieved, and the resolution of the issues that gave rise to the corrective actions.
- (2) Subparagraph 3 i of subsection (1) does not apply to a drinking-water system that has not begun operation.

Consultation

5-5. A person who proposes that the Director include a condition in an approval under clause 38 (2) (a) or 60 (2) (a) of the Act shall ensure that public consultation is conducted in accordance with the following rules before an application is made under clause 38 (3) (a) or 60 (3) (a) of the Act:

1. The following persons must be notified of the proposed condition and given a reasonable opportunity to comment on it:
 - i. The occupants of the private residences served by the system.
 - ii. The operators and occupants of the designated facilities served by the system.

- iii. The operators of the public facilities served by the system.
 - iv. The operators of all other premises served by the system.
2. The person proposing the condition must prepare a written summary of the comments made under paragraph 1, along with the person's responses to the comments.

SCHEDULE 6

OPERATIONAL CHECKS, SAMPLING AND TESTING — GENERAL

Application

6-1. This Schedule applies to the following drinking-water systems:

1. Large municipal residential systems.
2. Small municipal residential systems.
3. Large municipal non-residential systems.
4. Small municipal non-residential systems.
5. Non-municipal year-round residential systems.
6. Non-municipal seasonal residential systems.
7. Large non-municipal non-residential systems.
8. Small non-municipal non-residential systems.

Location of samples

6-2. Unless otherwise specified, a person who is required to ensure that samples are taken under this Regulation, or under an approval or order, including an OWRA order, shall ensure that they are taken from the point at which treated water enters the drinking-water systems' distribution system or plumbing that is connected to the drinking-water system.

Microbiological samples and chlorine residual

6-3. (1) If this Regulation or an approval or order, including an OWRA order, requires a water sample to be taken and tested for a microbiological parameter, the owner of the drinking-water system and the operating authority for the system shall ensure that another sample is taken at the same time from the same location and is tested immediately for,

- (a) free chlorine residual, if the system provides chlorination and does not provide chloramination; or
- (b) combined chlorine residual, if the system provides chloramination.

(2) Subsection (1) does not apply to water samples taken from the drinking-water system's raw water or raw water supply.

(3) Subsection (1) does not apply to sampling and testing for a microbiological parameter that is conducted by microbiological in-line testing equipment.

Form of sampling

6-4. (1) A person who is required to ensure that samples are taken under this Regulation, or under an approval or order, including an OWRA order, shall ensure that they are taken in the form of grab samples, unless continuous monitoring equipment or microbiological in-line testing equipment is authorized or required.

(2) Continuous monitoring equipment may be used for sampling and testing that is required under this Regulation, or under an approval or order, for,

- (a) turbidity;
- (b) fluoride;
- (c) free chlorine residual; and
- (d) free chlorine residual and total chlorine residual measured for the purpose of determining combined chlorine residual.

(3) Microbiological in-line testing equipment may be used for sampling and testing for a microbiological parameter that is required under this Regulation, or under an approval or order, if the Director is of the opinion that the testing method used by the equipment and the person operating the equipment is equivalent to a testing method for the parameter that is accredited by the Standards Council of Canada.

Continuous monitoring

6-5. (1) If a drinking-water system uses continuous monitoring equipment for sampling and testing that is required under this Regulation, or under an approval or order, for a parameter set out in the Table to this section, the owner of the system and the operating authority for the system shall ensure that the following standards are met:

1. The continuous monitoring equipment must,
 - i. test for the parameter with at least the minimum frequency specified in the Table for the parameter, and
 - ii. record the date, time, sampling location and result of every test for the parameter with at least the minimum frequency referred to in subparagraph i.
2. If the continuous monitoring equipment tests for a parameter more often than is required by subparagraph 1 i, the equipment may, instead of complying with subparagraph 1 ii,
 - i. record the minimum, maximum and mean results of tests for the parameter for every period that is equal to the length of time referred to in subparagraph 1 i, along with the sampling location, the date of the tests conducted during the period and the time at the end of the period, and
 - ii. record the result of every test that causes an alarm to sound under paragraph 5, along with the sampling location and the date and time of the test.
3. Test results recorded under paragraph 1 or 2 must be examined, within 24 hours after the tests are conducted,
 - i. by a certified operator, in the case of,
 - A. a large municipal residential system,
 - B. a small municipal residential system,
 - C. a large municipal non-residential system,
 - D. a non-municipal year-round residential system, or
 - E. a large non-municipal non-residential system, or
 - ii. by a trained person, in the case of,
 - A. a non-municipal seasonal residential system,
 - B. a small municipal non-residential system, or
 - C. a small non-municipal non-residential system.
4. If test results are not examined under paragraph 3 at the location where the tests are conducted, the continuous monitoring equipment must transmit the results to the location where they are examined.
5. The continuous monitoring equipment must cause an alarm to sound at the following locations if the equipment malfunctions or loses power or a test result for a parameter is above the maximum alarm standard or below the minimum alarm standard specified in the Table to this section for the parameter:
 - i. The location where the equipment conducts tests.
 - ii. A location where a person is present, if a person is not always present at the location where the equipment conducts tests.
 - iii. Every designated facility served by the drinking-water system, unless the system is a large municipal residential system or a small municipal residential system.
6. If any of the following circumstances arise, a person qualified to examine test results under paragraph 3 who is at the location where tests are conducted must take appropriate action or, if no such person is at that location, one must promptly be dispatched to that location to take appropriate action:
 - i. An alarm sounds under paragraph 5.
 - ii. A record of a test result indicates that an alarm should have sounded under paragraph 5.
 - iii. There is good reason to believe that the continuous monitoring equipment has malfunctioned or lost power.
7. A person who is dispatched under paragraph 6 must arrive at the location where tests are conducted as soon as possible.
8. The continuous monitoring equipment must be checked and calibrated in accordance with the manufacturer's instructions.
9. If the manufacturer's instructions do not indicate how often to check and calibrate the continuous monitoring equipment, the equipment must be checked and calibrated at least once a month while the drinking-water system is in operation, in the case of,

- i. a small municipal non-residential system,
 - ii. a non-municipal seasonal residential system, or
 - iii. a small non-municipal non-residential system.
10. If the manufacturer's instructions do not indicate how often to check and calibrate the continuous monitoring equipment and paragraph 9 does not apply, the equipment must be checked and calibrated as often as necessary to ensure that test results are within the following margins of error:
- i. In the case of free chlorine residual, 0.05 milligrams per litre, if the concentrations usually measured by the equipment are less than or equal to 1.0 milligrams per litre, and proportionally higher if the concentrations usually measured are greater than 1.0 milligrams per litre,
 - ii. In the case of free chlorine residual and total chlorine residual measured for the purpose of determining combined chlorine residual, 0.05 milligrams per litre, if the concentrations usually measured by the equipment are less than or equal to 1.0 milligrams per litre, and proportionally higher if the concentrations usually measured are greater than 1.0 milligrams per litre,
 - iii. 0.1 Nephelometric Turbidity Units (NTU), in the case of turbidity.

(2) For the purposes of the Table to this section, the concentration of free chlorine residual or combined chlorine residual that is required to achieve primary disinfection for the drinking-water system shall be determined in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario*.

TABLE

Item	Parameter	Minimum Testing and Recording Frequency	Maximum Alarm Standard	Minimum Alarm Standard
1.	Free chlorine residual	5 minutes	Not applicable	0.1 milligrams per litre less than the concentration of free chlorine residual that is required to achieve primary disinfection
2.	Free chlorine residual and total chlorine residual measured for the purpose of determining combined chlorine residual	5 minutes	Not applicable	0.1 milligrams per litre less than the concentration of combined chlorine residual that is required to achieve primary disinfection
3.	Turbidity	15 minutes	1.0 Nephelometric Turbidity Units (NTU)	Not applicable

Turbidity testing

6-6. If a water sample is required to be taken and tested for turbidity, the owner of the drinking-water system and the operating authority for the system shall ensure that the testing is conducted using a turbidity meter that measures turbidity in Nephelometric Turbidity Units (NTU).

Chlorine residual testing

6-7. (1) If a water sample is required to be taken and tested for free chlorine residual or combined chlorine residual, the owner of the drinking-water system and the operating authority for the system shall ensure that the testing is conducted using,

- (a) an electronic direct readout colourimetric or amperometric chlorine analyzer; or
- (b) another device, if, based on an inspection of the device and on a review of relevant records and documentation, a professional engineer certifies in writing that it is equivalent to or better than an electronic direct readout colourimetric or amperometric chlorine analyser, having regard to accuracy, reliability and ease of use.

(2) Subsection (1) does not apply to testing that is conducted by continuous monitoring equipment.

Sample handling

6-8. (1) If this Regulation or an approval or order, including an OWRA order, requires a water sample to be tested for a parameter by a laboratory, the owner of the drinking-water system and the operating authority for the system shall ensure that, subject to the other provisions of this Regulation, the sample is taken and handled in accordance with the directions of the laboratory to which the sample will be delivered for testing, including directions to,

- (a) follow any sampling instructions that are provided by the laboratory;
- (b) use a specified kind of container or a container that is provided by the laboratory;
- (c) complete and submit any forms that are provided by the laboratory; and

(d) deliver the sample to the laboratory within a time period specified by the laboratory.

(2) If this Regulation or an approval or order, including an OWRA order, requires a water sample to be tested for a microbiological parameter by a laboratory, the owner of the drinking-water system and the operating authority for the system shall ensure that the sample is kept refrigerated or in a cooler at all times during storage and transportation between the time the sample is taken and the time the sample is delivered to the laboratory.

Testing by laboratories

6-9. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that every test required by this Regulation, or by an approval or order, including an OWRA order, for a parameter is conducted by an accredited laboratory for that parameter.

(2) If a test required by this Regulation, or by an approval or order, including an OWRA order, is conducted by a laboratory outside Ontario, the owner of the drinking-water system and the operating authority for the system shall ensure that,

- (a) the laboratory is provided with a copy of this Regulation; and
- (b) the laboratory has agreed in writing to comply with subsection (3) of this section, with Schedule 16 and with subsections 18 (1) and (4) of the Act.

(3) A laboratory that conducts a test required by this Regulation, or by an approval or order, including an OWRA order, shall, within 14 days after completing the test, prepare a report on the results of the test and send a copy of the report to the Director and to,

- (a) the operating authority for the drinking-water system, if an operating authority is responsible for the system; or
- (b) the owner of the drinking-water system, if no operating authority is responsible for the system.

(4) If a test of a water sample for a parameter is required by this Regulation, or by an approval or order, including an OWRA order, the owner of the drinking-water system and the operating authority for the system shall ensure that written notice of the identity of the laboratory that will conduct the test is given to the Director before the sample is tested, unless,

- (a) the Director has previously been notified under this subsection that a water sample from the drinking-water system was to be tested for that parameter by that laboratory; or
- (b) before this Regulation came into force, the Director was previously notified in accordance with Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works) or Ontario Regulation 505/01 (Drinking Water Protection — Smaller Water Works Serving Designated Facilities) that a water sample from the drinking-water system was to be tested for that parameter by that laboratory.

(5) Subsection (1) does not apply to,

- (a) testing that is conducted by continuous monitoring equipment or microbiological in-line testing equipment;
- (b) testing that is conducted in accordance with an approval or order, including an OWRA order, if the testing is for a parameter that is not listed in the Ontario Drinking-Water Quality Standards and,
 - (i) the parameter is not identified in the approval or order as a health-related parameter, or
 - (ii) the parameter is identified in the approval or order as a health-related parameter and the testing is conducted by a Ministry of the Environment laboratory or by a laboratory that, in the Director's opinion, is proficient in conducting tests for that parameter; or
- (c) testing for fluoride, turbidity or free chlorine residual or combined chlorine residual, if the testing is conducted in the drinking-water system, or in a facility served by the system, by,
 - (i) a certified operator,
 - (ii) a trained person,
 - (iii) a provincial officer, or
 - (iv) a person who,
 - (A) has at least one year of experience working in a laboratory in a drinking-water system or in a laboratory that, in the Director's opinion, is similar to a laboratory in a drinking-water system, and
 - (B) has passed an examination approved by the Director that relates to water quality testing in drinking-water systems or, in the Director's opinion, has education, training or experience indicating that the person has the skills tested by the examination.

(6) If a test of a water sample for a parameter is required by an approval or order, including an OWRA order, and the parameter is identified in the approval or order as a health-related parameter, the owner of the drinking-water system and the

operating authority for the system shall ensure that the laboratory that conducts the testing is informed, when the sample is sent to the laboratory, of the maximum concentration set out for the parameter in the approval or order.

(7) A laboratory that conducts tests required by this Regulation, or by an approval or order, including an OWRA order, for more than one microbiological parameter,

- (a) shall conduct separate tests for each parameter; and
- (b) shall not infer the result for one parameter from a result obtained for another parameter.

(8) For the purposes of this section, a laboratory is an accredited laboratory for a parameter if,

- (a) the laboratory is accredited for testing of that parameter by the Standards Council of Canada; or
- (b) the laboratory has obtained an accreditation for testing of that parameter that, in the Director's opinion, is equivalent to accreditation by the Standards Council of Canada.

(9) For the purposes of this section, testing for a microbiological parameter shall be deemed to be conducted by an accredited laboratory for that parameter if it is carried out in an Ontario Ministry of Health and Long-Term Care laboratory by a member of the College of Medical Laboratory Technologists of Ontario.

Records

6-10. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that, for every sample required by this Regulation or by an approval or order, including an OWRA order, a record is made of the following information:

1. The date and time the sample was taken, the location where the sample was taken and the name of the person who took the sample.
2. If the sample is taken under section 7 of this Regulation or Schedule 7, 8 or 9, the date and time the sample was tested, the name of the person who conducted the test, and the results of the test.

(2) Subsection (1) does not apply to a sample tested by continuous monitoring equipment or microbiological in-line testing equipment.

OWRA orders

6-11. If an OWRA order requires samples to be taken and tested for a parameter and a provision of Schedules 7 to 15 also requires samples to be taken and tested for the parameter, the provision of Schedules 7 to 15 prevails.

SCHEDULE 7

OPERATIONAL CHECKS

Municipal: Large Residential
Small Residential

Application

7-1. This Schedule applies to the following drinking-water systems.

1. Large municipal residential systems.
2. Small municipal residential systems.

Chlorine residual

7-2. (1) The owner of a drinking-water system that provides chlorination for primary disinfection shall ensure that sampling and testing for free chlorine residual is carried out by continuous monitoring equipment in the treatment process at a location where the intended contact time has just been completed in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario*.

(2) The owner of a drinking-water system that provides chloramination for primary disinfection shall ensure that sampling and testing for combined chlorine residual is carried out by continuous monitoring equipment in the treatment process at a location where the intended contact time has just been completed in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario*.

(3) The owner of a drinking-water system that provides secondary disinfection and the operating authority for the system shall ensure that a distribution sample is taken at least once every day and is tested immediately for,

- (a) free chlorine residual, if the system provides chlorination and does not provide chloramination; or
- (b) combined chlorine residual, if the system provides chloramination.

Turbidity

7-3. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that a water sample is taken at least once every month, from a location that is before raw water enters the treatment system, and is tested for turbidity.

(2) If a drinking-water system obtains water from a raw water supply that is surface water and the system provides filtration,

- (a) subsection (1) does not apply; and
- (b) the owner of the system shall ensure that sampling and testing for turbidity is carried out by continuous monitoring equipment on each filter effluent line.

Fluoride

7-4. If a drinking-water system provides fluoridation,

- (a) the owner of the system and the operating authority for the system shall ensure that a water sample is taken at the end of the fluoridation process at least once every day and is tested for fluoride; and
- (b) the owner of the system and the operating authority for the system shall ensure that the concentration of fluoride is maintained between 0.5 and 0.8 milligrams per litre at the end of the fluoridation process.

Testing by certified operators

7-5. The owner of a drinking-water system and the operating authority for the system shall ensure that every test required by this Schedule is conducted by a certified operator, unless the test is carried out by continuous monitoring equipment.

SCHEDULE 8

OPERATIONAL CHECKS

Municipal: Large Non-Residential

Non-Municipal: Year-Round Residential
Large Non-Residential

Application

8-1. This Schedule applies to the following drinking-water systems:

1. Large municipal non-residential systems.
2. Non-municipal year-round residential systems.
3. Large non-municipal non-residential systems.

Check of treatment equipment

8-2. The owner of a drinking-water system and the operating authority for the system shall ensure that all water treatment equipment is checked at least once each week by a certified operator to confirm proper functioning and that, for each check, a record is made of the date and time of the check, the name of the person who performed the check and the results of the check.

Chlorine residual

8-3. (1) The owner of a drinking-water system that provides chlorination for primary disinfection and the operating authority for the system shall ensure that a water sample is taken at least once every day, in the treatment process at a location where the intended contact time has just been completed in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario*, and is tested immediately for free chlorine residual.

(2) The owner of a drinking-water system that provides chloramination for primary disinfection shall ensure that sampling and testing for combined chlorine residual is carried out by continuous monitoring equipment in the treatment process at a location where the intended contact time has just been completed in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario*.

(3) The owner of a drinking-water system that provides secondary disinfection and the operating authority for the system shall ensure that a distribution sample is taken at least once every day and is tested immediately for,

- (a) free chlorine residual, if the system provides chlorination and does not provide chloramination; or
- (b) combined chlorine residual, if the system provides chloramination.

Turbidity

8-4. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that a water sample is taken at least once every month, from a location that is before raw water enters the treatment system, and is tested immediately for turbidity.

(2) If a drinking-water system obtains water from a raw water supply that is surface water and the system provides filtration,

- (a) subsection (1) does not apply; and
- (b) the owner of the system shall ensure that sampling and testing for turbidity is conducted by continuous monitoring equipment on each filter effluent line.

Testing by certified operators

8-5. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that every test required by this Schedule is conducted by a certified operator.

(2) Subsection (1) does not apply to tests conducted by continuous monitoring equipment.

Non-residential systems

8-6. Sections 8-2, 8-3 and 8-4 do not apply to the following drinking-water systems during days on which all designated facilities and all public facilities served by the system are not open:

- 1. A large municipal non-residential system.
- 2. A large non-municipal non-residential system.

Transition: certified operators

8-7. If the owner of a drinking-water system is not required to comply with sections 2-2 to 2-6 of Schedule 2 until after this Regulation comes into force, a reference in this Schedule to a certified operator shall be deemed, with respect to that system, to be a reference to any person until the owner complies with sections 2-2 to 2-6 of Schedule 2.

SCHEDULE 9

OPERATIONAL CHECKS

Municipal: Small Non-Residential

Non-Municipal: Seasonal Residential
Small Non-Residential

Application

9-1. This Schedule applies to the following drinking-water systems:

- 1. Small municipal non-residential systems.
- 2. Non-municipal seasonal residential systems.
- 3. Small non-municipal non-residential systems.

Check of treatment equipment

9-2. The owner of a drinking-water system and the operating authority for the system shall ensure that all water treatment equipment is checked at least once each week by a trained person to confirm proper functioning and that, for each check, a record is made of the date and time of the check, the name of the person who performed the check and the results of the check.

Chlorine residual

9-3. (1) The owner of a drinking-water system that provides chlorination for primary disinfection and the operating authority for the system shall ensure that a water sample is taken at least once every day, in the treatment process at a location where the intended contact time has just been completed in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario*, and is tested immediately for free chlorine residual.

(2) The owner of a drinking-water system that provides chloramination for primary disinfection shall ensure that sampling and testing for combined chlorine residual is carried out by continuous monitoring equipment in the treatment process at a location where the intended contact time has just been completed in accordance with the Ministry's *Procedure for Disinfection of Drinking Water in Ontario*.

(3) The owner of a drinking-water system that provides secondary disinfection and the operating authority for the system shall ensure that a distribution sample is taken at least once every day and is tested immediately for,

- (a) free chlorine residual, if the system provides chlorination and does not provide chloramination; or

(b) combined chlorine residual, if the system provides chloramination.

Turbidity

9-4. If Schedule 2 requires filtration equipment to be provided in a drinking-water system, the owner of the system and the operating authority for the system shall ensure that a water sample is taken at least once every day on each filter effluent line and is tested immediately for turbidity.

Testing by trained persons

9-5. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that every test required by this Schedule is conducted by a trained person.

(2) Subsection (1) does not apply to tests conducted by continuous monitoring equipment.

Exception

9-6. Sections 9-2 to 9-4 do not apply to a drinking-water system during days on which all designated facilities and all public facilities served by the system are not open.

Small non-municipal non-residential systems that do not serve designated facilities

9-7. If a small non-municipal non-residential system does not serve a designated facility, this Schedule does not apply to the system until the second anniversary of the day this Regulation comes into force.

Transition: trained persons

9-8. If the owner of a drinking-water system is not required to comply with sections 2-2 to 2-6 of Schedule 2 until after this Regulation comes into force, a reference in this Schedule to a trained person shall be deemed, with respect to that system, to be a reference to any person until the owner complies with sections 2-2 to 2-6 of Schedule 2.

SCHEDULE 10

MICROBIOLOGICAL SAMPLING AND TESTING

Large Municipal Residential

Application

10-1. This Schedule applies to large municipal residential systems.

Distribution samples

10-2. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that,

- (a) if the system serves 100,000 people or less, at least eight distribution samples, plus one additional distribution sample for every 1,000 people served by the system, are taken every month, with at least one of the samples being taken in each week; and
- (b) if the system serves more than 100,000 people, at least 100 distribution samples, plus one additional distribution sample for every 10,000 people served by the system, are taken every month, with at least three of the samples being taken in each week.

(2) The owner of the drinking-water system and the operating authority for the system shall ensure that each of the samples taken under subsection (1) is tested for,

- (a) *Escherichia coli* or fecal coliforms; and
- (b) total coliforms.

(3) The owner of the drinking-water system and the operating authority for the system shall ensure that at least 25 per cent of the samples taken under subsection (1) are tested for general bacteria population expressed as background colony counts on the total coliform membrane filter or as colony counts on a heterotrophic plate count.

Treated samples

10-3. The owner of a drinking-water system and the operating authority for the system shall ensure that a water sample is taken at least once every week and tested for,

- (a) *Escherichia coli* or fecal coliforms;
- (b) total coliforms; and
- (c) general bacteria population expressed as background colony counts on the total coliform membrane filter or as colony counts on a heterotrophic plate count.

Raw water samples

10-4. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that a water sample is taken at least once every week from the drinking-water system's raw water, before any treatment is applied to the water.

(2) If the drinking-water system obtains water from a raw water supply that is ground water, the owner of the system and the operating authority for the system shall ensure that a sample is taken under subsection (1) from each well in the system.

(3) The owner of the drinking-water system and the operating authority for the system shall ensure that each of the samples taken under subsection (1) is tested for,

- (a) *Escherichia coli* or fecal coliforms; and
- (b) total coliforms.

Approvals before Aug. 1, 2000

10-5. This Schedule prevails over an OWRA approval granted before August 1, 2000 that provides for less stringent sampling or testing.

SCHEDULE 11

MICROBIOLOGICAL SAMPLING AND TESTING

Municipal: Small Residential
Large Non-Residential

Non-Municipal: Year-Round Residential
Large Non-Residential

Application

11-1. This Schedule applies to the following drinking-water systems:

1. Small municipal residential systems.
2. Large municipal non-residential systems.
3. Non-municipal year-round residential systems.
4. Large non-municipal non-residential systems.

Distribution samples

11-2. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that,

- (a) at least one distribution sample is taken every week, if chlorination or chloramination is provided; or
- (b) at least two distribution samples are taken every week, if neither chlorination nor chloramination is provided.

(2) The owner of the drinking-water system and the operating authority for the system shall ensure that each of the samples taken under subsection (1) is tested for,

- (a) *Escherichia coli* or fecal coliforms;
- (b) total coliforms; and
- (c) general bacteria population expressed as colony counts on a heterotrophic plate count.

(3) The frequency of sampling under subsection (1) may be reduced to the frequency set out in subsection (4) if, for a period of 24 consecutive months, not more than one of the test results obtained under paragraph 2 of section 18-5 and paragraph 1 of section 18-6 of Schedule 18 to this Regulation exceeds the standard prescribed for *Escherichia coli*, fecal coliforms or total coliforms by Schedule 1 to the Ontario Drinking-Water Quality Standards.

(4) If a reduction in the frequency of sampling is permitted under subsection (3), the frequency of sampling under subsection (1) may be reduced so that,

- (a) at least one distribution sample is taken every two weeks, if chlorination or chloramination is provided; or
- (b) at least one distribution sample is taken every week, if neither chlorination nor chloramination is provided.

(5) Subsection (3) ceases to apply if, in any period of 24 consecutive months, more than one of the test results obtained under paragraph 2 of section 18-5 and paragraph 1 of section 18-6 of Schedule 18 to this Regulation exceed the standard prescribed for *Escherichia coli*, fecal coliforms or total coliforms by Schedule 1 to the Ontario Drinking-Water Quality Standards.

Raw water samples

11-3. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that a water sample is taken at least once every month from the drinking-water system's raw water, before any treatment is applied to the water.

(2) If the drinking-water system obtains water from a raw water supply that is ground water, the owner of the system and the operating authority for the system shall ensure that a sample is taken under subsection (1) from each well in the system.

(3) The owner of the drinking-water system and the operating authority for the system shall ensure that each of the samples taken under subsection (1) is tested for,

- (a) *Escherichia coli* or fecal coliforms; and
- (b) total coliforms.

Seven-day shutdowns

11-4. (1) If the drinking-water system does not operate for a period of seven or more consecutive days, sampling and testing is not required under sections 11-2 and 11-3 during that period.

(2) If the drinking-water system does not operate for a period of seven or more consecutive days, the owner of the system and the operating authority for the system shall ensure that no drinking water is supplied to a user of water from the system until samples have been taken and tested under sections 11-2 and 11-3 and the results of the tests have been received by the owner and the operating authority.

Approvals before Aug. 1, 2001

11-5. This Schedule prevails over an OWRA approval granted before August 1, 2000 that provides for less stringent sampling or testing.

SCHEDULE 12

MICROBIOLOGICAL SAMPLING AND TESTING

Municipal: Small Non-Residential

Non-Municipal: Seasonal Residential
Small Non-Residential**Application**

12-1. This Schedule applies to the following drinking-water systems:

- 1. Small municipal non-residential systems.
- 2. Non-municipal seasonal residential systems.
- 3. Small non-municipal non-residential systems.

Distribution samples

12-2. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that,

- (a) at least one distribution sample is taken every two weeks, if chlorination or chloramination is provided; or
- (b) at least one distribution sample is taken every week, if neither chlorination nor chloramination is provided.

(2) If a non-municipal seasonal residential system supplies water to more than 100 service connections, the owner of the system and the operating authority for the system shall ensure that, for every 100 service connections, at least one distribution sample is taken every month, in addition to the samples required by subsection (1).

(3) The owner of the drinking-water system and the operating authority for the system shall ensure that each of the samples taken under subsections (1) and (2) is tested for,

- (a) *Escherichia coli* or fecal coliforms;
- (b) total coliforms; and
- (c) general bacteria population expressed as colony counts on a heterotrophic plate count.

(4) The frequency of sampling under subsection (1) may be reduced to the frequency set out in subsection (5) if, for a period of 24 consecutive months, not more than one of the test results obtained under paragraph 2 of section 18-5 and paragraph 1 of section 18-6 of Schedule 18 to this Regulation exceeds the standard prescribed for *Escherichia coli*, fecal coliforms or total coliforms by Schedule 1 to the Ontario Drinking-Water Quality Standards.

(5) If a reduction in the frequency of sampling is permitted under subsection (4), the frequency of sampling under subsection (1) may be reduced so that,

- (a) at least one distribution sample is taken every two weeks, if chlorination or chloramination is provided; or
- (b) at least one distribution sample is taken every week, if neither chlorination nor chloramination is provided.

(6) Subsection (4) ceases to apply if, in any period of 24 consecutive months, more than one of the test results obtained under paragraph 2 of section 18-5 and paragraph 1 of section 18-6 of Schedule 18 to this Regulation exceed the standard prescribed for *Escherichia coli*, fecal coliforms or total coliforms by Schedule 1 to the Ontario Drinking-Water Quality Standards.

Raw water samples

12-3. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that a water sample is taken at least once every month from the drinking-water system's raw water, before any treatment is applied to the water.

(2) If the drinking-water system obtains water from a raw water supply that is ground water, the owner of the system and the operating authority for the system shall ensure that a sample is taken under subsection (1) from each well in the system.

(3) The owner of the drinking-water system and the operating authority for the system shall ensure that each of the samples taken under subsection (1) is tested for,

- (a) *Escherichia coli* or fecal coliforms; and
- (b) total coliforms.

Seven-day shutdowns

12-4. (1) If the drinking-water system does not operate for a period of seven or more consecutive days, sampling and testing is not required under sections 12-2 and 12-3 during that period.

(2) If the drinking-water system does not operate for a period of seven or more consecutive days, the owner of the system and the operating authority for the system shall ensure that no drinking water is supplied to a user of water from the system until samples have been taken and tested under sections 12-2 and 12-3 and the results of the tests have been received by the owner and the operating authority.

Approvals before Dec. 19, 2001

12-5. This Schedule prevails over an OWRA approval granted before December 19, 2001 that provides for less stringent sampling or testing.

Small non-municipal non-residential systems that do not serve designated facilities

12-6. If a small non-municipal non-residential system does not serve a designated facility, this Schedule does not apply to the system until the second anniversary of the day this Regulation comes into force.

SCHEDULE 13

CHEMICAL SAMPLING AND TESTING

Municipal: Large Residential
Small Residential
Large Non-Residential

Non-Municipal: Year-Round Residential
Large Non-Residential

Application

13-1. This Schedule applies to the following drinking-water systems:

1. Large municipal residential systems.
2. Small municipal residential systems.
3. Large municipal non-residential systems.
4. Non-municipal year-round residential systems.
5. Large non-municipal non-residential systems.

Inorganics

13-2. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that,

- (a) at least one water sample is taken every 12 months, if the system obtains water from a raw water supply that is surface water; or

(b) at least one water sample is taken every 36 months, if the system obtains water from a raw water supply that is ground water.

(2) The owner of the drinking-water system and the operating authority for the system shall ensure that each of the samples taken under subsection (1) is tested for every parameter set out in Schedule 23.

Lead

13-3. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that at least one distribution sample is taken every 12 months, from a point in the drinking-water system's distribution system, or in plumbing that is connected to the drinking-water system, that is likely to have an elevated concentration of lead.

(2) The owner of the drinking-water system and the operating authority for the system shall ensure that each of the samples taken under subsection (1) is tested for lead.

Organics

13-4. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that,

(a) at least one water sample is taken every 12 months, if the system obtains water from a raw water supply that is surface water; or

(b) at least one water sample is taken every 36 months, if the system obtains water from a raw water supply that is ground water.

(2) The owner of the drinking-water system and the operating authority for the system shall ensure that each of the samples taken under subsection (1) is tested for every parameter set out in Schedule 24.

Increased frequency under ss. 13-2, 13-3 and 13-4

13-5. (1) If a test result obtained under section 13-2, 13-3 or 13-4 for a parameter exceeds half of the standard prescribed for the parameter in Schedule 2 to the Ontario Drinking-Water Quality Standards, the frequency of sampling and testing for that parameter under that section shall be increased so that at least one water sample is taken and tested every three months.

(2) Subsection (1) ceases to apply to a parameter if,

(a) in the case of a drinking-water system that obtains water from a raw water supply that is surface water, for four consecutive three-month periods in which the system is in operation, none of the test results obtained under section 13-2, 13-3 or 13-4 for the parameter exceed half of the standard prescribed for the parameter in Schedule 2 to the Ontario Drinking-Water Quality Standards; or

(b) in the case of a drinking-water system that obtains water from a raw water supply that is ground water, for two consecutive three-month periods in which the system is in operation, none of the test results obtained under section 13-2, 13-3 or 13-4 for the parameter exceed half of the standard prescribed for the parameter in Schedule 2 to the Ontario Drinking-Water Quality Standards.

Trihalomethanes

13-6. (1) The owner of a drinking-water system that provides chlorination or chloramination and the operating authority for the system shall ensure that at least one distribution sample is taken every three months, from a point in the drinking-water system's distribution system, or plumbing that is connected to the drinking-water system, that is likely to have an elevated potential for the formation of trihalomethanes.

(2) The owner of the drinking-water system and the operating authority for the system shall ensure that each of the samples taken under subsection (1) is tested for trihalomethanes.

Nitrate and nitrite

13-7. The owner of a drinking-water system and the operating authority for the system shall ensure that at least one water sample is taken every three months and tested for nitrate and nitrite.

Sodium

13-8. The owner of a drinking-water system and the operating authority for the system shall ensure that at least one water sample is taken every 60 months and tested for sodium.

Fluoride

13-9. If a drinking-water system does not provide fluoridation, the owner of the system and the operating authority for the system shall ensure that a water sample is taken at least once every 60 months and tested for fluoride.

First tests

13-10. Where this Schedule requires that water samples be taken and tested for a parameter with a frequency of a period of time fixed by this Schedule, the owner of the drinking-water system and the operating authority for the system shall ensure that the first sample is taken and tested for that parameter,

- (a) within that period of time after the latest of,
- (i) the date the last sample was taken and tested for that parameter under Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works) or Ontario Regulation 505/01 (Drinking Water Protection — Smaller Water Works Serving Designated Facilities), if one of those regulations applied to the drinking-water system,
 - (ii) the date the last sample was taken and tested for that parameter for the purpose of preparing a report under section 13 of Ontario Regulation 459/00, if that regulation applied to the drinking-water system, and
 - (iii) the date the last sample was taken and tested for that parameter before this Regulation came into force for the purpose of complying with an OWRA approval or OWRA order or making an application for an OWRA approval, if a sample was taken and tested for that parameter for that purpose before this Regulation came into force; or
- (b) within that period of time or 12 months, whichever is shorter, after this Schedule begins to apply to the drinking-water system, if clause (a) does not apply.

60-day shutdowns

13-11. If the drinking-water system does not operate for a period of 60 or more consecutive days, sampling and testing is not required under sections 13-5, 13-6 and 13-7 during that period.

Approvals before Aug. 1, 2000

13-12. This Schedule prevails over an OWRA approval granted before August 1, 2000 that provides for less stringent sampling or testing.

SCHEDULE 14**CHEMICAL SAMPLING AND TESTING**

Municipal: Small Non-Residential

Non-Municipal: Seasonal Residential

Application

14-1. This Schedule applies to the following drinking-water systems:

1. Small municipal non-residential systems.
2. Non-municipal seasonal residential systems.

Inorganics and organics

14-2. The owner of a drinking-water system and the operating authority for the system shall ensure that at least one water sample is taken every 60 months and tested for every parameter set out in Schedules 23 and 24.

Lead

14-3. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that at least one distribution sample is taken every 60 months, from a point in the drinking-water system's distribution system, or in plumbing that is connected to the drinking-water system, that is likely to have an elevated concentration of lead.

(2) The owner of the drinking-water system and the operating authority for the system shall ensure that each of the samples taken under subsection (1) is tested for lead.

Trihalomethanes

14-4. (1) The owner of a drinking-water system that provides chlorination or chloramination and the operating authority for the system shall ensure that at least one distribution sample is taken every three months, from a point in the drinking-water system's distribution system, or plumbing that is connected to the drinking-water system, that is likely to have an elevated potential for the formation of trihalomethanes.

(2) The owner of the drinking-water system and the operating authority for the system shall ensure that each of the samples taken under subsection (1) is tested for trihalomethanes.

(3) Subsections (1) and (2) do not apply to a non-municipal seasonal residential system.

Nitrate and nitrite

14-5. The owner of a drinking-water system and the operating authority for the system shall ensure that at least one water sample is taken every three months and tested for nitrate and nitrite.

Sodium

14-6. The owner of a drinking-water system and the operating authority for the system shall ensure that at least one water sample is taken every 60 months and tested for sodium.

Fluoride

14-7. If a drinking-water system does not provide fluoridation, the owner of the system and the operating authority for the system shall ensure that at least one water sample is taken at least once every 60 months and tested for fluoride.

First tests

14-8. Where this Schedule requires that water samples be taken and tested for a parameter with a frequency of a period of time fixed by this Schedule, the owner of the drinking-water system and the operating authority for the system shall ensure that the first sample is taken and tested for that parameter,

- (a) within that period of time after the latest of,
 - (i) the date the last sample was taken and tested for that parameter under Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works) or Ontario Regulation 505/01 (Drinking Water Protection — Smaller Water Works Serving Designated Facilities), if one of those regulations applied to the drinking-water system,
 - (ii) the date the last sample was taken and tested for that parameter for the purpose of preparing a report under section 13 of Ontario Regulation 459/00, if that regulation applied to the drinking-water system, and
 - (iii) the date the last sample was taken and tested for that parameter before this Regulation came into force for the purpose of complying with an OWRA approval or OWRA order or making an application for an OWRA approval, if a sample was taken and tested for that parameter for that purpose before this Regulation came into force; or
- (b) within that period of time or 12 months, whichever is shorter, after this Schedule begins to apply to the drinking-water system, if clause (a) does not apply.

60-day shutdowns

14-9. If the drinking-water system does not operate for a period of 60 or more consecutive days, sampling and testing is not required under sections 14-4 and 14-5 during that period.

Approvals before Dec. 19, 2001

14-10. This Schedule prevails over an OWRA approval granted before December 19, 2001 that provides for less stringent sampling or testing.

SCHEDULE 15**CHEMICAL SAMPLING AND TESTING****Small Non-Municipal Non-Residential****Application**

15-1. This Schedule applies to small non-municipal non-residential systems.

Inorganics and organics

15-2. The owner of a drinking-water system that serves a designated facility, and the operating authority for the system, shall ensure that at least one water sample is taken every 60 months and tested for every parameter set out in Schedules 23 and 24.

Lead

15-3. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that at least one distribution sample is taken every 60 months, from a point in the drinking-water system's distribution system, or in plumbing that is connected to the drinking-water system, that is likely to have an elevated concentration of lead.

(2) The owner of the drinking-water system and the operating authority for the system shall ensure that each of the samples taken under subsection (1) is tested for lead.

Nitrate and nitrite

15-4. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that at least one water sample is taken every three months and tested for nitrate and nitrite.

(2) If the drinking-water system does not operate for a period of 60 or more consecutive days, sampling and testing is not required under subsection (1) during that period.

Sodium

15-5. The owner of a drinking-water system and the operating authority for the system shall ensure that at least one water sample is taken every 60 months and tested for sodium.

Fluoride

15-6. If a drinking-water system does not provide fluoridation, the owner of the system and the operating authority for the system shall ensure that at least one water sample is taken at least once every 60 months and tested for fluoride.

First tests

15-7. Where this Schedule requires that water samples be taken and tested for a parameter with a frequency of a period of time fixed by this Schedule, the owner of the drinking-water system and the operating authority for the system shall ensure that the first sample is taken and tested for that parameter,

- (a) within that period of time after the later of,
 - (i) the date the last sample was taken and tested for that parameter under Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works) or Ontario Regulation 505/01 (Drinking Water Protection — Smaller Water Works Serving Designated Facilities), if one of those regulations applied to the drinking-water system, and
 - (ii) the date the last sample was taken and tested for that parameter before this Regulation came into force for the purpose of complying with an OWRA approval or OWRA order or making an application for an OWRA approval, if a sample was taken and tested for that parameter for that purpose before this Regulation came into force; or
- (b) within that period of time or 12 months, whichever is shorter, after this Schedule begins to apply to the drinking-water system, if clause (a) does not apply.

Approvals before Dec. 19, 2001

15-8. This Schedule prevails over an OWRA approval granted before December 19, 2001 that provides for less stringent sampling or testing.

Small non-municipal non-residential systems that do not serve designated facilities

15-9. If a small non-municipal non-residential system does not serve a designated facility, this Schedule does not apply to the system until the second anniversary of the day this Regulation comes into force.

SCHEDULE 16

REPORTING ADVERSE TEST RESULTS AND OTHER PROBLEMS

Application

16-1. This Schedule applies to the following drinking-water systems:

1. Large municipal residential systems.
2. Small municipal residential systems.
3. Large municipal non-residential systems.
4. Small municipal non-residential systems.
5. Non-municipal year-round residential systems.
6. Non-municipal seasonal residential systems.
7. Large non-municipal non-residential systems.
8. Small non-municipal non-residential systems.

Exemption

16-2. Subsection 18 (1) of the Act does not apply to a drinking-water test unless,

- (a) the test is required by this Regulation, an approval or an order, including an OWRA order;
- (b) the test is conducted by or pursuant to the direction of the owner of a drinking-water system, the operating authority for a drinking-water system or a certified operator or trained person employed by the owner or operating authority;
- (c) the test is conducted by or pursuant to the direction of a provincial officer;
- (d) the test is conducted by or pursuant to the direction of the medical officer of health or a member of the staff of the medical officer of health;
- (e) the test is conducted by or pursuant to the direction of a person employed in the Ministry of Health and Long-Term Care or the Ministry of Labour; or
- (f) the test is conducted by continuous monitoring equipment or microbiological in-line testing equipment.

Duty to report under s. 18 of the Act

16-3. The following are prescribed as adverse results of a drinking-water test for the purpose of section 18 of the Act:

1. A result that exceeds any of the standards prescribed by Schedule 1, 2 or 3 to the Ontario Drinking-Water Quality Standards, other than the standard for fluoride, if the result is from a sample of drinking water.
2. A result indicating the presence of *Aeromonas* spp., *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Clostridium* spp. or fecal *streptococci* (Group D *streptococci*) in a sample of drinking water.
3. A result indicating the presence of a pesticide not listed in Schedule 2 to the Ontario Drinking-Water Quality Standards in a sample of drinking water, at any concentration.
4. A result indicating that the concentration of free chlorine residual is less than 0.05 milligrams per litre in a distribution sample, if the drinking-water system provides chlorination and does not provide chloramination.
5. A result indicating that the concentration of combined chlorine residual is less than 0.25 milligrams per litre in a distribution sample, if the drinking-water system provides chloramination.
6. If the drinking-water system is required to provide filtration, a result indicating that turbidity exceeds 1.0 Nephelometric Turbidity Units (NTU) in,
 - i. a grab sample of water taken from a filter effluent line, or
 - ii. two samples of water from a filter effluent line that are tested by continuous monitoring equipment, if the two samples were taken 15 minutes or more apart and the later of the two samples was the first sample that was taken 15 minutes or more after the earlier sample.
7. If an approval or order, including an OWRA order, identifies a parameter as a health-related parameter and establishes a maximum concentration for the parameter, a result indicating that the parameter exceeds the maximum concentration in a sample of drinking water.
8. A result indicating that the concentration of sodium exceeds 20 milligrams per litre in a sample of drinking water, if a report under subsection 18 (1) of the Act has not been made in respect of sodium in the preceding 60 months.
9. A result indicating that the concentration of fluoride exceeds 1.5 milligrams per litre in a sample of drinking water, if a report under subsection 18 (1) of the Act has not been made in respect of fluoride in the preceding 60 months.

Duty to report other observations

16-4. If an observation other than an adverse test result prescribed by section 16-3 indicates that a drinking-water system that provides or is required to provide disinfection is directing water that has not been properly disinfected to users of water from the system, the owner of the system shall report to the Ministry and the medical officer of health immediately after the observation is made.

Report to designated facilities

16-5. (1) An owner of a drinking-water system who is required to report under section 16-4 or under subsection 18 (1) of the Act shall also report to the operator of each designated facility served by the system immediately after the adverse result is obtained or the observation is made.

(2) Subsection (1) does not apply to the owner of a large municipal residential system.

(3) Subsection (1) does not apply if the owner of the drinking-water system is also the operator of the designated facility.

Manner of making immediate report

16-6. (1) A person who is required to report immediately under section 16-4 or 16-5 or under section 18 of the Act shall do so in accordance with this section and section 16-8.

(2) An immediate report required under section 16-4 or 16-5 or under subsection 18 (1) of the Act must be given by speaking in person or by telephone with a person referred to in subsection (3).

(3) For the purpose of subsection (2), the immediate report must be given,

(a) to a medical officer of health, by speaking with a person at the office of the medical officer of health or, if the office is closed, by speaking with a person at the on-call system of the health unit;

(b) to the Ministry, by speaking with a person at the Ministry's Spills Action Centre; and

(c) if the report is required under section 16-5, by speaking with a responsible individual at the designated facility.

(4) An immediate report required under subsection 18 (3) of the Act must be given by speaking in person or by telephone with a person designated for that purpose by the owner of the drinking-water system.

(5) An immediate notice required under subsection 18 (4) of the Act must be given by speaking in person or by telephone with a person designated for that purpose by,

- (a) the owner of the system and the operating authority for the system, if an operating authority is responsible for the system; or
 - (b) the owner of the system, if no operating authority is responsible for the system.
- (6) If an immediate report is required to be given under section 16-5 to the operator of a designated facility that is not open, the report must be given not later than the time the designated facility re-opens.

Written notice

16-7. (1) A person who is required to report immediately to another person under section 16-4 or 16-5 or under subsection 18 (1) of the Act shall also give the other person a written notice in accordance with this section and section 16-8.

(2) A written notice required by subsection (1) must be given within 24 hours after the immediate report is given under section 16-4 or 16-5 or under subsection 18 (1) of the Act.

(3) A written notice required by subsection (1) must be given to,

- (a) the medical officer of health, by delivering the written notice to the office of the medical officer of health;
- (b) the Ministry, by delivering the written notice to the Ministry's Spills Action Centre; and
- (c) the operator of a designated facility, by delivering the written notice to the facility.

(4) A person who is required to give a written notice to a designated facility under subsection (1) shall also give a copy of the notice to,

- (a) the minister responsible for the ministry or a person designated by the minister, if the interested authority is a ministry; or
- (b) the head of the interested authority, if the interested authority is not a ministry.

(5) Subsection (4) does not apply to a designated facility that is,

- (a) a private school;
- (b) a children's camp; or
- (c) a residence for seniors or retired persons, or any other similar residence, where attainment of a mature age is a factor in being accepted for occupancy.

Content of report and notice

16-8. (1) An immediate report given under section 16-4 or 16-5 or under section 18 of the Act must specify the adverse test result or observation that requires the report.

(2) An immediate report given by the owner of a drinking-water system under section 16-4 or 16-5 or under subsection 18 (1) of the Act must indicate,

- (a) what actions are being taken in response to the adverse test result or observation that requires the report; and
- (b) if Schedule 17 or 18 requires that a corrective action be taken in respect of the adverse test result or observation, whether the corrective action is being taken.

(3) Subsections (1) and (2) also apply, with necessary modifications, to the written notice given by the person under section 16-7.

Notice of issue resolution

16-9. (1) If an immediate report or a written notice is given under this Schedule and the issue that gave rise to the notice is resolved, the owner of the drinking-water system shall, within seven days after the issue is resolved, give a written notice summarizing the action taken and the results achieved to,

- (a) the medical officer of health, by delivering the written notice to the office of the medical officer of health; and
- (b) the Ministry, by delivering the written notice to the Ministry's Spills Action Centre.

(2) If an immediate report or a written notice is given under this Schedule to the interested authority for a designated facility and the issue that gave rise to the notice is resolved, the owner of the drinking-water system shall, within 30 days after the issue is resolved, give a written notice summarizing the action taken and the results achieved to the interested authority.

SCHEDULE 17

CORRECTIVE ACTION

Large Municipal Residential

Application

17-1. This Schedule applies to large municipal residential systems.

Improper disinfection

17-2. If a report is required to be made under section 16-4 of Schedule 16 in respect of water that has not been properly disinfected, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately restore the proper disinfection.
2. Take such other steps as are directed by the medical officer of health.

Turbidity

17-3. If a report is required to be made under section 18 of the Act in respect of turbidity, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately check all the drinking-water system's filters and turbidity monitoring equipment.
2. Review upstream operational processes and correct any faulty processes that are identified.
3. Take such other steps as are directed by the medical officer of health.

Chlorine residual

17-4. If a report is required to be made under section 18 of the Act in respect of free chlorine residual or combined chlorine residual, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately increase the chlorine or chloramine dose and flush the watermains to ensure that,
 - i. a free chlorine residual of at least 0.2 milligrams per litre is achieved at all points in the affected parts of the distribution system, if the drinking-water system provides chlorination and does not provide chloramination, or
 - ii. a combined chlorine residual of at least 1.0 milligrams per litre is achieved at all points in the affected parts of the distribution system, if the drinking-water system provides chloramination.
2. Take such other steps as are directed by the medical officer of health.

***Escherichia coli* (E. coli) or fecal coliforms**

17-5. If a report is required to be made under section 18 of the Act in respect of *Escherichia coli* (E. coli) or fecal coliforms, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. Immediately increase the chlorine or chloramine dose and flush the watermains to ensure that,
 - i. a free chlorine residual of at least 0.2 milligrams per litre is achieved at all points in the affected parts of the distribution system, if the drinking-water system provides chlorination and does not provide chloramination, or
 - ii. a combined chlorine residual of at least 1.0 milligrams per litre is achieved at all points in the affected parts of the distribution system, if the drinking-water system provides chloramination.
3. Maintain the free chlorine residual or combined chlorine residual concentration referred to in paragraph 2 in the affected parts of the distribution system, and continue to resample and test, until *Escherichia coli* (E. coli) or fecal coliforms are not detected in any of the samples from two consecutive sets of samples taken 24 to 48 hours apart or as otherwise directed by the medical officer of health.
4. Take such other steps as are directed by the medical officer of health.

Total coliforms

17-6. If a report is required to be made under section 18 of the Act in respect of total coliforms, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If total coliforms are detected under paragraph 1, immediately increase the chlorine or chloramine dose and flush the watermains to ensure that,

- i. a free chlorine residual of at least 0.2 milligrams per litre is achieved at all points in the affected parts of the distribution system, if the drinking-water system provides chlorination and does not provide chloramination, or
 - ii. a combined chlorine residual of at least 1.0 milligrams per litre is achieved at all points in the affected parts of the distribution system, if the drinking-water system provides chloramination.
3. Maintain the free chlorine residual or combined chlorine residual concentration referred to in paragraph 2 in the affected parts of the distribution system, and continue to resample and test, until total coliforms are not detected in any of the samples from two consecutive sets of samples taken 24 to 48 hours apart or as otherwise directed by the medical officer of health.
 4. Take such other steps as are directed by the medical officer of health.

Background colony counts on the total coliform membrane filter

17-7. If a report is required to be made under section 18 of the Act in respect of general bacteria population expressed as background colony counts on the total coliform membrane filter, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If more than 200 colony forming units (CFU) per 100 millilitres are detected under paragraph 1, immediately increase the chlorine or chloramine dose and flush the watermains to ensure that,
 - i. a free chlorine residual of at least 0.2 milligrams per litre is achieved at all points in the affected parts of the distribution system, if the drinking-water system provides chlorination and does not provide chloramination, or
 - ii. a combined chlorine residual of at least 1.0 milligrams per litre is achieved at all points in the affected parts of the distribution system, if the drinking-water system provides chloramination.
3. Maintain the free chlorine residual or combined chlorine residual concentration referred to in paragraph 2 in the affected parts of the distribution system, and continue to resample and test, until less than 200 colony forming units (CFU) per 100 millilitres are detected in all of the samples from two consecutive sets of samples taken 24 to 48 hours apart or as otherwise directed by the medical officer of health.
4. Take such other steps as are directed by the medical officer of health.

Colony counts on a heterotrophic plate count

17-8. If a report is required to be made under section 18 of the Act in respect of general bacteria population expressed as colony counts on a heterotrophic plate count, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If more than 500 colony forming units (CFU) per millilitre are detected under paragraph 1, immediately increase the chlorine or chloramine dose and flush the watermains to ensure that,
 - i. a free chlorine residual of at least 0.2 milligrams per litre is achieved at all points in the affected parts of the distribution system, if the drinking-water system provides chlorination and does not provide chloramination, or
 - ii. a combined chlorine residual of at least 1.0 milligrams per litre is achieved at all points in the affected parts of the distribution system, if the drinking-water system provides chloramination.
3. Maintain the free chlorine residual or combined chlorine residual concentration referred to in paragraph 2 in the affected parts of the distribution system, and continue to resample and test, until less than 500 colony forming units (CFU) per millilitre are detected in all of the samples from two consecutive sets of samples taken 24 to 48 hours apart or as otherwise directed by the medical officer of health.
4. Take such other steps as are directed by the medical officer of health.

***Aeromonas* spp., etc.**

17-9. If a report is required to be made under section 18 of the Act in respect of *Aeromonas* spp., *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Clostridium* spp. or fecal *streptococci* (Group D *streptococci*), the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If *Aeromonas* spp., *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Clostridium* spp. or fecal *streptococci* (Group D *streptococci*) are detected under paragraph 1, immediately increase the chlorine or chloramine dose and flush the watermains to ensure that,
 - i. a free chlorine residual of at least 0.2 milligrams per litre is achieved at all points in the affected parts of the distribution system, if the drinking-water system provides chlorination and does not provide chloramination, or

- ii. a combined chlorine residual of at least 1.0 milligrams per litre is achieved at all points in the affected parts of the distribution system, if the drinking-water system provides chloramination.
3. Maintain the free chlorine residual or combined chlorine residual concentration referred to in paragraph 2 in the affected parts of the distribution system, and continue to resample and test, until *Aeromonas* spp., *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Clostridium* spp. or fecal *streptococci* (Group D *streptococci*) are not detected in any of the samples from two consecutive sets of samples taken 24 to 48 hours apart or as otherwise directed by the medical officer of health.
4. Take such other steps as are directed by the medical officer of health.

Chemical and radiological parameters in O. Reg. 169/03

17-10. If a report is required to be made under section 18 of the Act in respect of a chemical or radiological parameter set out in Schedule 2 or 3 to the Ontario Drinking-Water Quality Standards, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If a concentration that exceeds the standard prescribed for the parameter by Schedule 2 or 3 to the Ontario Drinking-Water Quality Standards is detected under paragraph 1, take such other steps as are directed by the medical officer of health.

Pesticide not listed in Schedule 2 to O. Reg. 169/03

17-11. If a report is required to be made under section 18 of the Act in respect of a pesticide not listed in Schedule 2 to the Ontario Drinking-Water Quality Standards, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If the pesticide is detected under paragraph 1, take such other steps as are directed by the medical officer of health.

Health-related parameters in an approval or order

17-12. If an approval or order identifies a parameter as a health-related parameter and a report is required to be made under section 18 of the Act in respect of the parameter, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If a concentration that exceeds the maximum concentration established for the parameter by the approval or order is detected under paragraph 1, take such other steps as are directed by the medical officer of health.

Sodium

17-13. If a report is required to be made under section 18 of the Act in respect of sodium, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If a concentration of sodium that exceeds 20 milligrams per litre is detected under paragraph 1, take such steps as are directed by the medical officer of health.

SCHEDULE 18

CORRECTIVE ACTION

Municipal: Small Residential
Large Non-Residential
Small Non-Residential

Non-Municipal: Year-Round Residential
Seasonal Residential
Large Non-Residential
Small Non-Residential

Application

18-1. This Schedule applies to the following drinking-water systems:

1. Small municipal residential systems.
2. Large municipal non-residential systems.
3. Small municipal non-residential systems.

4. Non-municipal year-round residential systems.
5. Non-municipal seasonal residential systems.
6. Large non-municipal non-residential systems.
7. Small non-municipal non-residential systems.

Improper disinfection

18-2. If a report is required to be made under section 16-4 of Schedule 16 in respect of water that has not been properly disinfected, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately take all reasonable steps to notify all users of water from the system to use an alternate source of drinking water or to bring water to a rapid rolling boil for at least one minute before use.
2. Immediately restore the disinfection.
3. Take such other steps as are directed by the medical officer of health.

Turbidity

18-3. If a report is required to be made under section 18 of the Act in respect of turbidity, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately take all reasonable steps to notify all users of water from the system to use an alternate source of drinking water or to bring water to a rapid rolling boil for at least one minute before use.
2. Immediately check all the drinking-water system's filters and turbidity monitoring equipment.
3. Review upstream operational processes and correct any faulty processes that are identified.
4. After taking the steps referred to in paragraphs 1, 2 and 3,
 - i. follow the manufacturer's recommendations for servicing or backwashing the nearest filter upstream of the location where the sample that gave rise to the report under section 18 of the Act was taken, or
 - ii. replace the filter cartridge or filter element of the nearest filter upstream of the location where the sample that gave rise to the report under section 18 of the Act was taken,and flush the distribution system and any plumbing owned by the owner of the drinking-water system.
5. Take such other steps as are directed by the medical officer of health.

Chlorine residual

18-4. If a report is required to be made under section 18 of the Act in respect of free chlorine residual, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately take all reasonable steps to notify all users of water from the system to use an alternate source of drinking water or to bring water to a rapid rolling boil for at least one minute before use.
2. Immediately increase the chlorine dose and flush the distribution system and any plumbing owned by the owner of the drinking-water system to ensure that a free chlorine residual of at least 0.2 milligrams per litre is achieved at all points in the affected parts of the distribution system and plumbing.
3. Take such other steps as are directed by the medical officer of health.

***Escherichia coli* (E. coli) or fecal coliforms**

18-5. If a report is required to be made under section 18 of the Act in respect of *Escherichia coli* (E. coli) or fecal coliforms, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately take all reasonable steps to notify all users of water from the system to use an alternate source of drinking water or to bring water to a rapid rolling boil for at least one minute before use.
2. Immediately resample and test.
3. If the drinking-water system provides chlorination, immediately increase the chlorine dose and flush the distribution system and any plumbing owned by the owner of the drinking-water system to ensure that a free chlorine residual of at least 0.2 milligrams per litre is achieved at all points in the affected parts of the distribution system and plumbing.
4. If the drinking-water system provides chlorination, maintain the free chlorine residual concentration referred to in paragraph 3 in the affected parts of the distribution system and plumbing, and continue to resample and test, until *Escherichia coli* (E. coli) or fecal coliforms are not detected in any of the samples from two consecutive sets of samples taken 24 to 48 hours apart or as otherwise directed by the medical officer of health.

5. If the drinking-water system does not provide chlorination, immediately take the relevant corrective action steps described in the Ministry's *Procedure for Corrective Action for Systems Not Currently Using Chlorine*.
6. Take such other steps as are directed by the medical officer of health.

Total coliforms

18-6. If a report is required to be made under section 18 of the Act in respect of total coliforms, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If total coliforms are detected under paragraph 1, immediately take all reasonable steps to notify all users of water from the system to use an alternate source of drinking water or to bring water to a rapid rolling boil for at least one minute before use.
3. If total coliforms are detected under paragraph 1 and the drinking-water system provides chlorination, immediately increase the chlorine dose and flush the distribution system and any plumbing owned by the owner of the drinking-water system to ensure that a free chlorine residual of at least 0.2 milligrams per litre is achieved at all points in the affected parts of the distribution system and plumbing.
4. If total coliforms are detected under paragraph 1 and the drinking-water system provides chlorination, maintain the free chlorine residual concentration referred to in paragraph 3 in the affected parts of the distribution system and plumbing, and continue to resample and test, until total coliforms are not detected in any of the samples from two consecutive sets of samples taken 24 to 48 hours apart or as otherwise directed by the medical officer of health.
5. If total coliforms are detected under paragraph 1 and the drinking-water system does not provide chlorination, immediately take the relevant corrective action steps described in the Ministry's *Procedure for Corrective Action for Systems Not Currently Using Chlorine*.
6. Take such other steps as are directed by the medical officer of health.

Background colony counts on the total coliform membrane filter

18-7. If a report is required to be made under section 18 of the Act in respect of general bacteria population expressed as background colony counts on the total coliform membrane filter, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If more than 200 colony forming units (CFU) per 100 millilitres are detected under paragraph 1 and the drinking-water system provides chlorination, immediately increase the chlorine dose and flush the distribution system and any plumbing owned by the owner of the drinking-water system to ensure that a free chlorine residual of at least 0.2 milligrams per litre is achieved at all points in the affected parts of the distribution system and plumbing.
3. If more than 200 colony forming units (CFU) per 100 millilitres are detected under paragraph 1 and the drinking-water system provides chlorination, maintain the free chlorine residual concentration referred to in paragraph 2 in the affected parts of the distribution system and plumbing, and continue to resample and test, until less than 200 colony forming units (CFU) per 100 millilitres are detected in all of the samples from two consecutive sets of samples taken 24 to 48 hours apart or as otherwise directed by the medical officer of health.
4. If more than 200 colony forming units (CFU) per 100 millilitres are detected under paragraph 1 and the drinking-water system does not provide chlorination, immediately take the relevant corrective action steps described in the Ministry's *Procedure for Corrective Action for Systems Not Currently Using Chlorine*.
5. Take such other steps as are directed by the medical officer of health.

Colony counts on a heterotrophic plate count

18-8. If a report is required to be made under section 18 of the Act in respect of general bacteria population expressed as colony counts on a heterotrophic plate count, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If more than 500 colony forming units (CFU) per millilitre are detected under paragraph 1 and the drinking-water system provides chlorination, immediately increase the chlorine dose and flush the distribution system and any plumbing owned by the owner of the drinking-water system to ensure that a free chlorine residual of at least 0.2 milligrams per litre is achieved at all points in the affected parts of the distribution system and plumbing.
3. If more than 500 colony forming units (CFU) per millilitre are detected under paragraph 1 and the drinking-water system provides chlorination, maintain the free chlorine residual concentration referred to in paragraph 2 in the affected parts of the distribution system and plumbing, and continue to resample and test, until less than 500 colony

forming units (CFU) per millilitre are detected in all of the samples from two consecutive sets of samples taken 24 to 48 hours apart or as otherwise directed by the medical officer of health.

4. If more than 500 colony forming units (CFU) per millilitre are detected under paragraph 1 and the drinking-water system does not provide chlorination, immediately take the relevant corrective action steps described in the Ministry's *Procedure for Corrective Action for Systems Not Currently Using Chlorine*.
5. Take such other steps as are directed by the medical officer of health.

***Aeromonas* spp., etc.**

18-9. If a report is required to be made under section 18 of the Act in respect of *Aeromonas* spp., *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Clostridium* spp. or fecal *streptococci* (Group D *streptococci*), the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If *Aeromonas* spp., *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Clostridium* spp. or fecal *streptococci* (Group D *streptococci*) are detected under paragraph 1 and the drinking-water system provides chlorination, immediately increase the chlorine dose and flush the distribution system and any plumbing owned by the owner of the drinking-water system to ensure that a free chlorine residual of at least 0.2 milligrams per litre is achieved at all points in the affected parts of the distribution system and plumbing.
3. If *Aeromonas* spp., *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Clostridium* spp. or fecal *streptococci* (Group D *streptococci*) are detected under paragraph 1 and the drinking-water system provides chlorination, maintain the free chlorine residual concentration referred to in paragraph 2 in the affected parts of the distribution system and plumbing, and continue to resample and test, until *Aeromonas* spp., *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Clostridium* spp. or fecal *streptococci* (Group D *streptococci*) are not detected in any of the samples from two consecutive sets of samples taken 24 to 48 hours apart or as otherwise directed by the medical officer of health.
4. If *Aeromonas* spp., *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Clostridium* spp. or fecal *streptococci* (Group D *streptococci*) are detected under paragraph 1 and the drinking-water system does not provide chlorination, immediately take the relevant corrective action steps described in the Ministry's *Procedure for Corrective Action for Systems Not Currently Using Chlorine*.
5. Take such other steps as are directed by the medical officer of health.

Chemical and radiological parameters in O. Reg. 169/03

18-10. If a report is required to be made under section 18 of the Act in respect of a chemical or radiological parameter set out in Schedule 2 or 3 to the Ontario Drinking-Water Quality Standards, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If a concentration that exceeds the standard prescribed for the parameter by Schedule 2 or 3 to the Ontario Drinking-Water Quality Standards is detected under paragraph 1, take such other steps as are directed by the medical officer of health.

Pesticide not listed in Schedule 2 to O. Reg. 169/03

18-11. If a report is required to be made under section 18 of the Act in respect of a pesticide not listed in Schedule 2 to the Ontario Drinking-Water Quality Standards, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If the pesticide is detected under paragraph 1, take such other steps as are directed by the medical officer of health.

Health-related parameters in an approval or order

18-12. If an approval or order identifies a parameter as a health-related parameter and a report is required to be made under section 18 of the Act in respect of the parameter, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If a concentration that exceeds the maximum concentration established for the parameter by the approval or order is detected under paragraph 1, take such other steps as are directed by the medical officer of health.

Sodium

18-13. If a report is required to be made under section 18 of the Act in respect of sodium, the owner of the drinking-water system and the operating authority for the system shall ensure that the following corrective action is taken:

1. Immediately resample and test.
2. If a concentration of sodium that exceeds 20 milligrams per litre is detected under paragraph 1, take such other steps as are directed by the medical officer of health.

SCHEDULE 19

WARNING NOTICE OF POTENTIAL PROBLEMS

Municipal: Small Residential
 Large Non-Residential
 Small Non-Residential

Non-Municipal: Year-Round Residential
 Seasonal Residential
 Large Non-Residential
 Small Non-Residential

Application

19-1. This Schedule applies to the following drinking-water systems:

1. Small municipal residential systems.
2. Large municipal non-residential systems.
3. Small municipal non-residential systems.
4. Non-municipal year-round residential systems.
5. Non-municipal seasonal residential systems.
6. Large non-municipal non-residential systems.
7. Small non-municipal non-residential systems.

Warning notice to be posted

19-2. (1) The owner of a drinking-water system and the operating authority for the system shall ensure that warning notices are posted in accordance with this section if,

- (a) the owner or operating authority is required under Schedule 18 to take all reasonable steps to ensure that all users of water from the system are notified to use an alternate source of drinking water or to bring water to a rapid rolling boil for at least one minute before use; or
- (b) the owner or operating authority is not complying with Schedule 11, 12 or 18.

(2) The warning notices required by subsection (1) must be posted in prominent locations where they are likely to come to the attention of users of water from the system.

(3) As part of complying with subsection (2), if the drinking-water system serves a designated facility, the warning notices required by subsection (1) must be posted,

- (a) at every entrance to every building and every structure that is part of the designated facility; or
- (b) if the designated facility does not have any building or structure, at a location where the warning notices are likely to come to the attention of all persons who enter the facility.

(4) If the drinking-water system serves a designated facility that is not owned by the owner of the drinking-water system, the owner of the system and the operating authority for the system shall be deemed to have ensured that warning notices are posted in accordance with subsection (3) if the operator of the facility is provided with,

- (a) sufficient copies of the warning notices required by subsection (3); and
- (b) instructions to post the warning notices in accordance with subsection (3).

Posting by others

19-3. (1) If warning notices are not posted in accordance with section 19-2, the warning notices may be posted by,

- (a) a provincial officer; or
- (b) a public health inspector under the *Health Protection and Promotion Act*.

(2) If warning notices are not posted in accordance with section 19-2 at a designated facility, the warning notices may also be posted by an officer or agent of the interested authority for the designated facility.

(3) Subsection (2) does not apply to the following designated facilities:

1. A private school.
2. A children's camp.
3. A residence for seniors or retired persons, or any other similar residence, where attainment of a mature age is a factor in being accepted for occupancy.

SCHEDULE 20

ENGINEERS' REPORTS

Municipal: Large Residential
Small Residential

Application

20-1. This Schedule applies to the following drinking-water systems:

1. Large municipal residential systems.
2. Small municipal residential systems.

Engineers' reports

20-2. (1) The owner of a drinking-water system shall ensure that reports are given to the Director in accordance with this section.

(2) A report under this section must be prepared by a professional engineer who has experience in sanitary engineering related to drinking-water supplies and who is not an employee of the owner of the drinking-water system.

(3) A report under this section must be prepared in accordance with the document entitled *Terms of Reference for Engineers' Reports for Water Works*, originally dated August 2000, published by and available from the Ministry, as amended from time to time.

(4) If, before this Regulation came into force, a report in respect of the drinking-water system was given to the Director under section 13 of Ontario Regulation 459/00 (Drinking Water Protection — Larger Water Works), the first report under this section must be given to the Director not later than the fifth anniversary of the date the report was required to be given under Ontario Regulation 459/00.

(5) If subsection (4) does not apply and the drinking-water system began operation after August 1, 2000 and before this Regulation comes into force, the first report under this section must be given to the Director not later than the fifth anniversary of the date the system began operation.

(6) If subsections (4) and (5) do not apply in respect of a drinking-water system that began operation before this Regulation came into force, the first report under this section in respect of the system must be given to the Director within 90 days after this Regulation came into force.

(7) If a drinking-water system begins operation on or after the date this Regulation comes into force, the first report under this section must be given to the Director not later than the fifth anniversary of the date the system began operation.

(8) Subsequent reports under this section must be given to the Director not later than the fifth anniversary of the date the preceding report was required to be given.

(9) Subsection (8) prevails over an OWRA order or OWRA approval.

(10) An approval granted after this section comes into force prevails over subsections (4) to (8).

SCHEDULE 21

ENGINEERING EVALUATION REPORTS

Municipal: Large Non-Residential
Small Non-Residential

Non-Municipal: Year-Round Residential
Seasonal Residential
Large Non-Residential
Small Non-Residential

Application

21-1. (1) This Schedule applies to the following drinking-water systems:

1. Large municipal non-residential systems.
2. Small municipal non-residential systems.
3. Non-municipal year-round residential systems.

4. Non-municipal seasonal residential systems.
5. Large non-municipal non-residential systems.
6. Small non-municipal non-residential systems.

(2) This Schedule does not apply to a drinking-water system if the system has an approval with a condition that provides relief from compliance with all of the requirements of the following provisions:

1. Paragraph 2 of subsection 2-2 (1) of Schedule 2.
2. Subsection 2-2 (2) of Schedule 2.
3. Sections 2-3 to 2-6 of Schedule 2.

Systems that commenced operation before this Regulation

21-2. (1) The owner of a drinking-water system that commenced operation before this Regulation came into force shall ensure that a professional engineer who has experience in sanitary engineering related to drinking-water systems prepares a report that complies with section 21-5 not later than 30 days after sections 2-2 to 2-6 begin to apply to the system.

(2) If, before this Regulation came into force, a report on a drinking-water system was prepared and given to the Director in accordance with section 5 of Ontario Regulation 505/01 (Drinking Water Protection — Smaller Water Works Serving Designated Facilities), the owner of the system shall be deemed to have complied with subsection (1) and with the owner's first obligation to give a notice to the Director under section 21-7, and, for the purpose of this Schedule, the report required by subsection (1) shall be deemed to have been required to be prepared not later than the date it was required to be prepared and given under Ontario Regulation 505/01.

(3) Subsection (1) does not apply to a drinking-water system in respect of which an OWRA approval was granted after August 1, 2000 if the owner gives the Director a written statement by a professional engineer certifying that he or she has visited the system and, in his or her opinion, the system complies with the approval, and, for the purpose of this Schedule, the report required by subsection (1) shall be deemed to have been required to be prepared not later than the date the approval was granted.

(4) Subsection (1) does not apply if, before the date the report is required to be prepared under that subsection, a report is prepared under section 21-3 in respect of the drinking-water system.

New and altered systems

21-3. (1) If, after this Regulation comes into force, a drinking-water system commences operation or an alteration is made to a drinking-water system, the owner of the system shall ensure that, not later than 30 days after the system or altered system commences operation, a professional engineer who has experience in sanitary engineering related to drinking-water systems prepares a report that complies with section 21-5.

- (2) Subsection (1) does not apply to,
 - (a) the establishment or alteration of or a change to a service pipe;
 - (b) the establishment or alteration of or a change in an appurtenance of a watermain, if the appurtenance does not disrupt the operation of the drinking-water system that the watermain is part of;
 - (c) the relining of a watermain, if the new lining does not disrupt the operation of the drinking-water system that the watermain is part of;
 - (d) the replacement of an existing watermain with a new watermain that has similar dimensions and performance criteria and that is in the same or approximately the same location, if,
 - (i) the existing watermain was established or previously altered in accordance with an approval, or
 - (ii) after the existing watermain was established or previously altered,
 - (A) a report was prepared in accordance with this section and a notice was given to the Director in accordance with section 21-7 with respect to the establishment or alteration, or
 - (B) a report was prepared and given to the Director in accordance with section 5 of Ontario Regulation 505/01 (Drinking Water Protection — Smaller Water Works Serving Designated Facilities) with respect to the establishment or alteration.

Subsequent reports

21-4. (1) If a report of a professional engineer with respect to a drinking-water system has been prepared under section 21-2 or 21-3 or this section, the owner of the system shall ensure that a professional engineer who has experience in sanitary engineering related to drinking-water systems prepares a subsequent report that complies with section 21-5,

- (a) if the drinking-water system obtains water from a raw water supply that is surface water, before the fifth anniversary of the earlier of,

- (i) the date the preceding report was prepared, and
 - (ii) the date the preceding report was required to be prepared; or
- (b) if the drinking-water system obtains water from a raw water supply that is ground water, before the 10th anniversary of the earlier of,
- (i) the date the preceding report was prepared, and
 - (ii) the date the preceding report was required to be prepared.

(2) If a report is prepared under section 21-3 in respect of an alteration to a drinking-water system before the date a report is required to be prepared under subsection (1), the owner of the system is not required to prepare a further report under subsection (1) until the fifth anniversary or 10th anniversary, as the case may be of the date the preceding report was required to be prepared under section 21-3.

Contents of engineer's report

21-5. For the purposes of this Schedule, a report complies with this section if,

- (a) the report specifies which type of drinking-water system listed in subsection 21-1 (1) the report deals with;
- (b) the professional engineer who prepares the report certifies in the report that he or she has visited the drinking-water system and that, in his or her opinion,
 - (i) all equipment required in order to ensure compliance with Schedule 2 is being provided, and
 - (ii) all equipment required in order to ensure compliance with Schedules 6, 8 and 9 is being provided; and
- (c) the report sets out the professional engineer's reasons for the opinion referred to in clause (b), along with the technical and other information he or she relied on in reaching that opinion.

Report to be delivered to owner

21-6. The professional engineer who prepares a report under section 21-2, 21-3 or 21-4 shall immediately deliver the report to the owner of the system.

Notice to Director

21-7. (1) The owner of the drinking-water system shall, within seven days after a report is required to be prepared under this Schedule, give a notice to the Director and to the interested authority for each designated facility served by the system that specifies which type of drinking-water system listed in subsection 21-1 (1) the report deals with and includes a copy of the opinion referred to in clause 21-5 (b).

(2) The owner of a drinking-water system shall promptly give a notice to the Director that describes any changes that occur with respect to information that was given in an earlier notice under subsection (1) or this subsection.

(3) The obligation to ensure that a notice be given to the interested authority for a designated facility under subsection (1) does not apply to the following designated facilities:

1. A private school.
2. A children's camp.
3. A residence for seniors or retired persons, or any other similar residence, where attainment of a mature age is a factor in being accepted for occupancy.

SCHEDULE 22

SUMMARY REPORTS FOR MUNICIPALITIES

Municipal: Large Residential
Small Residential

Application

22-1. This Schedule applies to the following drinking-water systems:

1. Large municipal residential systems.
2. Small municipal residential systems.

Report

22-2. (1) The owner of a drinking-water system shall ensure that, not later than March 31 of each year after 2004, a report is prepared in accordance with subsections (2) and (3) for the preceding calendar year and is given to,

- (a) in the case of a drinking-water system owned by a municipality, the members of the municipal council;

- (b) in the case of a drinking-water system owned by a municipal service board established under section 195 of the *Municipal Act, 2001*, the members of the municipal service board; or
- (c) in the case of a drinking-water system owned by a corporation, the board of directors of the corporation.
- (2) The report must,
- (a) list the requirements of the Act, the regulations, the system's approval and any order that the system failed to meet at any time during the period covered by the report and specify the duration of the failure; and
- (b) for each failure referred to in clause (a), describe the measures that were taken to correct the failure.
- (3) The report must also include the following information for the purpose of enabling the owner of the system to assess the capability of the system to meet existing and planned uses of the system:
1. A summary of the quantities and flow rates of the water supplied during the period covered by the report, including monthly average and maximum daily flows and daily instantaneous peak flow rates.
 2. A comparison of the summary referred to in paragraph 1 to the rated capacity and flow rates approved in the system's approval.
- (4) If a report is prepared under subsection (1) for a system that supplies water to a municipality under the terms of a contract, the owner of the system shall give a copy of the report to the municipality by March 31.

SCHEDULE 23

INORGANIC PARAMETERS

Item	Parameter
1.	Antimony
2.	Arsenic
3.	Barium
4.	Boron
5.	Cadmium
6.	Chromium
7.	Mercury
8.	Selenium
9.	Uranium

SCHEDULE 24

ORGANIC PARAMETERS

Item	Parameter
1.	Alachlor
2.	Aldicarb
3.	Aldrin + Dieldrin
4.	Atrazine + N-dealkylated metabolites
5.	Azinphos-methyl
6.	Bendiocarb
7.	Benzene
8.	Benzo(a)pyrene
9.	Bromoxynil
10.	Carbaryl
11.	Carbofuran
12.	Carbon Tetrachloride
13.	Chlordane (Total)
14.	Chlorpyrifos
15.	Cyanazine
16.	Diazinon
17.	Dicamba
18.	1,2-Dichlorobenzene
19.	1,4-Dichlorobenzene
20.	Dichlorodiphenyltrichloroethane (DDT) + metabolites
21.	1,2-dichloroethane
22.	1,1-Dichloroethylene (vinylidene chloride)
23.	Dichloromethane
24.	2,4-Dichlorophenol
25.	2,4-Dichlorophenoxy acetic acid (2,4-D)

Item	Parameter
26.	Diclofop-methyl
27.	Dimethoate
28.	Dinoseb
29.	Diquat
30.	Diuron
31.	Glyphosate
32.	Heptachlor + Heptachlor Epoxide
33.	Lindane (Total)
34.	Malathion
35.	Methoxychlor
36.	Metolachlor
37.	Metribuzin
38.	Monochlorobenzene
39.	Paraquat
40.	Parathion
41.	Pentachlorophenol
42.	Phorate
43.	Picloram
44.	Polychlorinated Biphenyls (PCB)
45.	Prometryne
46.	Simazine
47.	Temephos
48.	Terbufos
49.	Tetrachloroethylene (perchloroethylene)
50.	2,3,4,6-Tetrachlorophenol
51.	Triallate
52.	Trichloroethylene
53.	2,4,6-Trichlorophenol
54.	2,4,5-Trichlorophenoxy acetic acid (2,4,5-T)
55.	Trifluralin
56.	Vinyl Chloride

20/03

ONTARIO REGULATION 171/03

made under the

SAFE DRINKING WATER ACT, 2002

Made: April 24, 2003

Filed: May 2, 2003

DEFINITIONS OF WORDS AND EXPRESSIONS USED IN THE ACT

“Private residence”

1. For the purposes of the definition of “private residence” in subsection 2 (1) of the Act, a private residence is a dwelling place occupied for an extended period of time by the same persons, if,

- (a) the residents have a reasonable expectation of privacy;
- (b) food preparation, personal hygiene, and sleeping accommodations are not communal in nature; and
- (c) any use of the dwelling place by a resident for a home occupation, trade, business, profession or craft is secondary to the use of the dwelling place as a residence and does not use more than 25 per cent of the indoor floor area.

“Regulated non-municipal drinking-water system”

2. (1) In this section, the following expressions have the same meaning as in Ontario Regulation 170/03 (Drinking-Water Systems):

1. Large non-municipal non-residential system.
2. Non-municipal year-round residential system.

3. Non-municipal seasonal residential system.
4. Small non-municipal non-residential system.

(2) The following non-municipal drinking-water systems are prescribed for the purposes of the definition of “regulated non-municipal drinking-water system” in subsection 2 (1) of the Act and for the purposes of the provisions of the Act listed in subsection (3):

1. Large non-municipal non-residential systems.
2. Small non-municipal non-residential systems.
3. Non-municipal year-round residential systems.
4. Non-municipal seasonal residential systems.

(3) The provisions of the Act referred to in subsection (2) are the following:

1. Section 11.
2. Section 18.
3. Subsection 52 (1).
4. Subsection 54 (4).
5. Section 59.
6. Subsection 60 (4).
7. Clause 105 (3) (e).
8. Section 106.
9. Sections 108 to 113.

(4) The following non-municipal drinking-water systems are prescribed for the purposes of the definition of “regulated non-municipal drinking-water system” in subsection 2 (1) of the Act and for the purposes of subsection 12 (1) of the Act:

1. Non-municipal year-round residential systems.
2. Large non-municipal non-residential systems.

(5) The following non-municipal drinking-water systems are prescribed for the purposes of the definition of “regulated non-municipal drinking-water system” in subsection 2 (1) of the Act and for the purposes of subsection 52 (2) and section 114 of the Act:

1. Non-municipal year-round residential systems.
2. Non-municipal seasonal residential systems.

Commencement

3. This Regulation comes into force on the day subsection 2 (1) of the *Safe Drinking Water Act, 2002* comes into force.

20/03

ONTARIO REGULATION 172/03

made under the

SAFE DRINKING WATER ACT, 2002

Made: May 2, 2003

Filed: May 2, 2003

DEFINITIONS OF “DEFICIENCY” AND “MUNICIPAL DRINKING-WATER SYSTEM”

“Deficiency”

1. A violation of any of the following provisions is prescribed as a deficiency for the purposes of the Act, including the definition of “deficiency” in subsection 2 (1) of the Act, if, in the opinion of the Director, the violation poses a drinking-water health hazard:

1. Subsection 18 (1) of the Act.
2. Schedules 1, 2 and 6 to 18 to Ontario Regulation 170/03 (Drinking-Water Systems).

“Municipal Drinking-Water System”

2. The following class is prescribed for the purposes of clause (d) of the definition of “municipal drinking-water system” in subsection 2 (1) of the Act:

1. A drinking-water system or part of a drinking-water system that serves a major residential development and is established after this Regulation comes into force under an agreement with a municipality pursuant to Part VI of the *Planning Act*, if the agreement provides that ownership of the system may be transferred to the municipality, a municipal service board established under section 195 of the *Municipal Act, 2001* or a corporation established under section 203 of the *Municipal Act, 2001*.

Commencement

3. **This Regulation comes into force on the day subsection 2 (1) of the *Safe Drinking Water Act, 2002* comes into force.**

CHRIS STOCKWELL
Minister of the Environment

Dated on May 2, 2003.

20/03

ONTARIO REGULATION 173/03
made under the
SAFE DRINKING WATER ACT, 2002

Made: April 24, 2003
Filed: May 2, 2003

SCHOOLS, PRIVATE SCHOOLS AND DAY NURSERIES

Interpretation

1. (1) In this Regulation,

“day nursery” means a day nursery as defined in the *Day Nurseries Act*;

“private school” means a private school as defined in the *Education Act*;

“school” means a school as defined in the *Education Act*.

(2) For the purposes of this Regulation, a school or private school is open on a day if, at any time during that day, programs for children under 18 years of age are held at the school or private school.

(3) For the purposes of this Regulation, a day nursery is open on a day if, at any time during that day, any of the children cared for are present in the day nursery.

Weekly flushing

2. (1) The operator of a school, private school or day nursery shall ensure that,

(a) the plumbing is flushed on the first day that the school, private school or day nursery is open in each week;

(b) the flushing continues until the temperature of the water stabilizes; and

(c) the flushing is completed before the school, private school or day nursery opens for the day.

(2) For the purpose of clause (1) (a), plumbing may be flushed by opening the last cold water tap on each branch or each run of pipe in the plumbing.

Records

3. (1) The operator of a school, private school or day nursery shall ensure that a record is made of the date and time of every flushing required by section 2 and the name of the person who performed the flushing.

(2) The operator of the school, private school or day nursery shall ensure that every record made under subsection (1) is kept for at least five years.

Exemption

4. This Regulation does not apply to a school, private school or day nursery that obtains water from a drinking-water system if the exemption provided by section 8 of Ontario Regulation 170/03 (Drinking-Water Systems) applies to the system.

Commencement

5. **This Regulation comes into force on the day subsection 11 (1) of the *Safe Drinking Water Act, 2002* comes into force.**

20/03

ONTARIO REGULATION 174/03

made under the

ONTARIO WATER RESOURCES ACT

Made: April 24, 2003

Filed: May 2, 2003

Amending O. Reg. 525/98

(Approval Exemptions)

Note: Ontario Regulation 525/98 has not previously been amended.

1. Ontario Regulation 525/98 is amended by adding the following section:

1.1 Section 52 of the Act does not apply to the following water works:

- 1. A water works that is a municipal drinking-water system within the meaning of the *Safe Drinking Water Act, 2002*.
- 2. A water works that is a non-municipal drinking-water system within the meaning of the *Safe Drinking Water Act, 2002*.

2. This Regulation comes into force on the day subsection 11 (1) of the *Safe Drinking Water Act, 2002* comes into force.

20/03

ONTARIO REGULATION 175/03

made under the

ONTARIO WATER RESOURCES ACT

Made: April 24, 2003

Filed: May 2, 2003

Revoking O. Reg. 459/00

(Drinking Water Protection — Larger Water Works)

1. Ontario Regulations 459/00, 506/01 and 213/02 are revoked.

2. This Regulation comes into force on the day subsection 11 (1) of the *Safe Drinking Water Act, 2002* comes into force.

20/03

ONTARIO REGULATION 176/03

made under the

ONTARIO WATER RESOURCES ACT

Made: April 24, 2003
Filed: May 2, 2003

Revoking O. Reg. 505/01
(Drinking Water Protection — Smaller Water Works Serving Designated Facilities)

- 1. Ontario Regulation 505/01 is revoked.**
- 2. This Regulation comes into force on the day subsection 11 (1) of the *Safe Drinking Water Act, 2002* comes into force.**

20/03

ONTARIO REGULATION 177/03

made under the

ONTARIO WATER RESOURCES ACT

Made: April 24, 2003
Filed: May 2, 2003

Amending O. Reg. 435/93
(Water Works and Sewage Works)

Note: Ontario Regulation 435/93 has previously been amended. Those amendments are listed in the Table of Regulations published in *The Ontario Gazette* dated January 18, 2003.

- 1. Subsection 2 (1) of Ontario Regulation 435/93 is amended by adding the following clause:**
 - (a.1) water works that are part of,
 - (i) a large municipal residential system,
 - (ii) a small municipal residential system,
 - (iii) a large municipal non-residential system,
 - (iv) a non-municipal year-round residential system, or
 - (v) a large non-municipal non-residential system,
 as those systems are defined in Ontario Regulation 170/03 (Drinking-Water Systems) made under the *Safe Drinking Water Act, 2002*;
- 2. This Regulation comes into force on the day subsection 11 (1) of the *Safe Drinking Water Act, 2002* comes into force.**

20/03

INDEX 20**GOVERNMENT NOTICES/AVIS DU GOUVERNEMENT**

Parliamentary Notice—Royal Assent/Avis parlementaire—sanction royale	1301
Certificates of Dissolution/Certificats de dissolution	1301
Cancellations for Cause (Business Corporations Act)/Annulations à juste titre (Loi sur les sociétés par actions)	1302
Notice of Default in Complying with the Corporations Information Act/Avis de non-observation de la loi sur les renseignements exigés des compagnies et des associations	1303
Notice of Default in Complying with the Corporations Tax Act/Avis d'inobservation de la loi sur les corporations	1303
Cancellation of Certificates of Incorporation (Business Corporations Act)/Annulation de certificats de constitution en personne morale (Loi sur les sociétés par actions)	1303
Co-operative Corporations Act (Certificates of Incorporation Issued)/Loi sur les sociétés coopératives (Certificats de constitution délivrés)	1304
Co-operative Corporations Act (Certificates of Dissolution Issued)/Loi sur les Sociétés Coopératives (Certificats de dissolution)	1304
Mining Act/Loi sur les mines	1305
Applications to Provincial Parliament—Private Bills/Demandes au Parlement provincial—Projets de loi d'intérêt privé	1316
Applications to Provincial Parliament/Demandes au Parlement provincial	1316

CORPORATION NOTICES/AVIS RELATIFS AUX COMPAGNIES	1316
SHERIFF'S SALES OF LANDS/VENTES DE TERRAINS PAR LE SHÉRIF	1317
SALES OF LANDS FOR TAX ARREARS BY PUBLIC TENDER/VENTES DE TERRAINS PAR APPEL D'OFFRES POUR ARRIÈRE D'IMPÔT	1320

**PUBLICATIONS UNDER THE REGULATIONS ACT/
PUBLICATIONS EN VERTU DE LA LOI SUR LES RÈGLEMENTS**

Development Corporations Act	O. Reg. 167/03	1346	
Evidence Act	O. Reg. 158/03	Loi sur la preuve Règl. de l'Ont. 158/03	1323
Freedom of Information and Protection of Privacy Act	O. Reg. 161/03	Loi sur l'accès à l'information et la protection de la vie privée Règl. de l'Ont. 161/03	1327
Health Protection and Promotion Act	O. Reg. 166/03	1335	
Liquor Licence Act	O. Reg. 159/03	1325	
Local Roads Boards Act	O. Reg. 163/03	1334	
Local Roads Boards Act	O. Reg. 164/03	1334	
Local Roads Boards Act	O. Reg. 165/03	1335	
Municipal Act, 2001	O. Reg. 168/03	1346	
Municipal Freedom of Information and Protection of Privacy Act	O. Reg. 162/03	1333	
Ontario Water Resources Act	O. Reg. 174/03	1410	
Ontario Water Resources Act	O. Reg. 175/03	1410	
Ontario Water Resources Act	O. Reg. 176/03	1411	
Ontario Water Resources Act	O. Reg. 177/03	1411	
Public Service Act	O. Reg. 160/03	1326	
Safe Drinking Water Act, 2002	O. Reg. 169/03	1353	
Safe Drinking Water Act, 2002	O. Reg. 170/03	1357	
Safe Drinking Water Act, 2002	O. Reg. 171/03	1407	
Safe Drinking Water Act, 2002	O. Reg. 172/03	1408	
Safe Drinking Water Act, 2002	O. Reg. 173/03	1409	

Discounted Publications

The following publications are now available at **greatly reduced prices. No refunds or exchanges.**

Pub#	Title	Reg Price	Sale Price
103909	Achieving Equality: Human Rights Reform	\$12.00	\$5.00
103456	Action: Communications Guide for Social Marketing in Health Promotion	\$16.00	\$5.00
102198	Competing in the New Global Economy Vol. 1	\$5.00	\$2.00
102200	Competing in the New Global Economy Vol. 2	\$5.00	\$2.00
102199	Competing in the New Global Economy Vol. 3	\$5.00	\$2.00
105542	Electronic Trading Systems OSC Forum Proceedings	\$10.00	\$3.00
104565	Empowering Spirit of the Native People: Native Literacy Movement in Ontario	\$5.00	\$2.00
106055	Guide for Design of Rapid Transit Stations	\$25.00	\$7.50
102638	Managing for Learning in Organizations	\$14.00	\$5.00
104309	Ontario Communications Handbook	\$7.50	\$1.50
106252	Ontario School Board Reduction Task Force: Final Report	\$8.00	\$2.00
105615	Ontario Transfer Guide: Agreement Among Ontario Colleges and Universities	\$7.00	\$2.50
102644	Options: Handbook of Retirement Information and Exercises	\$5.00	\$2.00
102214	People and Skills in the New Global Economy	\$5.00	\$2.00
102371	Prescriptions for Health: Appendices	\$10.00	\$5.00
106404	Report to the Attorney General of Ontario on Certain Matters Relating to Karla Homolka	\$20.00	\$5.00
106180	Report of the Commission on Systemic Racism in the Ontario Criminal Justice System: Community Summary	\$4.30	\$2.00
104481	Review of Maternal and Newborn Hospital Services in Ontario	\$7.50	\$3.00
110825	Revised Regulations of Ontario 1990 (9 volume set)	\$495.00	\$50.00
104121	Revised Regulations of Ontario 1990 Supplement (3 volume set)	\$ 55.00	\$10.00
110824	Revised Statutes of Ontario 1990 (12 volume set)	\$695.00	\$75.00
105528	Report on the Relationship between Victims of Crime and the Justice System in Ontario	\$10.00	\$2.50
104131	Royal Commissions and Commissions of Inquiry 1792-1991: Checklist	\$15.00	\$2.50
107565	Commission on Proceedings Involving Guy-Paul Morin; 1998 (Executive Summary)	\$8.00	\$6.50
107563	Commission on Proceedings Involving Guy-Paul Morin; 1998	\$35.00	\$17.50
101782	Working Times	\$7.00	\$2.00
400033	An Lao – Seniors Services for the Chinese Community	\$10.00	\$6.00
400079	Canadian Municipal Environmental Directory (1 st edition)	\$49.95	\$24.95
106739	Excellence in Education : High School Reform, a Discussion Paper (5 volume set)	\$8.50	\$4.00
106762	Excellence in Education : High School Reform, a Discussion Paper	\$2.00	\$1.00
106176	Greater Toronto: Report of the GTA Task Force; Jan 1996	\$25.00	\$5.00

106989	LEO : Environment Ontario Lexicon 1997	\$20.00	\$10.00
104388	New Planning for Ontario, Final Report: Commission on Planning and Development Reform in Ontario: June 1993	\$9.95	\$2.00
107281	One-Year Review of Casino Windsor	\$5.00	\$1.50
101305	Ontario Study of the Relevance of Education, and the Issue of Dropouts ; November 1987	\$6.00	\$1.50
107271	The Road Ahead- A report on Learning Time, Class Size and Staffing (First report of the Education Improvement Commission August 1997)	\$9.50	\$2.50
103528	Statutes of Ontario, 1991	\$35.00	\$10.00
104296	Statutes of Ontario, 1992	\$30.00	\$10.00
104942	Statutes of Ontario, 1993	\$35.00	\$10.00
105909	Statutes of Ontario, 1994	\$56.00	\$15.00
106293	Statutes of Ontario, 1995	\$30.00	\$15.00
106971	Statutes of Ontario, 1996	\$65.00	\$15.00
107669	Statutes of Ontario, 1997	\$145.00	\$30.00
107708	Statutes of Ontario, 1998	\$150.00	\$50.00
107819	Statutes of Ontario, 1999	\$145.00	\$72.50
107907	Statutes of Ontario, 2000	\$185.00	\$140.00
107994	Government of Ontario Telephone Directory 2002	\$13.50	\$6.75
104079	Sugar Bush Management for Maple Syrup Producers; Aug 92	\$6.00	\$2.00
104053	Volunteer Transportation Service 1992 Coordinator's Manual	\$15.00	\$6.00
102191	Workable : Fulfilling the Potential of People with Disabilities Jan 90	\$9.00	\$2.00

All sales are subject to **G.S.T.** and **P.S.T.** where applicable

TORONTO

For personal shopping:

Publications Ontario
880 Bay Street
Toronto, Ontario M7A 1N8

Monday to Friday

8:30 A.M to 5:00 P.M
(416) 326-5300
TTY Toll-Free 1-800-268-7095
Fax: (416) 326-5317

Internet: www.publications.gov.on.ca

OTTAWA

For personal shopping:

Access Ontario
161 Elgin St., Level 2
Ottawa, Ontario K2P 2K1

Monday to Friday

8:00 A.M to 5:00 P.M
Toll-Free: 1-800-668-9938
(613) 238-3630
Toll-Free: 1-800-268-8758
TTY: (613) 787-4043
Fax: (416) 566-2234

Internet: www.publications.gov.on.ca

For mail orders:

Publications Ontario
50 Grosvenor Street
Toronto, Ontario
M7A 1N8

For mail orders:

Access Ontario
161 Elgin St., Level 2
Ottawa, Ontario
K2P 2K1



Information

The Ontario Gazette is published each Saturday and **advertisements must be received no later than Thursday 4 p.m., 9 days before publication of the issue in which they should appear.**

Advertisements including the names of any signing officers must be typed or written legibly.

1. Advertising rates are for a first insertion per columnar space
 - i. up to ¼ column or part thereof is \$55.00
 - ii. each additional ¼ column or part thereof up to one page is \$26.00
2. In each calendar year, after one page is reached, each ¼ page or part thereof is \$70.00
3. For each multiple insertion ordered at the same time as the first insertion, one-half the rate payable under paragraph 1 or 2, as the case may be

Subscription rate is \$126.50 + 7% G.S.T. for 52 weekly issues and the single copy price of \$2.90 + 7% G.S.T. payable in advance. All rates are subject to increases without notice. **For the correct rate, please contact us at (416) 326-3893 during normal business hours.**

Subscriptions may be paid by VISA, MasterCard or AMEX. Cheques or money orders should be made payable to THE MINISTER OF FINANCE and all correspondence, including address changes, should be mailed to:

The Ontario Gazette
50 Grosvenor Street, Toronto, Ontario M7A 1N8
Telephone (416) 326-5310
Toll-Free 1-800-668-9938

Information

La Gazette De L'Ontario paraît chaque samedi, **et les annonces à y insérer doivent parvenir à ses bureaux le jeudi à 16 h au plus tard, soit au moins neuf jours avant la parution du numéro dans lequel elles figureront.**

Les annonces, ainsi que le nom des signataires autorisés, doivent être dactylographiées ou écrites lisiblement.

1. Tarifs publicitaires pour la première insertion, par espace-colonne
 - i. jusqu'une ¼ colonne ou une partie de celle-ci est 55,00 \$
 - ii. chaque ¼ colonne supplémentaire ou une partie de celle-ci jusqu'une page est 26,00 \$
2. Pendant une année calendaire, après être atteint une page, chaque ¼ page ou une partie de celle-ci est 70,00 \$
3. Pour chaque insertion multiple commandée en même temps que l'insertion initiale, le tarif se calcule à raison de 50 % du tarif payable indiqué au paragraph 1 ou 2, selon le cas

Le tarif d'abonnement est de 126,50 \$ + 7% T.P.S. pour 52 numéros hebdomadaires, et le tarif au numéro, de 2,90 \$ + 7% T.P.S. (payable à l'avance). Tous les tarifs peuvent être augmentés sans préavis. **Pour le tarif approprié, veuillez téléphoner (416) 326-3893 pendant les heures d'ouverture normales de bureau.**

Les paiements peuvent être effectués au moyen de la carte VISA, MasterCard ou AMEX. Les chèques ou mandats doivent être faits à l'ordre du MINISTRE DES FINANCES et toute correspondance, notamment les changements d'adresse, doit être adressée à :

La Gazette de l'Ontario
50, rue Grosvenor, Toronto, (Ontario) M7A 1N8
Téléphone (416) 326-5310
Appel sans frais 1-800-668-9938